


8 4 0 8

3 4 0 8



POSITION—LINE STAR TABLES:

FOR FIXING SHIP'S POSITION

REDUCTION TO MERIDIAN AND PROPERLY VERTICAL

WITHOUT LOGARITHMIC CALCULATION.

*Equally adapted to Marcq St. Hilaire's and
Sumner Methods.*

H. B. GOODWIN, R.N.

Formerly Examiner at the Royal Naval College, Greenwich.

London:

PUBLISHED BY J. D. POTTER.

Admiralty Agent for Charts,

145, MINORIES, E.

ALL RIGHTS RESERVED

1906.

RMIC LIBRARY

Acc. No 8408

Class No.

Date

St. ...

Vol.

Pl.

...

...

neg

neg

neg

PREFACE

In the pages which follow is introduced a new Nautical Astronomy, which may be called the process of "Reduction to the Prime Vertical." It is intended to do for the longitude problem what is already accomplished for latitude observations near the Meridian, that is, from an observed altitude in the neighbourhood of the Prime Vertical to obtain the hour angle and thence the longitude, by simply applying a correction, without logarithmic aid.

Observations near the Prime Vertical.

From the practical examples worked the reader will readily perceive the analogy between the methods now given and the Ex-Meridian Tables in general use. If any reasons be required for the extension of these methods to the time problem the following points may be noted :—

1. *Simplicity.* The process of computation by means of the Tables is excessively brief and easy to comprehend, and the amount of labour saved is not less than in the case of the Ex-Meridian.

2. *The Range.* For all navigable latitudes the period round the Prime Vertical during which the method is available is a considerable one, not less than two hours when the body is near the Prime Vertical to the eastward, and for a second period of two hours when the bearing is nearly West. In tropical latitudes the method may often be employed whatever the position of the body in its diurnal path. The tables, in fact, acquire wider and wider range as the Equator is approached, so that a ship leaving an English port on a course more or less southerly will find their application more and more extended as the latitude diminishes, whereas in the case of the Ex-Meridian the limits of the Tables are gradually restricted as the Equator is approached.

3. *Adaptation to Finding Position Lines.* The method lends itself with facility to all the Sumner processes in common use,

more particularly to the Marcq Saint-Hilaire method, now adopted generally in the Royal Navy.

4. *The Absence of Interpolation.* The required elements of hour angle and zenith distance being supplied in the Tables for intervals of 20' in latitude, no interpolation can be required so far as latitude is concerned, since whatever the value of the latitude by account it cannot differ by more than 10' from a tabular value. The only interpolation required, therefore, will be that due to a possible small difference of declination, and, as will be shown later, the correction necessary on this account is so simple that it can be practically made at sight.

5. *Occasional use in the case of Planets.* "In the collection now presented the Tables have direct reference only to the fixed stars, which, by reason of their nearly constant declination, offer the most favourable conditions for tabulation, but, as explained later, their use may sometimes be extended to the principal planets, when these happen to have declinations approaching values tabulated.

Observations near the Meridian.

An altitude near the Prime Vertical gives a position-line running nearly North and South. For a satisfactory "fix" we must obtain an altitude of a second star not far from the Meridian, which will furnish a position-line nearly East and West. Such an altitude may be reduced to Meridian by means of Table IV., and directions for the use of this Table will be found in the "Explanation and Use of the Tables." Should further information be desired as to the principles of this method, and the manner in which it may be applied to the solution of other nautical problems, the reader is referred to a pamphlet published by Messrs. Griffin and Co.*

The Complete "Fix" in Latitude and Longitude.

By the aid of these Tables the complete "fix" in latitude and longitude can be determined with no more trouble than would be involved in taking out and correcting two more than the usual number of elements from the Nautical Almanac. And it need hardly be pointed out that by the simplicity thus imparted to the operations the risk of error in the result is very materially diminished.

* "A New Table for Solving the Ex-Meridian on Kinematic Principles." By H. B. Goodwin, R.N. Price One Shilling. Griffin and Co., Portsmouth.

CONTENTS.

	PAGE
Introduction	vii.
Explanation and Use of Tables	1
Table I. (A)—Sidereal Time of Passage over Prime Vertical in North Latitude	13
Table I. (B)—Sidereal Time of Passage over Prime Vertical in South Latitude	14
Table I. (C)—Sidereal Time of Maximum Azimuth ..	15
Table I. (D)—Sidereal Time of Transit over Meridian...	16
Table II. (A)—Elements of Stars on Prime Vertical ...	19
Table II. (B)—The Second Correction in finding Hour Angle from Zenith Distance	71
Table II. (C)—The Second Correction in finding Zenith Distance from Hour Angle	72
Table III.—Elements of Stars at Maximum Azimuth...	75
Table IV.—Rates of Change of Altitude near the Meridian	89
Table V.—(A) Converting Minutes and Seconds of Arc to Decimal of Degree	94
Table V.—(B) Converting Seconds of Time to Decimal of Minute of Time	
Appendix.—Proofs of Formulæ employed	95

INTRODUCTION.

General formula for change of Zenith Distance in a given interval of Time and deductions therefrom.

If z, z_0 are the Zenith Distances of a heavenly body at the beginning and end of an interval of time Δt

$$z - z_0 = \left(\frac{dz}{dt} \right) \Delta t + \frac{1}{2} \left(\frac{d^2 z}{dt^2} \right) (\Delta t)^2 + \frac{1}{6} \frac{d^3 z}{dt^3} (\Delta t)^3 +$$

where $\frac{dz}{dt} = \cos l \sin A$, l, A being the latitude of place, and Azimuth of body respectively.

From this value of $\frac{dz}{dt}$ it may be deduced that

$$\frac{d^2 z}{dt^2} = \frac{\cos l \cos d \cos PXZ \cos PXZ}{\sin z}$$

d being the declination of the body, PXZ its Azimuth, and PXZ the "Angle of Position" in the fundamental triangle of Nautical Astronomy.

It follows from this expression that the second term on the right hand side of the equation vanishes when the bearing is nearly 90° , i.e., when the body approaches the Prime Vertical, and the expression becomes

$$(z - z_0)'' = 15 \cos l \sin A (\Delta t)^3.$$

terms beyond the second being for the present neglected.

Again, if $\sin A$ may be taken as unity, the value of $(z - z_0)''$ simplifies to $15 \cos l (\Delta t)^3$

So that near the Prime Vertical it results that a body may be regarded as changing its Zenith Distance with a uniform velocity, which is independent of the declination, and depends only upon the latitude of the place.

Application of Principle of Proportion to finding Hour Angle from a given Zenith Distance, and vice versâ.

From this uniformity of motion in altitude it follows that if we tabulate for certain conveniently situated bright stars the values of Hour Angles upon the Prime Vertical, and give also the rates of change in Hour Angle per degree of change in Zenith Distance, we have the means of finding the Hour Angle corresponding to a given Zenith Distance by a simple process of proportion. Similarly if we tabulate also the rate of change of

Zenith Distance per unit of time, as for instance per minute, we can find with equal facility the Zenith Distance corresponding to a given Hour Angle.

The Stars selected for tabulation are the following :—

North of Equator.

<i>Star.</i>	<i>Declination.</i>	<i>Star.</i>	<i>Declination.</i>
<i>a</i> Andromedæ ...	28° 34' N.	<i>β</i> Leonis... ..	15° 7' N.
<i>a</i> Arietis ...	23 1 N.	Arcturus ...	19 41 N.
Aldebaran ...	16 19 N.	<i>a</i> Coronæ ...	27 2 N.
Betelguese ...	7 23 N.	Altair ...	8 37 N.
Pollux... ..	28 15 N.	Markab ...	14 42 N.
Regulus ...	12 26 N.		

South of Equator.

Rigel	8 19 S.	Spica	10 40 S.
Sirius	16 35 S.	Antares ...	26 13 S.
<i>a</i> Hydræ	8 15 S.	Fomalhaut ...	30 8 S.

The following examples will illustrate the facility with which the Tables may be applied to find Hour Angles or Zenith Distance as the case may be.

Example 1.—Betelguese has a Zenith Distance of 78° 58' (West). Required its Hour Angle. Latitude 60° N. From Table II. (A) :—

Hour Angle on Prime Vertical.	Zenith Distance on Prime Vertical.	Seconds of Time for change per degree of Zenith Distance.
5 ^h 42 ^m 50 ^s	81° 28'	480 ^s

The difference between observed and tabulated Zenith Distances is 2° 30', or 2·5°. To find difference in Hour Angle we have only to multiply the difference per degree, viz., 480^s, by 2·5, obtaining 1,200 seconds, or 20 minutes. Since, as the star is west of Meridian, the Zenith Distance is increasing, this quantity must be subtracted from the tabulated value of Hour Angle. Thus Hour Angle = 5^h 42^m 50^s — 20^m = 5^h 22^m 50^s.

Example 2.—Required the Zenith Distance of Aldebaran when the Hour Angle is 3^h 28^m 8^s (West). Latitude 30° N. From Table II. (A) :—

Hour Angle on Prime Vertical.	Zenith Distance on Prime Vertical.	Change of Zenith Distance per minute of Time.
3 ^h 58 ^m 8 ^s	55° 48' 45"	12·99'

Here the westerly Hour Angle, being less than that tabulated, shows the body to be short of Prime Vertical. The Zenith Distance, therefore, is less than that given in the Table.

To find the correction we subtract Hour Angle given, viz., $3^h 28^m 8^s$, from $3^h 58^m 8^s$, obtaining 30^m . Then $12.99' \times 30$, or $389'$ nearly, is the correction.

Subtracting $6^\circ 29'$ from $55^\circ 48' 45''$, we have $49^\circ 19' 45''$, the Zenith Distance required.

The "Second Correction."

So far as we have proceeded, only the first two terms of the series have been taken into account, and, as has been shown, the second term vanishes near the Prime Vertical.

Within a limit of half an hour of the Prime Vertical the third term also, viz., $\frac{1}{6} \frac{d^3 z}{dt^3} (\Delta t)^3$ may be left out of account, but beyond this limit it becomes necessary to take its value into consideration, and if this is done the practicable range in hour angle of the Tables is very greatly extended, and indeed more than doubled in amount.

When the Azimuth is nearly 90° this third term reduces to

$$- \frac{1}{6} \sin^2 1' \sin c \cos^2 c (15 \Delta t)^3$$

where c is the colatitude of place.

The values of the resulting correction are tabulated in Tables II. (B) and II. (C), for finding Hour Angle from Zenith Distance, and Zenith Distance from Hour Angle respectively.

The following example will illustrate the use of this supplementary Table:—

Example 3.—Betelgeuse has a Zenith Distance of $73^\circ 28'$ West Required its Hour Angle. Latitude 60° N.

From Table, Zenith Distance	=	$81^\circ 28'$
Observed " "	=	$73 \quad 28$
Difference		<hr/> 8°
First Correction = $480^s \times 8 = 3840^s$		$= 1^h \quad 4^m \quad 0^s$
Second " = 38^s		
Sum of First and Second Corrections	...	$1^h \quad 4^m \quad 38^s$
Hour Angle (from Table)	$5 \quad 42 \quad 50$
Correction 	<hr/> $1 \quad 4 \quad 38$
Hour Angle	$4 \quad 38 \quad 12$

Logarithmic calculation gives the value $4^h 38^m 11^s$.

Thus at an Hour Angle more than an hour distant from that of Transit over the Prime Vertical we obtain a result practically identical with that given by rigorous calculation.

Effects of a Change of Declination on the Tabulated Values, and Method of Compensation.

Since the so-called fixed Stars are not absolutely fixed, but are liable to changes of declination, it is necessary to take account of such variations, or in the course of a short time Tables such as these

INTRODUCTION.

would lose their value. Both Hour Angle and Zenith Distance upon Prime Vertical are affected by changes of declination, and the first method which suggests itself would be to give Tables of Corrections to Hour Angle and Zenith Distance per minute of change of declination. The additional trouble involved would, however, seriously affect the value of the Tables as a labour-saving device, particularly when, as in the case of tropical latitudes, the rates of change assume considerable values. If such a method were adopted the form of Table would be somewhat as follows :—

STAR FOMALHAUT (Declination $30^{\circ} 8' S$).

Latitude.	Hour Angle.	Correction per Minute of Declination.	Zenith Distance.	Correction per Minute of Declination.	Seconds of Time for a Change of one Degree of Zenith Distance.
$^{\circ} \quad ' \quad ''$ 37 40	$^{\text{h}} \quad ^{\text{m}} \quad ^{\text{s}}$ 2 44 58	$^{\text{s}}$ 10.5	$^{\circ} \quad ' \quad ''$ 34 45 45	$'$ 2.5	$^{\text{s}}$ 303.2

Let us suppose that in latitude $37^{\circ} 40' S$, on July 20th, 1905, when the declination from Nautical Almanac was $30^{\circ} 7' 12'' S$, the Zenith Distance was $37^{\circ} 45' 45''$. Required the Hour Angle (West).

The work would be as follows :—

$$\text{Correction to Hour Angle} = \frac{4}{5} 10.5^{\text{s}} = 8^{\text{s}}.$$

$$\text{Hour Angle on Prime Vertical} = 2^{\text{h}} 44^{\text{m}} 58^{\text{s}} + 8^{\text{s}} = 2^{\text{h}} 45^{\text{m}} 6^{\text{s}}.$$

$$\text{Correction to Zenith Distance} = \frac{4}{5} 2.5 = 2'.$$

$$\text{Zenith Distance on P.V.} = 34^{\circ} 45' 45'' + 2' = 34^{\circ} 47' 45''.$$

$$\text{Observed Zenith Distance} = 37^{\circ} 45' 45''.$$

$$\text{Difference} = 2^{\circ} 58' = 2^{\circ}.97.$$

$$\text{Then } 303.2 \times 2.97 = 900.5 = 15^{\text{m}}.$$

$$\text{And Hour Angle} = 2^{\text{h}} 45^{\text{m}} 6^{\text{s}} + 15^{\text{m}} = 3^{\text{h}} 0^{\text{m}} 6^{\text{s}}.$$

So far as accuracy is concerned, such a method of correction would be satisfactory enough, but it is laborious because it involves the correction of both tabular elements. By means of a modification which has suggested itself to the writer, it has been found possible to attain the same result by means of a single correction applied to the Hour Angle, keeping the tabulated value of Zenith Distance unaltered.

This correction never exceeds six or seven seconds of time per change of one minute in declination, and reduces almost to zero in the tropics, where the separate corrections would give most trouble. Practically the single correction can always be calculated mentally and applied at sight. Moreover there is but one rule as to sign, viz., for increasing declination *add*, decreasing *subtract*.

In this amended form the extract from Table last given would stand:—

Latitude.	Hour Angle.	Correction for change of 1' in Declination.	Zenith Distance.	Seconds of time for change of one degree of Zenith Distance.
37° 40'	2 ^h 44 ^m 58	2 ^s	34° 45' 45"	303 ^s ·2

The work is then as follows :

Correction for change of declination = $\frac{1}{3}$ of 2^s = 1·6^s.

Hour Angle on Prime Vertical = 2^h 44^m 58^s - 2^s = 2^h 44^m 56^s.

Difference of Zenith Distance = 37° 45' 45" - 34° 45' 45" = 3°

And 303^s·2 × 3 = 909·6^s = 15^m 10^s.

Whence 2^h 44^m 56^s + 15^m 10^s = 3^h 0^m 6^s, the same result as before.

Limits in Altitudes Tabulated.

The general limits of the Tables are restricted to altitudes from 10° to 60°, *i.e.*, to Zenith Distances from 80° to 30°. Below 10° observations are untrustworthy, while those above 60° are not well adapted to Sumner methods.

Adaptation to position of Maximum Azimuth.

As we pass from high latitudes to the tropics, the Prime Vertical method ceases to be applicable, for the sufficient reason that as soon as the latitude of place becomes less than declination of star, the body will not pass the Prime Vertical at all.

Under this condition, however, *i.e.*, when declination exceeds latitude, both being of same name, at some point in its diurnal path the angle PXZ, known as the "Angle of Position," assumes the value of 90°, and when this is the case the uniformity of the velocity in altitude is even more marked than upon the Prime Vertical.

For, reverting for the moment to the expression for $\frac{d^2z}{dt^2}$ viz.,

$$\frac{\cos l \cos d \cos PZX \cos PXZ}{\sin z}$$

we see that it vanishes, not only when PZX is 90°, but also when PXZ is 90°, *i.e.*, when the body is at its Maximum Azimuth. Therefore by tabulating the values of Hour Angle and Zenith Distance for Maximum Azimuth also we may extend to low latitudes in the tropics the method applied in the Prime Vertical Tables to places nearer the Pole.

Thus in the case of the two stars Pollux (28° N.) and Betelgeuse (7° N.) the former, which ran out in the Prime Vertical

Table at latitude $32^{\circ} 20' N.$, reappears for Maximum Azimuth at latitude $24^{\circ} N.$, and is tabulated down to latitude $4^{\circ} 40' N.$, when the limit of 80° of Zenith Distance is reached.

Thus by one method or other the Hour Angle may be found from altitude of Pollux for a range of about 47 degrees of latitude.

In the second case Betelgeuse runs out of Prime Vertical Table at $8^{\circ} 40' N.$, reappearing for Maximum Azimuth in latitude $6^{\circ} 20' N.$, and continuing to latitude $1^{\circ} 20' N.$ Here, then, we have the star available for 56° of latitude.

The two stars selected being at the extremes of the limits of declination, we may assume therefore that the sum of the zones of latitudes excluded will not be greater than 14° or less than 4° . And the lower the declination of star the more generally available will it be, and the smaller the zone omitted.

The Maximum Azimuth Tables are in some respects simpler in form than those which relate to the Prime Vertical. In the first place the rate of change in seconds of time per degree of Zenith Distance, and of change of Zenith Distance per minute of time, do not depend upon the latitude of place, but upon the declination of star. Thus for a particular star they are constant whatever the latitude. Again, in the case of the Maximum Azimuth, no connection to Hour Angle for a small change of declination is necessary since its value would be inappreciable.

For the First Correction in the case of the Maximum Azimuth we shall have

$$15 \cos d (\Delta t)^2.$$

And for the Second Correction

$$- \frac{1}{6} \sin^2 l' \sin p \cos^2 p (15 \Delta t)^3$$

The same Tables II. (B), II. (C), which serve for the Second Correction in the case of the Prime Vertical, will suffice also for the Maximum Azimuth also, if we remember to enter the Table with declination as argument instead of latitude.

Method of finding what stars are suitable for observation at a particular place and time.

In order to facilitate the process of finding what stars are available near Prime Vertical, Maximum Azimuth, or Meridian, at a particular epoch, four Tables, I. (A), I. (B), I. (C), I. (D) have been computed.

In a given latitude a star will pass Prime Vertical or Meridian at a different instant of Mean Time day by day. But the Sidereal Time of transit is practically constant, and it seems advisable therefore to utilise such Sidereal Time accordingly.

To find Sidereal Time is a simple enough matter, since we have but to add Ship Mean Time to Right Ascension of Mean Sun, as taken from the Nautical Almanac.

As an example of the advantage of such a Table, let us suppose that it is required to find, for August 4th, 1905, what stars will be available near Prime Vertical and Meridian about the period of morning and evening twilight, say about 2^h 30^m a.m. and 9^h 30^m p.m., SMT., in latitude 55° N.

We have R. A. Mean Sun approximately 8^h 50^m. Adding this to 14^h 30^m and 9^h 30^m, we obtain 23^h 20^m and 18^h 20^m respectively. For the passage over Prime Vertical, Table I. (A.) tells us that Aldebaran will bear East at 23^h 18^m Sidereal Time, while in the evening we have Markab East at 17^h 42^m, and Arcturus West at 19^h 13^m. These three stars should therefore be available on the day in question under the advantageous conditions usually attending twilight observations.

With regard to stars near the Meridian various Tables give Mean Time of Transit, but here also the adoption of Sidereal Time supplies a very compact form as in Table I. (D).

For the value of 23^h 20^m (Sidereal Time), we have Markab, which bears East about 17^h 42^m, on the Meridian about 23^h 0^m, while in the evening Vega passes about 18^h 34^m, and Altair at 19^h 46^m.

Azimuth Tables available for stars tabulated.

Most of the stars fall within the limits of 0° and 24° of declination, and their Azimuths may therefore be taken from the well-known Burdwood and Davis Tables.

The declinations of the following five stars, however, lie without these limits, and their bearings may be found from a collection compiled by the writer.—*

<i>Star.</i>		<i>Declination.</i>
<i>a</i> Andromedæ	28° 34' N.
Pollux	28 15 N.
<i>a</i> Coronæ	27 2 N.
Antares	26 13 S.
Fomalhaut	30 8 S.

Extension to the Case of Planets.

As already mentioned the Tables may from time to time be utilised in the case of the principal planets. If the declination of such planet, for instance, falls within about 20' of the value tabulated the correction of hour angle due to the difference of declination for planet and tabulated star will give perfectly trustworthy results.

On the last-mentioned date, viz., August 4th, 1905, it happened that Jupiter had a declination of 19° 44' N., and an observed altitude of this planet might therefore have been dealt with by

* "Azimuth Tables for the Higher Declinations." By H. B. Goodwin. Longmans, Green and Co. Price 7s. 6d.

means of the Tables for Arcturus (Dec. $19^{\circ} 41' N.$). The declination of the planet remained within $20'$ of that of Arcturus until August 15th. Later in the year, from October 31st to November 29th, the declination of Jupiter again approached the tabulated value for Arcturus. Similarly for Mars. From July 29th to August 3rd the declination lay between $19^{\circ} 21' S.$ and $20^{\circ} 1' S.$, so that here also the values of Arcturus would be available. Later on the declination increased in amount until the values for α Arietis (Dec. $23^{\circ} 1' N.$) might have been utilised for several days during the later part of August.

So, again, Saturn, on August 4th, had a declination of $12^{\circ} 39' S.$, and the Table for Regulus (Dec. $12^{\circ} 26' N.$) might have been employed, the declination South having been within $20'$ of that of Regulus North since July 9th.

These, however, may be regarded more or less as coincidences. When, as in the cases mentioned, the planets have declinations approaching those tabulated there is no reason why the Tables should not be turned to practical account. But the principal object which the compiler had in view in the production of these Tables was the simplification of the longitude problem in connection with the altitudes of the fixed stars. Now that year by year such observations are becoming more general in consequence of the increased needs of modern Navigation the effort is perhaps worth making, more particularly as the form of the Tables can be adapted so completely to the Sumner processes in general use.

EXPLANATION AND USE OF TABLES.

TABLES I. (A), I. (B), I. (C), AND I. (D).

Approximate Sidereal Times of Transit over Prime Vertical, Circle of Maximum Azimuth, and Meridian.

TABLES I. (A), I. (B).

These two tables give the approximate Sidereal Time of transit over Prime Vertical for each 5° of latitude from 10° to 60° , East and West. Table I. (A) deals with Northern Stars, and Table I. (B) with Southern.

Arguments, Latitude and Name of star.

TABLE I. (C).

Table I. (C) gives the Sidereal Time of maximum azimuth when declination of star exceeds latitude of place, both being of same name.

Arguments, Latitude and Name of star.

TABLE I. (D).

This Table gives Sidereal Time of Transit over meridian. Such time being independent of latitude, the sole argument is name of star.

To find Sidereal Time at a given instant of Mean Time.

Obtain Greenwich Date by applying longitude in time to given mean time, adding for West, subtracting for East longitude.

Take from Column (p. II. of monthly Ephemeris of Nautical Almanac), headed "Sidereal Time," the Right Ascension of Mean Sun at preceding Greenwich Mean Noon. Correct for hours and minutes of Greenwich Date.

Add R.A. Mean Sun so corrected to given Ship Mean Time.

Example 1.—On March 7th, in latitude 55° N., longitude 43° W., at $6^h 40^m$ p.m., find Sidereal Time, and thence from Tables I. (A), I. (D) what stars are near the Prime Vertical and Meridian respectively.

Greenwich Date.		R.A.M. Sun (at Noon)	22 ^h 58 ^m 8.2 ^s
Ship M.T.	6 ^h 40 ^m	Corr ⁿ for 9 ^h ...	1 28.7
Longitude	2 52	„ 32 ^m ...	5.3
G.D.	... 9 32	Corrected R.A.M. Sun	22 59 42.2
		Ship M.T. ...	6 40 0
		Sum ...	29 39 42
			24
		Sidereal Time ...	5 39 42

Thus Sidereal Time is approximately $5^h 40^m$. Entering Table I. (A), with latitude 55° as argument, we find that β Leonis passes Prime Vertical to eastward at $6^h 28^m$ Sidereal Time, while from Table I. (D) it appears that Betelgeuse will pass Meridian at $5^h 50^m$. Both these Stars are therefore available for observation at once, the one for longitude, the other for latitude.

TABLES II. (A), II. (B), AND II. (C).

TABLE II. (A).

In Table II. (A) are given the Hour Angles and Zenith Distances of the Stars selected for tabulation, when in transit over the Prime Vertical.

Arguments, Latitude of place and Name of Star.

The third column gives the correction to tabulated Hour Angle for a small variation of declination. The fifth column has the change of Hour Angle per change of degree in Zenith Distance, for use in finding the Hour Angle corresponding to a given value of Zenith Distance. In the sixth column is given the change of Zenith Distance per minute of time, to be used in finding the Zenith Distance corresponding to a given Hour Angle.

To find the Hour Angle corresponding to a given Zenith Distance.

Take from Table II. (A) the Zenith Distance on Prime Vertical, and find the difference between this and Zenith Distance observed.

Express this difference in degrees and decimals of a degree (N.B. $6' = .1$ of a degree, and so in proportion.)

From column 5 take the change in seconds of time per degree.

Multiply this by the number of degrees in the difference found above, and apply the quantity resulting to the Hour Angle from Table, corrected if necessary for any change of declination, adding or subtracting according to the circumstances of the case.*

Example 2.—In latitude 55° N., when the Zenith Distance of β Leonis is $74^\circ 40'$, required the Hour Angle (East).

Observed Zenith Distance	...	74°	40'	0"
Tabular " " 	71	26	15
Difference	3	13	45
= 3°·23 nearly				
Correction = 418·4 × 3·23 = 1351 ^s = 22 ^m 31 ^s .				
Hour Angle (from Table)	5 ^h	16 ^m	23 ^s	(East)
Correction 	22	31	
Corrected Hour Angle	5	38	54	(East)
or	18	21	6	
Logarithmic calculation gives 18 ^h 21 ^m 4 ^s as the value				

* Since a body increases its altitude continuously up to the meridian, and then diminishes it until it reaches the horizon, a moment's consideration will show whether the correction is additive or subtractive.

To find the Zenith Distance corresponding to a given Hour Angle.

Take from Table II. (A) the Hour Angle of Transit over Prime Vertical, corrected if necessary for any change of declination, and find the difference between this and the Hour Angle given. Express this difference in minutes and decimals of a minute. (N.B.—Six seconds = .1 of a minute, and so in proportion).

Take from Table the change of Zenith Distance per minute of time. Multiply this quantity by the difference obtained above, and apply the product to the Zenith Distance from Table, according to the circumstances of the case.

Example 3.—In latitude 55° N. required the Zenith Distance of β Leonis (Dec. $15^{\circ} 8' 30''$ N.) at an Hour Angle of $5^{\text{h}} 42^{\text{m}} 1^{\text{s}}$ W.

Here the declination is greater by $1' 30''$ than that for which the Table is calculated, viz., $15^{\circ} 7' \text{ N.}$, and a correction has to be made accordingly. From the third column of Table II. (A) we find that the correction for change of declination is $5^{\text{s}}.6$ per $1'$ change, or $8^{\text{s}}.4$ for $1' 30''$.

Thus the tabular value of Hour Angle, viz., $5^{\text{h}} 16^{\text{m}} 23^{\text{s}}$, becomes $5^{\text{h}} 16^{\text{m}} 31^{\text{s}}$, the correction being additive because declination has increased.

Corrected Hour Angle from Table	...	$5^{\text{h}} 16^{\text{m}} 31^{\text{s}}$
Hour Angle given	$5 \quad 42 \quad 1$
Difference	<hr/> 25 30
	or	$25^{\text{m}}.5$

$$\begin{aligned} \text{Correction in Zenith Distance} &= 8'.6 \text{ (from Table)} \times 25.5 \\ &= 219'.3 = 3^{\circ} 39'.3. \end{aligned}$$

Correction is additive because body has passed the Prime Vertical, whence

$$\begin{aligned} \text{Zenith Distance} &= 71^{\circ} 26' \text{ (from Table)} + 3^{\circ} 39'.3 \\ &= 75^{\circ} 5'.3. \end{aligned}$$

TABLE II. (B).

Within a range of about half an hour from the Prime Vertical values of the hour angle corresponding to an observed Zenith Distance may be found by means of Table II. (A) in the manner already described, with an amount of error of not more than four seconds of time, the First Correction alone being employed.

Outside this range of half an hour, or within it if a very exact result is required, a Second Correction, tabulated in Table II. (B), is necessary.

Arguments, Latitude and approximate distance in Hour Angle from Prime Vertical.

To find and apply the Second Correction.

Enter Table II. (B) with approximate latitude and distance in Hour Angle from Prime Vertical.

Add quantity from Table to First Correction, and apply the sum to tabular Hour Angle.

Example 4.—In Example 2, given above, in latitude 55° , when the Zenith Distance of β Leonis is $74^\circ 40'$, required the *exact* Hour Angle (East).

From work already given, First Correction is found to be $22^m 31^s$.

Entering Table II. (B) with this value as distance from Prime Vertical, and with 55° as latitude, we find the Second Correction to be approximately 2 seconds.

Thus, sum of First and Second Corrections is $22^m 33^s$.

Then, Hour Angle (from Table) $5^h 16^m 23^s$ (East)

Sum of Corrections $22 \quad 33$

Sum $5 \quad 38 \quad 56$ (East)

or, $18 \quad 21 \quad 4$

which agrees exactly with the result by logarithmic calculation.

TABLE II. (C).

This Table is for use in calculating Zenith Distance corresponding to a given Hour Angle, giving the Second Correction, always subtractive from the First Correction, to be applied to the tabular Zenith Distance.

Arguments, Latitude and approximate distance in Hour Angle from Prime Vertical.

To find and apply the Second Correction.

Enter Table II. (C.) with approximate Latitude and distance in Hour Angle from Prime Vertical. Subtract the quantity taken from Table from the First Correction, and apply this difference to the tabular zenith distance according to the circumstances of the case.

Example 5.—In Latitude 50° N. required the Zenith Distance of Aldebaran, when its Hour Angle is $6^h 7^m 37^s$ (West), the declination being $16^\circ 24' N$.

The declination of star having increased by $5'$ from the tabular value $16^\circ 19' N$. we have to apply a correction of $4^s.6 \times 5$, or 23^s , to the tabular Hour Angle $5^h 3^m 7^s$, which becomes, therefore, $5^h 3^m 30^s$.

Then Hour Angle given... .. $6^h \quad 7^m \quad 37^s$
 Tabular Hour Angle $5 \quad 3 \quad 30$

Difference $1 \quad 4 \quad 7$

First Correction = $9'.64 \times 64.1 = 10^\circ 17'.9$.

From Table II. (C.).—Second Correction (for Latitude 50° , Distance in Hour Angle 65^m) is $4'.9$.

Tabular Zenith Distance $68^\circ \quad 29' \quad 0''$

Difference of First and Second Corrections $10 \quad 13 \quad 0$

Sum $78 \quad 42 \quad 0$

This result, differing by only about $5'$ from that given by rigorous calculation, illustrates the reliability of the method, since the Hour Angle is more than an hour distant from that of transit over the Prime Vertical, and the declination of star differs by as much as $5'$ from that used in calculating the Tables.

TABLE III.

In Table III. are given the Hour Angles and Zenith Distances corresponding to the position of Maximum Azimuth, when the "Angle of Position" is 90° .

That this may be the case the declination of the body must be greater than the latitude of place, so that the Table is concerned only with latitudes within the tropics, or just outside their limits.

In the case of the Maximum Azimuth the effect of a small change of declination being inappreciable, no column of corrections corresponding to the third column of Table II. (A) is required.

Moreover, since the rates of change in Hour Angle for a degree of Zenith Distance, and of Zenith Distance per minute of time, are constant for a particular star, columns 5 and 6 of Table II. (A) may be dispensed with, the necessary rates for the star in question being given at the head of the Tables relating to that star.

To find the Hour Angle corresponding to a given Zenith Distance near the position of Maximum Azimuth.

Take from the Table the Zenith Distance at Maximum Azimuth, and find the difference between this and the Zenith Distance observed.

Express this in degrees and decimals of a degree (N.B.— $6' = .1$ of a degree, and so in proportion).

Take from the head of Table the seconds of time corresponding to a degree of Zenith Distance.

Multiply this number by the value of the difference found above, and apply the product to the Hour Angle from Table according to circumstances.

Example 6.—In latitude $12^\circ 40' N.$ required the Hour Angle of Arcturus, when the Zenith Distance is $54^\circ 30'$ (East).

Observed Zenith Distance	54°	$30'$
--------------------------	-----	-----	------------	-------

Tabular	"	"	49°	$23'$
---------	---	---	-----	-----	------------	-------

Difference	5°	$7'$
------------	-----	-----	-----------	------

$= 5.12^\circ$

Correction $= 254.9^s \times 5.12 = 1305^s = 21^m 45^s$

Hour Angle East (from Table)...	3^h	24^m	19^s
---------------------------------	-------	--------	--------

Correction	21^m	45^s
----------------	-----	-----	--------	--------

Sum	3^h	46^m	4^s (East)
---------	-----	-------	--------	--------------

24

Hour Angle required $20^h 13^m 56^s$

Note.—In the case of the Maximum Azimuth the Second Correction will only be required in exceptional cases, when the distance from the position of Maximum Azimuth is considerable. When made use of it is taken from Table II. (B) in the manner already described, and added to the First Correction, the argument declination of star being substituted for latitude of place.

To find the Zenith Distance corresponding to a given Hour Angle near the position of Maximum Azimuth.

Take from Table the Hour Angle for Maximum Azimuth, and find the difference between this and the given Hour Angle.

Express the difference in minutes and decimals of a minute.

Take from head of Table the change of Zenith Distance per minute of time. Multiply this quantity by the number of minutes obtained above, and apply the product to the tabulated Zenith Distance, according to circumstances.

Example 7.—In latitude 7° N. required the Zenith Distance of Altair at an Hour Angle of $3^h 5^m$ (West).

Hour Angle given...	$3^h 5^m 0^s$
„ „ from Table	$2 23 30$
				<hr/>
				41 30
				<hr/>
				41.5 ^m
				or
Correction = 14.83' (from Table)	\times	41.5		
	=	615.4	=	$10^{\circ} 15.4'$
Zenith Distance from Table		$35^{\circ} 34'$
Correction		$10 15.4$
				<hr/>
Zenith Distance required		$45 49.4$

TABLE IV.

As is pointed out in the preface, this Table is not a new one, but was published in pamphlet form by Messrs. Griffin in 1903. Its primary object is to reduce to the Meridian an altitude taken on a small bearing, but it can be employed with equal facility in obtaining the Zenith Distance of a body which lies within the ex-Meridian limits of Azimuth. With latitude of place and Azimuth of body as arguments the Table gives the rate of change of altitude per minute of time and the "Reduction to the Meridian" is found in the following manner :—

To find the "Reduction to the Meridian," and thence the latitude by Table IV.

With approximate latitude of place, declination of body, and half Hour Angle as arguments, take out from the Azimuth Tables the approximate Azimuth.

With this Azimuth and latitude of place as arguments, take out "rate of change."

Multiply this rate by the number of minutes of time in the whole Hour Angle to obtain "Reduction."

Apply the "Reduction" to observed Zenith Distance, in order to obtain Meridian Zenith Distance, whence latitude is derived by the ordinary rules.

Example 8.—In latitude by account 55° N. the Zenith Distance of Betelgeuse (declination $7^{\circ} 23' \text{N.}$) was $47^{\circ} 44'$, when the Hour Angle was 16^{m} (West). Find the "Reduction to the Meridian," and thence the true latitude.

From Burdwood, for latitude 55° N., declination 7° N., one half Hour Angle 8^{m} , the Azimuth is approximately $2^{\circ} 40'$.

From Table IV., for latitude 55° , Azimuth $2^{\circ} 40'$, the "rate of change" is $\cdot 4'$ (nearly).

Whence

$$\text{"Reduction"} = \cdot 4' \times 16, = 6\cdot 4'$$

$$\text{And Meridian Zenith Distance} = 47^{\circ} 44' - 6\cdot 4' = 47^{\circ} 37\cdot 6'.$$

So that

$$\text{Latitude} = 47^{\circ} 37\cdot 6' + 7^{\circ} 23' = 55^{\circ} 0\cdot 6' \text{ N.}$$

Having given latitude of place, declination of body, and Hour Angle, to find the Zenith Distance, the body being not far from Meridian at the time.

With the given latitude, and declination of body, take from the Tables the Azimuth corresponding to *half* the Hour Angle.

With this Azimuth and the given latitude take out the "rate of change" from Table IV.

Multiply this rate by the minutes in the whole Hour Angle, and we have the "Reduction."

With the given latitude and declination compute Meridian Zenith Distance.

Add "Reduction" found above to this Meridian Zenith Distance. The sum is Zenith Distance required.

Example 9.—In latitude $41^{\circ} 20' \text{ N.}$ required the Zenith Distance of Sirius (Dec. $16^{\circ} 35' \text{ S.}$) at an Hour Angle of 22^{m} (West).

From Burdwood for latitude $41^{\circ} 20' \text{ N.}$, Declination $16\frac{1}{2}^{\circ}$ (contrary name), *half* Hour Angle 11^{m} , the Azimuth is 3° nearly.

From Table IV, "rate of change" for latitude $41^{\circ} 20' \text{ N.}$, Azimuth 3° , is $\cdot 59'$.

$$\text{"Reduction"} = \cdot 59' \times 22 = 13' \text{ nearly.}$$

$$\text{And Meridian Zenith Distance} = 41^{\circ} 20' + 16^{\circ} 35' = 57^{\circ} 55'.$$

$$\text{Thus Zenith Distance required} = 57^{\circ} 55' + 13' = 58^{\circ} 8'.$$

The Complete Solution for Latitude and Longitude by means of the Tables.

The following example will perhaps serve to illustrate the manner in which a complete "fix" may be obtained by means of a pair of suitably chosen stars.

Example 10.—On April 24th, 1905, at $10^{\text{h}} 20^{\text{m}}$ p.m. (Ship M.T. nearly) in latitude 55° N., longitude $6^{\circ} 20' \text{ W.}$, the true Zenith

Distance of Pollux, near the Prime Vertical (West) was $57^{\circ} 18'$, at $10^{\text{h}} 45^{\text{m}} 42^{\text{s}}$ G.M.T.

And at $10^{\text{h}} 35^{\text{m}}$ (Ship M.T.), when G.M.T. was $11^{\text{h}} 0^{\text{m}} 42^{\text{s}}$, the true Zenith Distance of Spica was $66^{\circ} 16'$. Required the position of ship.

To find the longitude corresponding to latitude 55° N. from Zenith Distance of Pollux.

G.D.	R.A.M. Sun.	From Nautical Almanac.
$10^{\text{h}} 45^{\text{m}} 42^{\text{s}}$	$2^{\text{h}} 7^{\text{m}} 22^{\text{s}}$	R.A. Pollux ... $7^{\text{h}} 39^{\text{m}} 30^{\text{s}}$
	1 38.5	Dec. " ... $28^{\circ} 15' \text{ N.}$
	7.4	R.A. Spica ... $13^{\text{h}} 20^{\text{m}} 11^{\text{s}}$
	.1	Dec. " ... $10^{\circ} 40' \text{ S.}$

2 9 8	
Observed Zenith Distance Pollux	... $57^{\circ} 18' 0''$
Zenith Distance (from Table)	... $54 \quad 42 \quad 15$

Difference ... $2 \quad 35 \quad 45$

= 2.6° (nearly)

Correction to Hour Angle = $418.4^{\text{s}} \times 2.6 = 1087.8^{\text{s}}$

= $18^{\text{m}} 8^{\text{s}}$

Hour Angle (from Table)	... $4^{\text{h}} 31^{\text{m}} 36^{\text{s}}$
Correction	... $18 \quad 8$
Hour Angle of Star	... $4 \quad 49 \quad 44$
R.A. of Star	... $7 \quad 39 \quad 30$
Sidereal Time	... $12 \quad 29 \quad 14$
R.A.M. Sun	... $2 \quad 9 \quad 8$
Ship M.T.	... $10 \quad 20 \quad 6$
G.M.T.	... $10 \quad 45 \quad 42$
Longitude	... $25 \quad 36$

Or $6^{\circ} 24' \text{ W.}$

Next, to determine Latitude from Zenith Distance of Spica.

Ship M.T. (from Hour Angle of Pollux)	$10^{\text{h}} 20^{\text{m}} 0^{\text{s}}$
Interval between observations	... $15 \quad 0$

Ship M.T. of Second observation	.. $10 \quad 35 \quad 6$
R.A. Mean Sun	... $2 \quad 9 \quad 10$
Sidereal Time	... $12 \quad 44 \quad 16$
R.A. Star	... $13 \quad 20 \quad 11$

Hour Angle of Spica	... $23 \quad 24 \quad 5$
---------------------	---------------------------

From Burdwood, for latitude 55° , Declination $10^{\circ} 40'$ (different names) and *half* Hour Angle 18^{m} (East), the Azimuth is 5° (nearly).


From Table IV., for latitude 55° , Azimuth 5° , the "rate of change" is $.75'$.

Whence "Reduction" = $.75' \times 36 = 27'$.

Thus Meridian Zenith Distance = $66^{\circ} 16' - 27' = 65^{\circ} 49'$, and latitude = $65^{\circ} 49' - 10^{\circ} 40' = 55^{\circ} 9' \text{ N.}$

For the Azimuth of Pollux we have from Goodwin's Azimuth Tables, for latitude 55° , Declination 28° (same name), altitude 33° , the bearing N. 87° W.

While from Burdwood for latitude 55° N., Declination $10^{\circ} 40'$ (different names) Hour Angle 36^m (East) the bearing is S. 10° E.



Laying off position lines in accordance with these data we find the true position to be in latitude $55^{\circ} 10'$ N., longitude $6^{\circ} 23'$ W.

The same example worked by the Marcy Saint-Hilaire process.
To calculate the Zenith Distance of Pollux.

G.M.T.	10 ^h	45 ^m	42 ^s
Longitude	25	20	
Ship M.T.	10	20	22
R.A.M. Sun	2	9	8
Sidereal Time	12	29	30
R.A. Star	7	39	30
H.A. Star	4	50	0

From Table II. (A) (lat. 55°) Hour Angle	4 ^h	31 ^m	36
H.A. at time of observation	4	50	0

Difference 18 24
 $= 18^{\circ} 4'$

Change of Zenith Distance in interval $= 8.6' \times 18.4 = 158.24'$
 $= 2^{\circ} 38' 15''$

Zenith Distance on P.V.
 (from Table) $54^{\circ} 42' 15''$
 Change in interval 2 38 15

Calculated Zenith Distance	57	20	30
Observed	57	18	0

Difference 2 30 (Zenith nearer to Pollux)

To calculate the Zenith Distance of Spica.

G.M.T.	11 ^h	0 ^m	42 ^s
Longitude	25	20	
Ship M.T.	10	35	22
R.A.M. Sun	2	9	10
Sidereal Time	12	44	32
R.A. Star	13	20	11
Hour Angle Star	23	24	21
From above, Azimuth for Half-hour Angle is S. 5° E.							
Assumed latitude	55°	0'	N.
Declination...	10	40	S.

Meridian Zenith Distance ... 65 40

From Table IV. "rate of change" is .75.


And "Reduction" = $.75' \times 35.6$
= 26'.7.

Whence Zenith Distance = $65^\circ 40' + 26'.7$
= $66^\circ 7'$ (nearly).

Observed Zenith Distance ... 66° 17'

Calculated " " ... 66 7

And difference is 10', Zenith being further from Spica than supposed.



If we proceed to lay off lines upon a Chart in accordance with the bearings of the two stars, and draw position-lines at right angles to these lines through the points indicated by the differences obtained above, the position-lines will be found to intersect as before in latitude $55^\circ 10'$ N., longitude $6^\circ 23'$ W.

TABLES

I. (A), I. (B), I. (C), AND I. (D).

**APPROXIMATE SIDEREAL TIMES OF
TRANSIT**

**(For Prime Vertical, Circle of Maximum
Azimuth, and Meridian).**

TABLE I. (A.)

APPROXIMATE SIDEREAL TIME AT WHICH STARS PASS THE
PRIME VERTICAL IN NORTH LATITUDE.

STAR.	LATITUDE.									
	60°		55°		50°		45°		40°	
	E.	W.	E.	W.	E.	W.	E.	W.	E.	W.
	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m
♌ Andromedæ ...	19 17	4 50	19 33	4 34	19 52	4 15	20 15	3 52	20 45	3 22
♈ Arietis ...	20 59	7 5	21 11	6 53	21 25	6 38	21 42	6 21	22 3	6 0
♋ Aldebaran ...	23 9	9 51	23 18	9 43	23 27	9 34	23 39	9 22	23 52	9 9
♉ Betelgeuse ...	0 7	11 33	0 11	11 29	0 15	11 25	0 20	11 20	0 26	11 14
♊ Pollux ...	2 52	12 27	3 8	12 11	3 27	11 52	3 49	11 30	4 19	11 0
♊ Regulus ...	4 33	15 34	4 39	15 28	4 46	15 21	4 54	15 12	5 4	15 2
♌ Leonis ...	6 20	17 8	6 28	17 1	6 37	16 52	6 47	16 42	6 57	16 32
♋ Arcturus ...	8 59	19 24	9 9	19 13	9 21	19 1	9 35	18 47	9 52	18 30
♌ Corona ...	10 39	20 22	10 54	20 7	11 12	19 49	11 33	19 28	12 0	19 1
♌ Altair ...	14 6	1 26	14 11	1 22	14 15	1 17	14 21	1 11	14 28	1 5
♌ Markab ...	17 35	4 25	17 42	4 18	17 51	4 9	18 1	3 59	18 13	3 47

STAR.	LATITUDE.											
	35°		30°		25°		20°		15°		10°	
	E.	W.	E.	W.	E.	W.	E.	W.	E.	W.	E.	W.
	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m	h m
♌ Andromedæ ...	21 28	2 39	h m	h m	h m	h m	h m	h m				
♈ Arietis ...	22 31	5 32	23 11	4 52	h m	h m	h m	h m				
♋ Aldebaran ...	0 9	8 52	0 32	8 29	1 6	7 55	2 5	6 56	h m	h m	h m	h m
♉ Betelgeuse ...	0 33	11 7	0 42	10 58	0 55	10 45	1 13	10 27	1 46	9 54	2 59	8 41
♊ Pollux ...	5 0	10 19										
♊ Regulus ...	5 17	14 50	5 33	14 34	5 56	14 10	6 32	13 34	7 45	12 22		
♌ Leonis ...	7 15	16 13	7 36	15 53	8 6	15 23	8 56	14 33				
♋ Arcturus ...	10 14	18 8	10 44	17 38	11 32	16 51						
♌ Corona ...	12 38	18 24										
♌ Altair ...	14 36	0 56	14 47	0 45	15 2	0 30	15 25	0 8	16 4	23 28	17 43	21 49
♌ Markab ...	18 28	3 32	18 48	3 12	19 17	2 43	20 5	1 56				

TABLE I. (C.)

APPROXIMATE SIDEREAL TIME OF MAXIMUM AZIMUTH

(ANGLE OF POSITION = 90°.).

IN NORTH LATITUDE.

STAR.	20°		15°		10°		5°	
	E.	W.	E.	W.	E.	W.	E.	W.
	h m	h m	h m	h m	h m	h m	h m	h m
α Andromedæ	20 51	3 15	20 1	4 5	19 19	4 47	18 40	5 26
α Arietis			22 38	5 26	21 40	6 24	20 50	7 14
Aldebaran... ..					0 58	8 2	23 40	9 20
Betelgeuse							2 40	9 0
Pollux	4 30	10 48	3 39	11 39	2 56	12 22	2 16	13 2
Regulus					7 35	12 31	5 37	14 29
β Leonis					8 27	15 1	7 0	16 28
Arcturus			11 25	16 57	10 9	18 13	9 8	19 14
α Coronæ	12 33	18 29	12 38	19 24	10 52	20 10	10 10	20 52
Altair							16 7	23 25
Markab					19 49	2 11	18 18	3 42

IN SOUTH LATITUDE.

STAR.	20°		15°		10°		5°	
	E.	W.	E.	W.	E.	W.	E.	W.
	h m	h m	h m	h m	h m	h m	h m	h m
Rigel					h m	h m	1 37	8 43
Sirius					3 6	10 16	1 49	11 33
α Hydræ							5 51	12 55
Spica	h m	h m	h m	h m			9 11	17 29
Antares	13 35	19 13	12 36	20 12	11 48	21 0	11 5	21 43
Fomalhaut	19 27	2 17	18 42	3 2	18 3	3 41	17 27	4 17

TABLE I. (D.)

APPROXIMATE SIDEREAL TIME OF TRANSIT OF
PRINCIPAL STARS OVER MERIDIAN.

STAR.	Declination.	Sidereal Time of Transit.	
		h	m
α Andromeda	28 35 N.	0	4
Polaris	88 49 N.	1	26
α Arietis	23 1 N.	2	2
Aldebaran	16 19 N.	4	31
Capella	45 54 N.	5	10
Rigel	8 19 S.	5	10
γ Orionis	6 16 N.	5	20
Betelgeuse	7 23 N.	5	50
Canopus	52 39 S.	6	22
Sirius	16 35 S.	6	41
Castor	32 6 N.	7	29
Procyon	5 28 N.	7	34
Pollux	28 15 N.	7	40
α Hydra	8 15 S.	9	23
Regulus	12 25 N.	10	3
β Leonis	15 6 N.	11	44
Spica	10 41 S.	13	20
Arcturus	19 20 N.	14	11
α Corona	27 2 N.	15	31
Antares	26 14 S.	16	24
Vega	38 42 N.	18	34
Altair	8 37 N.	19	46
Fomalhaut	30 7 S.	22	53
Markab	14 42 N.	23	0

TABLE II. (A).

HOURL ANGLES AND ZENITH DISTANCES

ON

PRIME VERTICAL

(For Finding First, or Principal, Correction).

**LIMIT OF LATITUDE 60° . APPROXIMATE LIMITS OF
ZENITH DISTANCE 30° TO 80° .**

TABLE II. (A.)
ELEMENTS UPON PRIME VERTICAL.

α ANDROMEDÆ (DECLINATION $28^{\circ} 34' N.$)

LATITUDE, 60° N. to 33° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ}$ $'$	$^{\text{h}}$ $^{\text{m}}$ $^{\text{s}}$	$^{\text{s}}$.	$^{\circ}$ $'$ $''$	$^{\text{s}}$.	$'$
60 0	4 46 43	6.6	56 29 0	480	7.50
59 40	45 41	6.5	21 30	475.2	7.58
20	44 40	6.4	13 30	470.5	7.65
0	43 37	6.3	5 30	466.0	7.73
58 40	42 34	6.2	55 57 15	461.5	7.80
20	41 30	6.1	49 0	457.2	7.87
0	40 26	6.0	40 30	452.9	7.95
57 40	39 22	5.9	32 0	448.7	8.02
20	38 16	5.8	23 15	444.7	8.10
0	37 10	5.8	14 15	440.7	8.17
56 40	36 4	5.7	5' 15	436.8	8.24
20	34 57	5.6	54 56 0	432.9	8.32
0	33 49	5.5	46 30	429.2	8.39
55 40	32 41	5.4	37 0	425.5	8.46
20	31 31	5.4	27 0	421.9	8.53
0	30 22	5.3	17 0	418.4	8.60
54 40	29 11	5.2	7 0	415.0	8.68
20	28 0	5.1	53 56 30	411.6	8.75
0	26 48	5.1	46 0	408.3	8.82
53 40	25 35	5.0	35 15	405.1	8.89
20	24 21	4.9	24 30	401.9	8.96
0	23 7	4.8	13 15	398.7	9.03
52 40	21 51	4.8	1 45	395.7	9.10
20	20 35	4.7	52 50 15	392.8	9.17
0	19 18	4.6	38 30	389.8	9.23
51 40	18 0	4.6	26 15	386.9	9.30
20	16 41	4.5	14 0	384.1	9.37
0	15 21	4.4	1 30	381.4	9.44
50 40	14 1	4.4	51 48 45	378.6	9.51
20	12 39	4.3	35 45	376.0	9.57
0	11 16	4.2	22 30	373.4	9.64
49 40	9 52	4.2	9 0	370.8	9.71
20	8 27	4.1	50 55 15	368.3	9.77
0	7 0	4.1	41 0	365.8	9.84
48 40	5 33	4.0	26 45	363.4	9.91
20	4 4	4.0	12 0	361.0	9.97
0	2 35	3.9	49 57 0	358.7	10.04

• (a) Increased Declination add. Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.

ELEMENTS UPON PRIME VERTICAL.

α ANDROMEDÆ (DECLINATION 28° 34' N.).—Continued.

LATITUDE, 60° N. to 33° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
47 40	4 1 3	3.8	49 41 45	356.4	10.10
20	3 59 31	3.8	26 0	354.1	10.17
0	57 57	3.7	10 15	351.9	10.23
46 40	56 22	3.6	48 53 45	349.7	10.29
20	54 45	3.6	37 15	347.6	10.36
0	53 7	3.5	20 15	345.5	10.42
45 40	51 27	3.5	2 45	343.4	10.48
20	49 46	3.4	47 45 0	341.4	10.54
0	48 3	3.3	27 0	339.4	10.61
44 40	46 18	3.3	8 30	337.5	10.67
20	44 32	3.2	46 49 15	335.5	10.73
0	42 43	3.2	30 0	333.6	10.79
43 40	40 53	3.1	10 0	331.8	10.85
20	39 1	3.1	45 49 45	330.0	10.91
0	37 7	3.0	28 45	328.2	10.97
42 40	35 10	3.0	7 30	326.4	11.03
20	33 11	2.9	44 45 45	324.7	11.09
0	31 10	2.9	23 15	323.0	11.15
41 40	29 7	2.8	0 15	321.3	11.21
20	27 1	2.7	43 36 45	319.6	11.26
0	24 53	2.7	12 30	318.0	11.32
40 40	22 42	2.7	42 47 45	316.4	11.38
20	20 28	2.6	22 15	314.8	11.44
0	18 11	2.6	41 56 0	313.3	11.49
39 40	15 50	2.5	29 0	311.8	11.55
20	13 27	2.5	1 30	310.3	11.60
0	11 0	2.4	40 33 0	308.8	11.66
38 40	8 30	2.4	3 45	307.4	11.71
20	5 56	2.3	39 33 30	306.0	11.77
0	3 17	2.2	2 30	304.6	11.82
37 40	0 35	2.2	38 30 30	303.2	11.87
20	2 57 48	2.1	37 57 15	301.8	11.93
0	54 57	2.1	23 15	300.5	11.98
36 40	52 0	2.0	36 47 45	299.2	12.03
20	48 58	2.0	11 15	297.9	12.08
0	45 51	2.0	35 33 30	296.7	12.14
35 40	42 38	1.9	34 54 15	295.4	12.19
20	39 18	1.8	13 30	294.2	12.24
0	35 51	1.8	33 31 15	293.0	12.29
34 40	32 16	1.7	32 47 15	291.8	12.34
20	28 34	1.6	1 30	290.6	12.39
0	24 42	1.6	31 13 30	289.5	12.44
33 40	20 41	1.5	30 23 30	288.4	12.48

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL

α ARIETIS (DECLINATION $23^{\circ} 1' N.$)					
LATITUDE, $60^{\circ} N.$ to $27^{\circ} N.$	Hour Angle.	Correction for change of $1'$ in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad ' \quad ''$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$''$
60 0	5 3 13	6.7	63 9 45	480.0	7.50
59 40	2 26	6.6	3 45	475.2	7.58
20	1 38	6.5	62 57 45	470.5	7.65
0	0 51	6.4	51 45	466.0	7.73
58 40	0 2	6.3	45 30	461.5	7.80
20	4 59 14	6.3	39 0	457.2	7.87
0	58 25	6.2	32 45	452.9	7.95
57 40	57 36	6.1	26 15	448.7	8.02
20	56 47	6.0	19 30	444.7	8.10
0	55 57	5.9	12 45	440.7	8.17
56 40	55 6	5.8	5 45	436.8	8.24
20	54 15	5.8	61 58 45	432.9	8.32
0	53 24	5.7	51 15	429.2	8.39
55 40	52 32	5.6	44 15	425.5	8.46
20	51 40	5.5	37 0	421.9	8.53
0	50 47	5.5	29 15	418.4	8.60
54 40	49 53	5.4	21 45	415.0	8.68
20	49 0	5.3	14 0	411.6	8.75
0	48 5	5.2	6 0	408.3	8.82
53 40	47 10	5.1	60 57 45	405.1	8.89
20	46 15	5.1	49 30	401.9	8.96
0	45 19	5.0	41 15	398.7	9.03
52 40	44 23	5.0	32 45	395.7	9.10
20	43 25	4.9	24 0	392.8	9.17
0	42 28	4.8	15 15	389.8	9.23
51 40	41 29	4.8	6 0	386.9	9.30
20	40 30	4.7	59 57 0	384.1	9.37
0	39 31	4.6	47 30	381.4	9.44
50 40	38 31	4.6	38 0	378.6	9.51
20	37 30	4.6	28 30	376.0	9.57
0	36 28	4.5	18 30	373.4	9.64
49 40	35 26	4.4	8 30	370.8	9.71
20	34 23	4.3	58 58 15	369.3	9.77
0	33 19	4.3	47 45	365.8	9.84
48 40	32 14	4.2	37 15	363.4	9.91
20	31 9	4.2	26 15	361.0	9.97
0	30 3	4.1	15 15	358.7	10.04
47 40	28 56	4.1	4 0	356.4	10.10
20	27 48	4.0	57 52 30	354.1	10.17
0	26 39	3.9	41 0	351.9	10.23
46 40	25 29	3.9	29 0	349.7	10.29
20	24 19	3.8	16 45	347.6	10.36
0	23 7	3.8	4 30	345.5	10.42

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

8408

MA. R. SHNA, Y. A. S. I. C.
INSTITUTE OF CULTURE

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

α ARIETIS (DECLINATION $23^{\circ} 1' N.$)—Continued.

LATITUDE, 60° N. to 27° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
<i>° ' "</i>	<i>h m s</i>	<i>s.</i>	<i>° ' "</i>	<i>s.</i>	<i>'</i>
45 40	4 21 55	3.8	56 51 45	343.4	10.48
20	20 41	3.7	39 0	341.4	10.54
0	19 27	3.6	25 45	339.4	10.61
44 40	18 11	3.6	12 30	337.5	10.67
20	16 54	3.6	55 58 45	335.5	10.73
0	15 36	3.5	44 45	333.6	10.79
43 40	14 17	3.4	30 30	331.8	10.85
20	12 57	3.4	16 0	330.0	10.91
0	11 36	3.3	1 0	328.2	10.97
42 40	10 13	3.3	54 45 45	326.4	11.03
20	8 49	3.2	30 30	324.7	11.09
0	7 24	3.2	14 30	323.0	11.15
41 40	5 57	3.1	53 58 30	321.3	11.21
20	4 29	3.1	42 0	319.6	11.26
0	2 59	3.0	25 0	318.0	11.32
40 40	1 27	3.0	7 45	316.4	11.38
20	3 59 55	2.9	52 50 0	314.8	11.44
0	58 20	2.9	32 0	313.3	11.49
39 40	56 44	2.8	13 30	311.8	11.55
20	55 6	2.8	51 54 45	310.3	11.60
0	53 26	2.7	35 15	308.8	11.66
38 40	51 44	2.7	15 30	307.4	11.71
20	50 0	2.7	50 55 15	306.0	11.77
0	48 15	2.6	34 30	304.6	11.82
37 40	46 27	2.6	13 0	303.2	11.87
20	44 37	2.5	49 51 15	301.8	11.93
0	42 44	2.5	28 45	300.5	11.98
36 40	40 49	2.4	6 0	299.2	12.03
20	38 52	2.4	48 42 15	297.9	12.08
0	36 52	2.3	18 0	296.7	12.14
35 40	34 50	2.3	47 53 0	295.4	12.19
20	32 44	2.3	27 45	294.2	12.24
0	30 35	2.2	1 30	293.0	12.29
34 40	28 24	2.2	46 34 30	291.8	12.34
20	26 9	2.1	6 45	290.6	12.39
0	23 51	2.1	45 38 15	289.5	12.44
33 40	21 29	2.1	8 45	288.4	12.48
20	19 4	2.0	44 38 15	287.3	12.53
0	16 35	2.0	7 0	286.2	12.58
32 40	14 1	2.0	43 34 45	285.1	12.63
20	11 23	1.9	1 30	284.0	12.67
0	8 40	1.9	42 27 0	283.0	12.72

(a) Increased Declination add.
Hour Angle from Zenith Distance

Decreased Declination subtract.

(b) For use in finding
(c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

α ARIETIS (DECLINATION 23° 1' N.)—Continued.					
LATITUDE, 60° N. to 27° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
o /	h m s	s.	° ' "	s.	'
31 40	3 5 53	1·8	41 51 30	282·0	12·77
20	3 0	1·8	14 45	281·0	12·81
0	0 2	1·7	40 36 30	280·0	12·86
30 40	2 56 58	1·7	39 57 0	279·0	12·90
20	53 47	1·6	16 0	278·1	12·95
0	50 30	1·6	38 33 15	277·1	12·99
29 40	47 5	1·5	37 49 0	276·2	13·03
20	43 33	1·5	2 45	275·3	13·08
0	39 53	1·4	36 14 30	274·4	13·12
28 40	36 3	1·4	35 24 15	273·5	13·16
20	32 3	1·3	34 31 45	272·7	13·20
0	27 52	1·3	33 36 30	271·9	13·24
27 40	23 30	1·2	32 38 30	271·0	13·28
20	18 54	1·2	31 37 15	270·2	13·33
0	14 3	1·1	30 32 30	269·4	13·37

ALDEBARAN (DECLINATION 16° 19' N.)

LATITUDE, 60° N. to 19° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance (b)	Change of Zenith Distance per minute of Time. (c)
o /	h m s	s.	° ' "	s.	'
60 0	5 21 5	6·8	71 4 15	480·0	7·50
59 40	20 33	6·7	0 15	475·2	7·58
20	20 1	6·6	70 56 15	470·5	7·65
0	19 29	6·5	52 0	466·0	7·73
58 40	18 56	6·5	47 45	461·5	7·80
20	18 23	6·4	43 30	457·2	7·87
0	17 50	6·3	39 15	452·9	7·95
57 40	17 17	6·2	34 45	448·7	8·02
20	16 44	6·1	30 15	444·7	8·10
0	16 10	6·1	25 45	440·7	8·17
56 40	15 36	6·0	21 0	436·8	8·24
20	15 1	5·9	16 15	432·9	8·32
0	14 27	5·8	11 30	429·2	8·39
55 40	13 52	5·7	6 30	425·5	8·46
20	13 17	5·7	1 30	421·9	8·53
0	12 41	5·6	69 56 30	418·4	8·60

(a) Increased Declination add, Decreased Declination subtract, (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

ALDEBARAN (DECLINATION 16° 19' N.)—Continued.

LATITUDE, 66° N. to 19° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for a change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° /	h m s	s.	° / "	s.	'
54 40	5 12 5	5.5	69 51 15	415.0	8.68
20	11 29	5.4	46 0	411.6	8.75
0	10 53	5.4	40 45	408.3	8.82
53 40	10 16	5.3	35 15	405.1	8.89
20	9 39	5.2	29 45	401.9	8.96
0	9 1	5.2	24 15	398.7	9.03
52 40	8 24	5.1	18 30	395.7	9.10
20	7 45	5.0	12 45	392.8	9.17
0	7 7	5.0	6 45	389.8	9.23
51 40	6 28	4.9	0 45	386.9	9.30
20	5 49	4.9	68 54 45	384.1	9.37
0	5 9	4.8	48 30	381.4	9.44
50 40	4 29	4.7	42 0	378.6	9.51
20	3 48	4.7	35 45	376.0	9.57
0	3 7	4.6	29 0	373.4	9.64
49 40	2 26	4.6	22 30	370.8	9.71
20	1 44	4.5	15 30	368.3	9.77
0	1 2	4.4	8 45	365.8	9.84
48 40	0 19	4.4	1 45	363.4	9.91
20	4 59 36	4.3	67 54 30	361.0	9.97
0	58 52	4.3	47 15	358.7	10.04
47 40	58 8	4.2	39 45	356.4	10.10
20	57 23	4.2	32 15	354.1	10.17
0	56 38	4.1	24 30	351.9	10.23
46 40	55 52	4.1	16 45	349.7	10.29
20	55 6	4.0	8 45	347.6	10.36
0	54 19	4.0	0 45	345.5	10.42
45 40	53 32	3.9	66 52 15	343.4	10.48
20	52 43	3.9	44 0	341.4	10.54
0	51 55	3.8	35 15	339.4	10.61
44 40	51 5	3.8	26 30	337.5	10.67
20	50 16	3.7	17 45	335.5	10.73
0	49 25	3.7	8 45	333.6	10.79
43 40	48 34	3.6	65 59 30	331.8	10.85
20	47 42	3.6	50 0	330.0	10.91
0	46 49	3.5	40 15	328.2	10.97
42 40	45 56	3.5	30 30	326.4	11.03
20	45 2	3.4	20 30	324.7	11.09
0	44 7	3.4	10 30	323.0	11.15
41 40	43 11	3.4	0 0	321.3	11.21
20	42 14	3.3	64 49 30	319.6	11.26
0	41 17	3.3	38 45	318.0	11.32

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A).—Continued.
ELEMENTS UPON PRIME VERTICAL.

ALDEBARAN (DECLINATION 16° 19' N.)—Continued.

LATITUDE. 60° N. to 19° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for a change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
40 40	4 40 19	3.2	64 27 45	316.4	11.38
20	39 20	3.2	16 30	314.8	11.44
0	38 20	3.1	5 0	313.3	11.49
39 40	37 19	3.1	63 53 15	311.8	11.55
20	36 17	3.1	41 15	310.3	11.60
0	35 14	3.0	29 0	308.8	11.66
38 40	34 10	3.0	16 45	307.4	11.71
20	33 5	2.9	4 0	306.0	11.77
0	31 59	2.9	62 51 0	304.6	11.82
37 40	30 52	2.9	37 45	303.2	11.87
20	29 43	2.8	24 15	301.8	11.93
0	28 34	2.8	10 15	300.5	11.98
36 40	27 23	2.7	61 56 0	299.2	12.03
20	26 11	2.7	41 30	297.9	12.08
0	24 57	2.6	26 45	296.7	12.14
35 40	23 43	2.6	11 45	295.4	12.19
20	22 27	2.6	60 56 15	294.2	12.24
0	21 9	2.5	40 15	293.0	12.29
34 40	19 50	2.5	24 0	291.8	12.34
20	18 29	2.5	7 30	290.6	12.39
0	17 7	2.4	59 50 30	289.5	12.44
33 40	15 43	2.4	33 0	288.4	12.48
20	14 17	2.4	15 0	287.3	12.53
0	12 50	2.3	58 56 45	286.2	12.58
32 40	11 20	2.3	38 0	285.1	12.63
20	9 49	2.2	18 45	284.0	12.67
0	8 16	2.2	57 59 0	283.0	12.72
31 40	6 40	2.2	38 45	282.0	12.77
20	5 2	2.1	18 0	281.0	12.81
0	3 22	2.1	56 56 30	280.0	12.86
30 40	1 40	2.1	34 30	279.0	12.90
20	3 59 55	2.0	12 0	278.1	12.95
0	58 8	2.0	55 48 45	277.1	12.99
29 40	56 18	2.0	25 0	276.2	13.03
20	54 25	1.9	0 15	275.3	13.08
0	52 29	1.9	54 35 0	274.4	13.12
28 40	50 30	1.8	9 0	273.5	13.16
20	48 28	1.8	53 42 15	272.7	13.20
0	46 23	1.8	14 30	271.9	13.24
27 40	44 14	1.7	52 46 15	271.0	13.28
20	42 1	1.7	16 30	270.2	13.33
0	39 44	1.7	51 46 0	269.4	13.37

(a) Increased Declination *add.* Decreased Declination *subtract.* (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

ALDEBARAN (DECLINATION 16° 19' N.)—*Continued.*

LATITUDE, 60° N. to 19° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
^o /	^h ^m ^s	^s .	^o / "	^s .	^{/'}
26 40	3 37 23	1.6	51 14 45	268.6	13.40
20	34 58	1.6	50 42 15	267.8	13.44
0	32 28	1.6	8 30	267.0	13.48
25 40	29 53	1.5	49 33 45	266.3	13.52
20	27 13	1.5	48 57 30	265.5	13.56
0	24 27	1.4	20 0	264.8	13.59
24 40	21 36	1.4	47 41 15	264.1	13.63
20	18 38	1.4	0 45	263.4	13.67
0	15 34	1.3	46 18 45	262.7	13.70
23 40	12 22	1.3	45 35 0	262.0	13.74
20	9 3	1.3	44 49 15	261.4	13.77
0	5 36	1.2	1 30	260.7	13.81
22 40	1 59	1.1	43 11 45	260.1	13.84
20	2 58 13	1.1	42 19 30	259.5	13.88
0	54 17	1.1	41 24 45	258.8	13.91
21 40	50 9	1.1	40 27 0	258.2	13.94
20	45 48	1.0	39 26 30	257.7	13.97
0	41 14	1.0	38 22 30	257.1	14.00
20 40	36 24	1.0	37 14 45	256.5	14.03
20	31 16	.9	36 3 0	255.9	14.07
0	25 50	.9	34 46 15	255.4	14.10
19 40	20 2	.8	33 24 15	254.9	14.12
20	13 48	.8	31 56 15	254.3	14.15
0	7 5	.7	30 21 0	253.8	14.18

BETELGUESE (DECLINATION 7° 23' N.)

LATITUDE, 60° N. to 8° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
^o /	^h ^m ^s	^s .	^o / "	^s .	^{/'}
60 0	5 42 50	6.9	81 28 0	480.0	7.50
59 40	42 36	6.8	26 15	475.2	7.58
20	42 22	6.7	24 30	470.5	7.65
0	42 8	6.6	22 45	466.0	7.73
58 40	41 54	6.5	20 45	461.5	7.80
20	41 40	6.4	19 0	457.2	7.87
0	41 25	6.4	17 0	452.9	7.95

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.

ELEMENTS UPON PRIME VERTICAL.

BETELGUESE (DECLINATION 7° 23' N.)—Continued.

LATITUDE, 60° N. to 8° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
<i>c</i> /	<i>h m s</i>	<i>s.</i>	<i>° ' "</i>	<i>s.</i>	<i>/'</i>
57 40	5 41 11	6.3	81 15 0	448.7	8.02
20	40 56	6.2	13 15	444.7	8.10
0	40 41	6.1	11 15	440.7	8.17
56 40	40 27	6.1	9 15	436.8	8.24
20	40 12	6.0	7 0	432.9	8.32
0	39 57	5.9	5 0	429.2	8.39
55 40	39 41	5.8	2 45	425.5	8.46
20	39 26	5.8	0 45	421.9	8.53
0	39 11	5.7	80 58 30	418.4	8.60
54 40	38 55	5.6	56 15	415.0	8.68
20	38 39	5.5	54 0	411.6	8.75
0	38 23	5.5	51 30	408.3	8.82
53 40	38 7	5.4	49 15	405.1	8.89
20	37 51	5.3	47 0	401.9	8.96
0	37 35	5.3	44 30	398.7	9.03
52 40	37 19	5.2	42 0	395.7	9.10
20	37 2	5.2	39 30	392.8	9.17
0	36 45	5.1	36 45	389.8	9.23
51 40	36 29	5.0	34 15	386.9	9.30
20	36 12	5.0	31 30	384.1	9.37
0	35 54	4.9	29 0	381.4	9.44
50 40	35 37	4.9	26 15	378.6	9.51
20	35 20	4.8	23 30	376.0	9.57
0	35 2	4.7	20 30	373.4	9.64
49 40	34 44	4.7	17 45	370.8	9.71
20	34 26	4.6	14 45	368.3	9.77
0	34 8	4.6	11 45	365.8	9.84
48 40	33 49	4.5	8 45	363.4	9.91
20	33 31	4.5	5 45	361.0	9.97
0	33 12	4.4	2 30	358.7	10.04
47 40	32 53	4.4	79 59 15	356.4	10.10
20	32 34	4.3	56 0	354.1	10.17
0	32 14	4.3	52 45	351.9	10.23
46 40	31 55	4.2	49 30	349.7	10.29
20	31 35	4.2	46 0	347.6	10.36
0	31 15	4.1	42 30	345.5	10.42
45 40	30 54	4.1	39 0	343.4	10.48
20	30 34	4.0	35 30	341.4	10.54
0	30 13	4.0	31 45	339.4	10.61
44 40	29 52	3.9	28 0	337.5	10.67
20	29 31	3.9	24 15	335.5	10.73
0	29 9	3.8	20 15	333.6	10.79

(a) Increased Declination add, Decreased Declination subtract, (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

BETELGUESE (DECLINATION $7^{\circ} 23' N.$)—Continued.

LATITUDE, 60' N. to 3° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
<i>° ' "</i>	<i>h m s</i>	<i>s.</i>	<i>° ' "</i>	<i>s.</i>	<i>'</i>
43 40	5 28 47	3.8	79 16 30	331.8	10.85
20	28 25	3.7	12 30	330.0	10.91
0	28 3	3.7	8 15	328.2	10.97
42 40	27 40	3.6	4 15	326.4	11.03
20	27 17	3.6	0 0	324.7	11.09
0	26 54	3.6	78 55 45	323.0	11.15
41 40	26 31	3.5	51 15	321.3	11.21
20	26 7	3.5	46 45	319.6	11.26
0	25 43	3.4	42 15	318.0	11.32
40 40	25 18	3.4	37 30	316.4	11.38
20	24 53	3.4	33 0	314.8	11.44
0	24 28	3.3	28 0	313.3	11.49
39 40	24 2	3.3	23 15	311.8	11.55
20	23 36	3.2	18 15	310.3	11.60
0	23 10	3.2	13 0	308.8	11.66
38 40	22 43	3.2	7 45	307.4	11.71
20	22 16	3.1	2 30	306.0	11.77
0	21 49	3.1	77 57 0	304.6	11.82
37 40	21 21	3.0	51 30	303.2	11.87
20	20 52	3.0	46 0	301.8	11.93
0	20 24	3.0	40 15	300.5	11.98
36 40	19 54	2.9	34 15	299.2	12.03
20	19 25	2.9	28 15	297.9	12.08
0	18 54	2.9	22 15	296.7	12.14
35 40	18 24	2.8	16 0	295.4	12.19
20	17 52	2.8	9 45	294.2	12.24
0	17 20	2.8	3 15	293.0	12.29
34 40	16 48	2.7	76 56 30	291.8	12.34
20	16 15	2.7	49 45	290.6	12.39
0	15 42	2.6	42 45	289.5	12.44
33 40	15 8	2.6	35 45	288.4	12.48
20	14 33	2.6	28 30	287.3	12.53
0	13 58	2.5	21 15	286.2	12.58
32 40	13 22	2.5	13 30	285.1	12.63
20	12 45	2.5	5 45	284.0	12.67
0	12 8	2.4	75 58 0	283.0	12.72
31 40	11 29	2.4	49 45	282.0	12.77
20	10 51	2.4	41 30	281.0	12.81
0	10 11	2.3	33 0	280.0	12.86
30 40	9 31	2.3	24 30	279.0	12.90
20	8 49	2.3	15 30	278.1	12.95
0	8 7	2.2	6 30	277.1	12.99

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

BETELGUESE (DECLINATION 7° 23' N.)—Continued.					
LATITUDE, 60° N. to 8° 40' N.	Hour Angle.	Correction for change of 1' in declination, (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance, (b)	Change of Zenith Distance per minute of Time, (c)
e /	h m s	s.	° ' "	s.	'
29 40	5 7 24	2.2	74 57 0	276.2	13.03
20	6 40	2.2	47 30	275.3	13.08
0	5 55	2.1	37 45	274.4	13.12
28 40	5 10	2.1	27 45	273.5	13.16
20	4 23	2.1	17 30	272.7	13.20
0	3 35	2.1	6 45	271.9	13.24
27 40	2 46	2.0	73 56 0	271.0	13.28
20	1 55	2.0	44 45	270.2	13.33
0	1 4	2.0	33 30	269.4	13.37
26 40	0 11	2.0	21 45	268.6	13.40
20	4 59 17	1.9	9 30	267.8	13.44
0	58 22	1.9	72 57 15	267.0	13.48
25 40	57 26	1.9	44 30	266.3	13.52
20	56 27	1.8	31 15	265.5	13.56
0	55 28	1.8	17 45	264.8	13.59
24 40	54 27	1.8	4 0	264.1	13.63
20	53 24	1.7	71 49 45	263.4	13.67
0	52 19	1.7	35 0	262.7	13.70
23 40	51 13	1.7	19 45	262.0	13.74
20	50 4	1.6	4 0	261.4	13.77
0	48 54	1.6	70 48 0	260.7	13.81
22 40	47 42	1.6	31 15	260.1	13.84
20	46 27	1.6	14 0	259.5	13.88
0	45 10	1.5	69 56 15	258.8	13.91
21 40	43 51	1.5	37 45	258.2	13.94
20	42 29	1.5	18 45	257.7	13.97
0	41 5	1.4	68 59 15	257.1	14.00
20 40	39 38	1.4	38 45	256.5	14.03
20	38 8	1.4	17 45	255.9	14.07
0	36 35	1.4	67 55 45	255.4	14.10
19 40	34 58	1.3	33 15	254.9	14.12
20	33 18	1.3	9 30	254.3	14.15
0	31 34	1.3	66 45 0	253.8	14.18
18 40	29 47	1.2	19 45	253.3	14.21
20	27 55	1.2	65 53 15	252.8	14.24
0	25 59	1.2	25 30	252.4	14.27
17 40	23 58	1.2	64 56 45	251.9	14.30
20	21 53	1.1	26 45	251.4	14.32
0	19 41	1.1	63 55 30	251.0	14.34
16 40	17 25	1.1	22 45	250.5	14.37
20	15 2	1.1	62 48 30	250.1	14.39
0	12 32	1.0	12 45	249.7	14.42

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A).—Continued.
ELEMENTS UPON PRIME VERTICAL.

BETELGEUSE (DECLINATION $7^{\circ} 23' N.$).—Continued.

LATITUDE, 60° N. to 8° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
15 40	4 9 56	1.0	61 35 0	249.3	14.44
20	7 11	1.0	60 55 30	248.9	14.47
0	4 19	1.0	13 45	248.5	14.49
14 40	1 18	.9	59 30 0	248.1	14.51
20	3 58 6	.9	58 43 45	247.7	14.53
0	54 45	.9	57 54 45	247.3	14.55
13 40	51 11	.8	3 0	247.0	14.58
20	47 25	.8	56 8 0	246.6	14.60
0	43 25	.7	55 9 45	246.3	14.62
12 40	39 11	.7	54 7 30	246.0	14.63
20	34 37	.7	53 0 45	245.7	14.65
0	29 45	.7	51 49 30	245.4	14.67
11 40	24 31	.6	50 32 30	245.1	14.69
20	18 53	.6	49 9 45	244.8	14.71
0	12 46	.6	47 39 45	244.5	14.72
10 40	6 7	.5	46 1 45	244.2	14.74
20	2 58 50	.5	44 14 15	244.0	14.76
0	50 48	.5	42 16 0	243.7	14.77
9 40	41 53	.4	40 4 0	243.5	14.79
20	31 51	.4	37 35 30	243.2	14.80
0	20 24	.4	34 46 0	243.0	14.82
8 40	7 6	.3	31 28 45	242.8	14.83

8408

POLLUX (DECLINATION $28^{\circ} 15' N.$)

LATITUDE, 60° N. to 33° 20' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
60 0	4 47 43	6.6	56 52 15	480.0	7.50
59 40	46 42	6.5	44 30	475.2	7.58
20	45 41	6.4	36 45	470.5	7.65
0	44 39	6.3	29 0	466.0	7.73
58 40	43 37	6.2	21 0	461.5	7.80
20	42 35	6.1	12 45	457.2	7.87
0	41 32	6.0	4 30	452.9	7.95
57 40	40 28	6.0	55 56 0	448.7	8.02
20	39 24	5.9	47 15	444.7	8.10
0	38 19	5.8	38 30	440.7	8.17

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

POLLUX (DECLINATION 28° 15' N.).—Continued.

LATITUDE, 60° N. to 33° 20' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
56 40	4 37 13	5.7	55 29 30	436.8	8.24
20	36 7	5.6	20 30	432.9	8.32
0	35 0	5.5	11 0	429.2	8.39
55 40	33 53	5.4	1 45	425.5	8.46
20	32 45	5.4	54 52 0	421.9	8.53
0	31 36	5.3	42 15	418.4	8.60
54 40	30 26	5.2	32 15	415.0	8.68
20	29 16	5.1	22 0	411.6	8.75
0	28 5	5.1	11 30	408.3	8.82
53 40	26 53	5.0	1 0	405.1	8.89
20	25 41	4.9	53 50 15	401.9	8.96
0	24 28	4.8	39 15	398.7	9.03
52 40	23 14	4.8	28 0	395.7	9.10
20	21 59	4.7	16 45	392.8	9.17
0	20 43	4.6	5 0	389.8	9.23
51 40	19 26	4.6	52 53 15	386.9	9.30
20	18 8	4.5	41 0	384.1	9.37
0	16 50	4.4	28 45	381.4	9.44
50 40	15 30	4.4	16 15	378.6	9.51
20	14 10	4.3	3 30	376.0	9.57
0	12 48	4.3	51 50 15	373.4	9.64
49 40	11 26	4.2	37 0	370.8	9.71
20	10 2	4.1	23 30	368.3	9.77
0	8 37	4.1	9 30	365.8	9.84
48 40	7 11	4.0	50 55 30	363.4	9.91
20	5 44	4.0	41 0	361.0	9.97
0	4 16	3.9	26 15	358.7	10.04
47 40	2 46	3.8	11 15	356.4	10.10
20	1 15	3.7	49 56 0	354.1	10.17
0	3 59 43	3.7	40 15	351.9	10.23
46 40	58 10	3.7	24 15	349.7	10.29
20	56 35	3.6	8 0	347.6	10.36
0	54 58	3.5	48 51 15	345.5	10.42
45 40	53 20	3.5	34 0	343.4	10.48
20	51 41	3.4	16 45	341.4	10.54
0	50 0	3.4	47 58 45	339.4	10.61
44 40	48 17	3.3	40 45	337.5	10.67
20	46 32	3.3	22 0	335.5	10.73
0	44 46	3.2	3 0	333.6	10.79
43 40	42 58	3.1	46 43 30	331.8	10.85
20	41 8	3.1	23 30	330.0	10.91
0	39 16	3.0	3 0	328.2	10.97
42 40	37 22	3.0	45 42 15	326.4	11.03
20	35 25	2.9	20 45	324.7	11.09
0	33 27	2.9	44 58 45	323.0	11.15

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

POLLUX (DECLINATION $28^{\circ} 15' N.$)^c—*Continued.*

LATITUDE. 60° N. to 33° 20' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
41 40	3 31 26	2.8	44 36 15	321.3	11.21
20	29 23	2.8	13 15	319.6	11.26
0	27 17	2.7	43 39 30	318.0	11.32
40 40	25 9	2.7	25 15	316.4	11.38
20	22 58	2.6	0 15	314.8	11.44
0	20 44	2.6	42 34 45	313.3	11.49
39 40	18 27	2.5	8 30	311.8	11.55
20	16 7	2.5	41 41 15	310.3	11.60
0	13 43	2.4	13 30	308.8	11.66
38 40	11 16	2.4	40 45 0	307.4	11.71
20	8 46	2.3	15 30	306.0	11.77
0	6 12	2.3	39 45 15	304.6	11.82
37 40	3 33	2.2	14 0	303.2	11.87
20	0 51	2.2	38 41 45	301.8	11.93
0	2 58 4	2.1	8 30	300.5	11.98
36 40	55 12	2.1	37 34 15	299.2	12.03
20	52 16	2.0	36 58 30	297.9	12.08
0	49 14	2.0	22 0	296.7	12.14
35 40	46 6	1.9	35 43 45	295.4	12.19
20	42 52	1.9	4 15	294.2	12.24
0	39 32	1.8	34 23 30	293.0	12.29
34 40	36 4	1.7	33 40 45	291.8	12.34
20	32 29	1.7	32 56 30	290.6	12.39
0	28 46	1.6	10 30	289.5	12.44
33 40	24 54	1.6	31 22 15	288.4	12.48
20	20 53	1.5	30 32 0	287.3	12.53

REGULUS (DECLINATION $12^{\circ} 26' N.$)

LATITUDE. 60° N. to 14° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
60 0	5 30 44	6.9	75 36 15	480.0	7.50
59 40	30 21	6.8	33 15	475.2	7.58
20	29 57	6.7	30 15	470.5	7.65
0	29 33	6.6	27 0	466.0	7.73

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

REGULUS (DECLINATION 12° 26' N.)—Continued.

LATITUDE. 60° N. to 14° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c).
° ' "	h m s	s.	° ' "	s.	'
58 40	5 29 9	6.5	75 24 0	461.5	7.80
20	28 44	6.4	20 45	457.2	7.87
0	28 20	6.3	17 30	452.9	7.95
57 40	27 55	6.3	14 15	448.7	8.02
20	27 30	6.2	10 45	444.7	8.10
0	27 4	6.1	7 30	440.7	8.17
56 40	26 39	6.0	4 0	436.8	8.24
20	26 13	5.9	0 30	432.9	8.32
0	25 47	5.9	74 56 45	429.2	8.39
55 40	25 21	5.8	53 15	425.5	8.46
20	24 55	5.7	49 30	421.9	8.53
0	24 29	5.7	45 45	418.4	8.60
54 40	24 2	5.6	41 45	415.0	8.68
20	23 35	5.5	38 0	411.6	8.75
0	23 8	5.4	34 0	408.3	8.82
53 40	22 40	5.4	30 0	405.1	8.89
20	22 13	5.3	25 45	401.9	8.96
0	21 45	5.2	21 30	398.7	9.03
52 40	21 17	5.2	17 15	395.7	9.10
20	20 48	5.1	13 0	392.8	9.17
0	20 19	5.0	8 45	389.8	9.23
51 40	19 51	5.0	4 15	386.9	9.30
20	19 21	4.9	73 59 30	384.1	9.37
0	18 52	4.9	55 0	381.4	9.44
50 40	18 22	4.8	50 15	378.6	9.51
20	17 52	4.7	45 30	376.0	9.57
0	17 21	4.7	40 30	373.4	9.64
49 40	16 51	4.6	35 45	370.8	9.71
20	16 20	4.6	30 30	368.3	9.77
0	15 48	4.5	25 30	365.8	9.84
48 40	15 16	4.5	20 15	363.4	9.91
20	14 44	4.4	15 0	361.0	9.97
0	14 12	4.4	9 30	358.7	10.04
47 40	13 39	4.3	4 0	356.4	
20	13 6	4.2	72 58 30	354.1	
0	12 33	4.2	52 45	351.9	
46 40	11 59	4.2	47 0	349.7	
20	11 24	4.1	41 0	347.5	
0	10 50	4.1	35 0	345.3	
45 40	10 15	4.0	29 0	343.1	
20	9 40	4.0	22 45	340.9	
0	9 3	3.9	16 15	338.7	
44 40	8 27	3.9	10 0	336.5	
20	7 50	3.8	3 15	334.3	
0	7 13	3.7	71 56 45	332.1	

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding
• Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL,

REGULUS (DECLINATION 12° 26' N.)—*Continued.*

LATITUDE, 60° N. to 14° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
43 40	5 6 35	3.7	71 49 45	331.8	10.85
20	5 57	3.6	43 0	330.0	10.91
0	5 18	3.5	35 45	328.2	10.97
42 40	4 38	3.5	28 30	326.4	11.03
20	3 59	3.5	21 15	324.7	11.09
0	3 18	3.4	13 45	323.0	11.15
41 40	2 37	3.4	6 15	321.3	11.21
20	1 56	3.4	70 58 30	319.6	11.26
0	1 14	3.4	50 30	318.0	11.32
40 40	0 31	3.3	42 30	316.4	11.38
20	4 59 48	3.3	34 15	314.8	11.44
0	59 4	3.2	25 45	313.3	11.49
39 40	58 19	3.2	17 15	311.8	11.55
20	57 34	3.2	8 30	310.3	11.60
0	56 48	3.1	69 59 45	308.8	11.66
38 40	56 2	3.1	50 30	307.4	11.71
20	55 14	3.0	41 15	306.0	11.77
0	54 26	3.0	31 45	304.6	11.82
37 40	53 37	3.0	22 15	303.2	11.87
20	52 48	2.9	12 15	301.8	11.93
0	51 57	2.9	2 15	300.5	11.98
36 40	51 6	2.8	68 52 0	299.2	12.03
20	50 13	2.8	41 30	297.9	12.08
0	49 20	2.8	30 45	296.7	12.14
35 40	48 26	2.7	19 45	295.4	12.19
20	47 31	2.7	8 30	294.2	12.24
0	46 35	2.7	67 51 15	293.0	12.29
34 40	45 38	2.6	45 30	291.8	12.34
20	44 40	2.6	33 30	290.6	12.39
0	43 41	2.5	21 15	289.5	12.44
33 40	42 41	2.5	8 45	288.4	12.48
20	41 39	2.5	66 56 0	287.3	12.53
0	40 37	2.4	42 45	286.2	12.58
32 40	39 33	2.4	29 30	285.1	12.63
20	38 28	2.4	15 45	284.0	12.67
0	37 21	2.3	1 45	283.0	12.72
31 40	36 14	2.3	65 47 15	282.0	12.77
20	35 5	2.3	32 30	281.0	12.81
0	34 5	2.2	17 15	280.0	12.86
30 40	33 41	2.2	1 45	279.0	12.90
20	31 39	2.2	64 46 0	278.1	12.95
0	30 12	2.1	29 45	277.1	12.99
29 40	28 55	2.1	13 0	276.2	13.03
20	27 36	2.0	63 55 45	275.3	13.08
0	26 15	2.0	38 0	274.4	13.12

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

REGULUS (DECLINATION 12° 26' N.)—Continued.					
LATITUDE, 60° N. to 14° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° /	h m s	s.	° / "	s.	'
28 40	4 24 52	2.0	63 20 0	273.5	13.16
20	23 27	2.0	1 15	272.7	13.20
0	22 1	1.9	62 42 15	271.9	13.24
27 40	20 32	1.9	22 30	271.0	13.28
20	19 0	1.9	2 15	270.2	13.33
0	17 27	1.8	61 41 30	269.4	13.37
26 40	15 50	1.8	20 0	268.6	13.40
20	14 12	1.8	60 57 45	267.8	13.44
0	12 30	1.7	35 0	267.0	13.48
25 40	10 46	1.7	11 30	266.3	13.52
20	8 58	1.7	59 47 15	265.5	13.56
0	7 8	1.7	22 15	264.8	13.59
24 40	5 14	1.6	58 56 30	264.1	13.63
20	3 17	1.6	29 45	263.4	13.67
0	1 16	1.6	2 15	262.7	13.70
23 40	3 59 12	1.5	57 33 45	262.0	13.74
20	57 3	1.5	4 15	261.4	13.77
0	54 50	1.4	56 33 45	260.7	13.81
22 40	52 32	1.4	2 0	260.1	13.84
20	50 10	1.4	55 29 15	259.5	13.88
0	47 43	1.4	54 55 0	258.8	13.91
21 40	45 10	1.3	19 45	258.2	13.94
20	42 31	1.3	53 42 45	257.7	13.97
0	39 47	1.3	4 30	257.1	14.00
20 40	36 56	1.2	52 24 30	256.5	14.03
20	33 58	1.2	51 42 45	255.9	14.07
0	30 52	1.1	50 59 15	255.4	14.10
19 40	27 39	1.1	13 30	254.9	14.12
20	24 16	1.1	49 26 0	254.3	14.15
0	20 45	1.1	48 36 0	253.8	14.18
18 40	17 3	1.0	47 43 30	253.3	14.21
20	13 10	1.0	46 48 15	252.8	14.24
0	9 5	1.0	45 50 0	252.4	14.27
17 40	4 46	.9	44 48 30	251.9	14.30
20	0 13	.9	43 43 30	251.4	14.32
0	2 55 24	.9	42 34 30	251.0	14.34
16 40	50 17	.8	41 21 0	250.5	14.37
20	44 50	.8	40 2 30	250.1	14.39
0	38 59	.7	38 38 15	249.7	14.42
15 40	32 42	.7	37 7 30	249.3	14.44
20	25 55	.7	35 29 30	248.9	14.47
0	18 32	.6	33 42 30	248.5	14.49
14 40	10 25	.6	31 45 0	248.1	14.51

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A).—*Continued.*
ELEMENTS UPON PRIME VERTICAL

β LEONIS (DECLINATION $15^{\circ} 7' \text{ N.}$)					
LATITUDE, 60° N. to 17° 40' N.	Hour Angle.	Correction for change of 1' in declination (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith distance per minute of Time. (c).
° ' "	h m s	s.	° ' "	s.	' "
60 0	5 24 7	6.8	72 28 30	480.0	7.50
59 40	23 37	6.7	24 45	475.2	7.58
20	23 8	6.7	21 0	470.5	7.65
0	22 38	6.6	17 15	466.0	7.73
58 40	22 8	6.5	13 30	461.5	7.80
20	21 38	6.4	9 30	457.2	7.87
0	21 8	6.3	5 30	452.9	7.95
57 40	20 37	6.2	1 15	448.7	8.02
20	20 6	6.1	71 57 15	444.7	8.10
0	19 35	6.1	53 0	440.7	8.17
56 40	19 4	6.0	48 45	436.8	8.24
20	18 32	5.9	44 15	432.9	8.32
0	18 0	5.8	40 0	429.2	8.39
55 40	17 28	5.8	35 30	425.5	8.46
20	16 56	5.7	30 45	421.9	8.53
0	16 23	5.6	26 15	418.4	8.60
54 40	15 50	5.5	21 30	415.0	8.68
20	15 17	5.5	16 30	411.6	8.75
0	14 44	5.4	11 45	408.3	8.82
53 40	14 10	5.3	6 45	405.1	8.89
20	13 36	5.3	1 45	401.9	8.96
0	13 1	5.2	70 56 30	398.7	9.03
52 40	12 26	5.1	51 15	395.7	9.10
20	11 51	5.1	46 0	392.8	9.17
0	11 16	5.0	40 30	389.8	9.23
51 40	10 40	4.9	35 0	386.9	9.30
20	10 4	4.9	29 15	384.1	9.37
0	9 28	4.8	23 30	381.4	9.44
50 40	8 51	4.8	17 45	378.6	9.51
20	8 13	4.7	11 45	376.0	9.57
0	7 36	4.6	5 45	373.4	9.64
49 40	6 58	4.6	69 59 45	370.8	9.71
20	6 19	4.5	53 30	368.3	9.77
0	5 41	4.5	47 0	365.8	9.84
48 40	5 1	4.4	40 45	363.4	9.91
20	4 22	4.4	34 0	361.0	9.97
0	3 41	4.3	27 30	358.7	10.04
47 40	3 1	4.3	20 30	356.4	10.10
20	2 20	4.2	13 45	354.1	10.17
0	1 38	4.2	6 30	351.9	10.23
46 40	0 56	4.1	68 59 30	349.7	10.29
20	0 14	4.0	52 0	347.6	10.36
0	4 59 31	4.0	44 45	345.5	10.42

(a) Increased Declination add, Decreased Declination subtract, (b) For use in finding
Hour Angle from Zenith Distance, (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A).—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

β LEONIS (DECLINATION $15^{\circ} 7' N.$)— <i>Continued.</i>					
LATITUDE, $60^{\circ} N.$ to $17^{\circ} 40' N.$	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad '$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$'$
45 40	4 58 47	3.9	68 37 0	343.4	10.48
20	58 3	3.9	29 15	341.4	10.54
0	57 19	3.9	21 30	339.4	10.61
44 40	56 34	3.8	13 30	337.5	10.67
20	55 48	3.8	5 15	335.5	10.73
0	55 1	3.7	67 57 0	333.6	10.79
43 40	54 14	3.7	48 30	331.8	10.85
20	53 27	3.6	40 0	330.0	10.91
0	52 39	3.6	31 0	328.2	10.97
42 40	51 50	3.5	22 15	326.4	11.03
20	51 0	3.5	13 0	324.7	11.09
0	50 10	3.4	3 45	323.0	11.15
41 40	49 19	3.4	66 54 15	321.3	11.21
20	48 27	3.4	44 30	319.6	11.26
0	47 35	3.3	34 45	318.0	11.32
40 40	46 42	3.3	24 30	316.4	11.38
20	45 48	3.2	14 15	314.8	11.44
0	44 53	3.2	3 45	313.3	11.49
39 40	43 57	3.1	65 53 15	311.8	11.55
20	43 1	3.1	42 15	310.3	11.60
0	42 3	3.1	31 15	308.8	11.66
38 40	41 5	3.0	19 45	307.4	11.71
20	40 6	3.0	8 15	306.0	11.77
0	39 5	2.9	64 56 15	304.6	11.82
37 40	38 4	2.9	44 15	303.2	11.87
20	37 2	2.9	31 45	301.8	11.93
0	35 58	2.8	19 15	300.5	11.98
36 40	34 54	2.8	6 15	299.2	12.03
20	33 48	2.7	63 53 15	297.9	12.08
0	32 42	2.7	39 45	296.7	12.14
35 40	31 34	2.7	26 0	295.4	12.19
20	30 24	2.6	11 45	294.2	12.24
0	29 14	2.6	62 57 30	293.0	12.29
34 40	28 2	2.5	42 45	291.8	12.34
20	26 49	2.5	27 30	290.6	12.39
0	25 34	2.5	12 0	289.5	12.44
33 40	24 18	2.4	61 56 15	288.4	12.48
20	23 0	2.4	40 0	287.3	12.53
0	21 41	2.3	23 30	286.2	12.58
32 40	20 20	2.4	6 30	285.1	12.63
20	18 57	2.3	60 49 0	284.0	12.67
0	17 33	2.3	31 15	283.0	12.72

(a) Increased Declination *add.* Decreased Declination *subtract.* (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

<i>β</i> LEONIS (DECLINATION 15° 7' N.)—Continued.					
LATITUDE, 60° N. to 17° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° /	h m s	s.	° / "	s.	'
31 40	4 16 6	2·2	60 12 45	282·0	12·77
20	14 38	2·2	59 54 0	281·0	12·81
0	13 8	2·1	34 45	280·0	12·86
30 40	11 36	2·1	15 0	279·0	12·90
20	10 1	2·1	58 54 45	278·1	12·95
0	8 25	2·0	33 45	277·1	12·99
29 40	6 46	2·0	12 15	276·2	13·03
20	5 4	2·0	57 50 15	275·3	13·08
0	3 20	1·9	27 30	274·4	13·12
28 40	1 33	1·9	4 15	273·5	13·16
20	3 59 44	1·9	56 40 0	272·7	13·20
0	57 52	1·8	15 15	271·9	13·24
27 40	55 57	1·8	55 49 45	271·0	13·28
20	53 58	1·8	23 30	270·2	13·33
0	51 56	1·7	54 56 30	269·4	13·37
26 40	49 51	1·7	28 30	268·6	13·40
20	47 41	1·7	53 59 30	267·8	13·44
0	45 28	1·6	29 45	267·0	13·48
25 40	43 11	1·6	52 58 45	266·3	13·52
20	40 50	1·6	27 0	265·5	13·56
0	38 24	1·5	51 53 45	264·8	13·59
24 40	35 53	1·5	19 30	264·1	13·63
20	33 17	1·5	50 44 0	263·4	13·67
0	30 35	1·4	7 15	262·7	13·70
23 40	27 48	1·4	49 29 0	262·0	13·74
20	24 54	1·4	48 49 15	261·4	13·77
0	21 54	1·3	7 45	260·7	13·81
22 40	18 47	1·3	47 24 45	260·1	13·84
20	15 33	1·2	46 39 45	259·5	13·88
0	12 10	1·2	45 52 45	258·8	13·91
21 40	8 38	1·2	3 45	258·2	13·94
20	4 57	1·1	44 12 15	257·7	13·97
0	1 6	1·1	43 18 15	257·1	14·00
20 40	2 57 3	1·1	42 21 45	256·5	14·03
20	52 48	1·0	41 22 0	255·9	14·07
0	48 20	1·0	40 19 0	255·4	14·10
19 40	43 36	·9	39 12 15	254·9	14·12
20	38 36	·9	38 1 30	254·3	14·15
0	33 18	·9	36 46 15	253·8	14·18
18 40	27 38	·8	35 26 0	253·3	14·21
20	21 34	·8	33 59 45	252·8	14·24
0	15 2	·7	32 26 30	252·4	14·27
17 40	7 58	·7	30 45 30	251·9	14·30

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

ARCTURUS (DECLINATION 19° 41' N.)					
LATITUDE, 60° N. to 23° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
60 0	5 12 19	6.8	67 6 45	480.0	7.50
59 40	11 40	6.7	1 45	475.2	7.58
20	11 1	6.6	66 56 45	470.5	7.65
0	10 21	6.5	51 45	466.0	7.73
58 40	9 41	6.4	46 30	461.5	7.80
20	9 1	6.3	41 15	457.2	7.87
0	8 20	6.2	36 0	452.9	7.95
57 40	7 39	6.2	30 30	448.7	8.02
20	6 58	6.1	25 0	444.7	8.10
0	6 16	6.0	19 15	440.7	8.17
56 40	5 34	5.9	13 30	436.8	8.24
20	4 52	5.8	7 45	432.9	8.32
0	4 9	5.8	1 45	429.2	8.39
55 40	3 26	5.7	65 55 45	425.5	8.46
20	2 42	5.6	49 30	421.9	8.53
0	1 59	5.5	43 15	418.4	8.60
54 40	1 14	5.4	37 0	415.0	8.68
20	0 30	5.4	30 30	411.6	8.75
0	4 59 45	5.3	23 45	408.3	8.82
53 40	58 59	5.2	17 0	405.1	8.89
20	58 13	5.2	10 15	401.9	8.96
0	57 27	5.1	3 15	398.7	9.03
52 40	56 41	5.0	64 56 15	395.7	9.10
20	55 53	5.0	49 0	392.8	9.17
0	55 5	4.9	41 45	389.8	9.23
51 40	54 17	4.9	34 15	386.9	9.30
20	53 28	4.8	26 45	384.1	9.37
0	52 39	4.7	19 0	381.4	9.44
50 40	51 49	4.7	11 0	378.6	9.51
20	50 59	4.6	3 0	376.0	9.57
0	50 8	4.6	63 55 0	373.4	9.64
49 40	49 16	4.5	46 45	370.8	9.71
20	48 24	4.4	38 15	368.3	9.77
0	47 32	4.4	29 45	365.8	9.84
48 40	46 39	4.3	21 0	363.4	9.91
20	45 45	4.3	12 0	361.0	9.97
0	44 50	4.2	3 0	358.7	10.04
47 40	43 55	4.2	62 53 45	356.4	10.10
20	43 0	4.1	44 15	354.1	10.17
0	42 3	4.0	34 45	351.9	10.23
46 40	41 6	4.0	25 0	349.7	10.29
20	40 8	3.9	15 0	347.6	10.36
0	39 10	3.9	4 45	345.5	10.42

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

ARCTURUS (DECLINATION 19° 41' N.)— <i>Continued.</i>					
LATITUDE, 60° N. to 23° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	' "
45 40	4 38 10	3·8	61 54 30	343·4	10·48
20	37 10	3·8	44 0	341·4	10·54
0	36 9	3·7	33 15	339·4	10·61
44 40	35 8	3·7	22 15	337·5	10·67
20	34 5	3·6	11 0	335·5	10·73
0	33 2	3·6	60 59 45	333·6	10·79
43 40	31 58	3·5	48 15	331·8	10·85
20	30 52	3·5	36 15	330·0	10·91
0	29 46	3·4	24 15	328·2	10·97
42 40	28 39	3·4	12 0	326·4	11·03
20	27 31	3·3	59 59 30	324·7	11·09
0	26 22	3·3	46 30	323·0	11·15
41 40	25 12	3·3	33 30	321·3	11·21
20	24 0	3·2	20 15	319·6	11·26
0	22 48	3·2	6 30	318·0	11·32
40 40	21 34	3·1	58 52 45	316·4	11·38
20	20 20	3·1	38 30	314·8	11·44
0	19 4	3·0	24 0	313·3	11·49
39 40	17 47	3·0	9 0	311·8	11·55
20	16 28	3·0	57 54 0	310·3	11·60
0	15 8	2·9	38 30	308·8	11·66
38 40	13 47	2·9	22 45	307·4	11·71
20	12 24	2·8	6 30	306·0	11·77
0	11 0	2·8	56 50 0	304·6	11·82
37 40	9 34	2·7	33 0	303·2	11·87
20	8 7	2·7	15 45	301·8	11·93
0	6 38	2·6	55 58 0	300·5	11·98
36 40	5 8	2·6	39 45	299·2	12·03
20	3 35	2·6	21 15	297·9	12·08
0	2 1	2·5	2 15	296·7	12·14
35 40	0 25	2·5	54 42 45	295·4	12·19
20	3 58 47	2·4	22 45	294·2	12·24
0	57 7	2·4	2 15	293·0	12·29
34 40	55 24	2·4	53 41 15	291·8	12·34
20	53 40	2·3	19 45	290·6	12·39
0	51 53	2·3	52 57 45	289·5	12·44
33 40	50 4	2·3	35 0	288·4	12·48
20	48 12	2·2	11 45	287·3	12·53
0	46 18	2·2	51 48 0	286·2	12·58
32 40	44 21	2·1	23 15	285·1	12·63
20	42 21	2·1	50 58 0	284·0	12·67
0	40 18	2·1	32 0	283·0	12·72

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

ARCTURUS (DECLINATION 19° 41' N.)—*Continued.*

LATITUDE. 60° N. to 23° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° /	h m s	s.	° / "	s.	'
31 40	3 38 13	2.0	50 5 15	282.0	12.77
20	36 3	2.0	49 37 45	261.0	12.81
0	33 51	1.9	9 30	280.0	12.86
30 40	31 35	1.9	48 40 15	279.0	12.90
20	29 15	1.9	10 15	278.1	12.95
0	26 51	1.8	47 39 0	277.1	12.99
29 40	24 23	1.8	7 0	276.2	13.03
20	21 51	1.7	46 33 45	275.3	13.08
0	19 14	1.7	45 59 30	274.4	13.12
28 40	16 32	1.7	24 0	273.5	13.16
20	13 45	1.6	44 47 30	272.7	13.20
0	10 52	1.6	9 15	271.9	13.24
27 40	7 54	1.5	43 30 0	271.0	13.28
20	4 49	1.5	42 49 0	270.2	13.33
0	1 37	1.4	6 15	269.4	13.37
26 40	2 58 19	1.4	41 22 0	268.6	13.40
20	54 52	1.4	40 35 45	267.8	13.44
0	51 18	1.3	39 47 45	267.0	13.48
25 40	47 34	1.3	38 57 15	266.3	13.52
20	43 41	1.2	4 30	265.5	13.56
0	39 36	1.2	37 9 30	264.8	13.59
24 40	35 21	1.2	36 11 15	264.1	13.63
20	30 52	1.1	35 10 15	263.4	13.67
0	26 9	1.1	34 5 45	262.7	13.70
23 40	21 10	1.0	32 57 30	262.0	13.74
20	15 54	.9	31 44 45	261.4	13.77
0	10 17	.9	30 27 15	260.7	13.81

α CORONÆ (DECLINATION 27° 2' N.)

LATITUDE. 60° N. to 31° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° /	h m s	s.	° / "	s.	'
60 0	4 51 28	6.6	58 20 45	480.0	7.50
59 40	50 31	6.5	13 30	475.2	7.58
20	49 33	6.4	6 15	470.5	7.65
0	48 35	6.3	57 58 45	466.0	7.73

(a) Increased Declination *add.*
Hour Angle from Zenith Distance.

Decreased Declination *subtract.*

(b) For use in finding
(c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.

ELEMENTS UPON PRIME VERTICAL.

α CORONÆ (DECLINATION 27° 2' N.).—Continued.					
LATITUDE, 60' N. to 31' 40' N.	Hour Angle.	Correction for change of 1' in declination. (a).	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
	h m s	s.	° ' "	s.	'
58 40	4 47 36	6.2	57 51 0	461.5	7.80
20	46 37	6.2	43 15	457.2	7.87
0	45 38	6.1	35 30	452.9	7.95
57 40	44 38	6.0	27 30	448.7	8.02
20	43 37	5.9	19 15	444.7	8.10
0	42 36	5.8	11 0	440.7	8.17
56 40	41 34	5.7	2 30	436.8	8.24
20	40 31	5.6	56 54 0	432.9	8.32
0	39 29	5.6	45 15	429.2	8.39
55 40	38 25	5.5	36 15	425.5	8.46
20	37 21	5.4	27 15	421.9	8.53
0	36 16	5.3	18 0	418.4	8.60
54 40	35 10	5.3	8 30	415.0	8.68
20	34 4	5.2	55 59 0	411.6	8.75
0	32 58	5.1	49 15	408.3	8.82
53 40	31 50	5.0	39 15	405.1	8.89
20	30 42	5.0	29 15	401.9	8.96
0	29 33	4.9	18 45	398.7	9.03
52 40	28 23	4.8	8 15	395.7	9.10
20	27 13	4.8	54 57 30	392.8	9.17
0	26 1	4.7	46 30	389.8	9.23
51 40	24 49	4.6	35 30	386.9	9.30
20	23 36	4.6	24 0	384.1	9.37
0	22 23	4.5	12 30	381.4	9.44
50 40	21 8	4.4	0 45	378.6	9.51
20	19 52	4.4	53 48 45	376.0	9.57
0	18 36	4.3	36 30	373.4	9.64
49 40	17 18	4.2	24 0	370.8	9.71
20	16 0	4.2	11 15	368.3	9.77
0	14 40	4.1	52 58 15	365.8	9.84
48 40	13 20	4.1	45 0	363.4	9.91
20	11 58	4.0	31 30	361.0	9.97
0	10 36	3.9	17 45	358.7	10.04
47 40	9 12	3.9	3 30	356.4	10.10
20	7 47	3.8	51 49 15	354.1	10.17
0	6 21	3.8	34 45	351.9	10.23
46 40	4 53	3.7	19 45	349.7	10.29
20	3 25	3.7	4 30	347.6	10.36
0	1 55	3.6	50 48 45	345.5	10.42
45 40	0 23	3.6	33 0	343.4	10.48
20	3 58 51	3.5	16 45	341.4	10.54
0	57 17	3.4	0 0	339.4	10.61

(a) Increased Declination add.
Hour Angle from Zenith Distance.

Decreased Declination subtract.

(b) For use in finding
(c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

α CORONÆ (DECLINATION 27° 2' N.)

LATITUDE, 60° N. to 31° 40' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
44 40	3 55 41	3.4	49 43 0	337.5	10.67
20	54 4	3.3	25 45	335.5	10.73
0	52 25	3.3	8 0	333.6	10.79
43 40	50 44	3.2	48 50 0	331.8	10.85
20	49 2	3.2	31 30	330.0	10.91
0	47 18	3.1	12 30	328.2	10.97
42 40	45 32	3.1	47 53 0	326.4	11.03
20	43 45	3.0	33 15	324.7	11.09
0	41 55	3.0	13 0	323.0	11.15
41 40	40 3	2.9	46 52 0	321.3	11.21
20	38 10	2.9	30 45	319.6	11.26
0	36 14	2.8	9 0	318.0	11.32
40 40	34 15	2.8	45 46 30	316.4	11.38
20	32 15	2.7	23 30	314.8	11.44
0	30 11	2.7	0 0	313.3	11.49
39 40	28 6	2.6	44 36 0	311.8	11.55
20	25 57	2.6	11 15	310.3	11.60
0	23 46	2.5	43 45 45	308.8	11.66
38 40	21 32	2.5	19 30	307.4	11.71
20	19 14	2.4	42 52 45	306.0	11.77
0	16 54	2.4	25 0	304.6	11.82
37 40	14 30	2.3	41 56 45	303.2	11.87
20	12 2	2.3	27 15	301.8	11.93
0	9 31	2.2	40 57 15	300.5	11.98
36 40	6 56	2.2	26 15	299.2	12.03
20	4 17	2.1	39 54 15	297.9	12.08
0	1 33	2.1	21 15	296.7	12.14
35 40	2 58 45	2.0	38 47 0	295.4	12.19
20	55 51	2.0	11 45	294.2	12.24
0	52 53	1.9	37 35 15	293.0	12.29
34 40	49 49	1.9	36 57 30	291.8	12.34
20	46 39	1.8	18 30	290.6	12.39
0	43 23	1.8	35 37 45	289.5	12.44
33 40	40 0	1.7	34 55 45	288.4	12.48
20	36 29	1.7	11 45	287.3	12.53
0	32 51	1.6	33 26 0	286.2	12.58
32 40	29 4	1.6	32 38 30	285.1	12.63
20	25 8	1.5	31 48 45	284.0	12.67
0	21 1	1.5	30 56 30	283.0	12.72
31 40	16 44	1.4	1 45	282.0	12.77

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.

ELEMENTS UPON PRIME VERTICAL.

ALTAIR (DECLINATION 8° 37' N.)					
LATITUDE, 60° N. to 10° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Second of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
60 0	5 39 55	6.9	80 2 15	480.0	7.50
59 40	39 39	6.8	0 15	475.2	7.58
20	39 23	6.7	79 58 15	470.5	7.65
0	39 6	6.6	56 0	466.0	7.73
58 40	38 50	6.5	53 45	461.5	7.80
20	38 33	6.5	51 45	457.2	7.87
0	38 16	6.4	49 30	452.9	7.95
57 40	37 59	6.3	47 15	448.7	8.02
20	37 42	6.2	45 0	444.7	8.10
0	37 25	6.1	42 30	440.7	8.17
56 40	37 7	6.1	40 15	436.8	8.24
20	36 50	6.0	37 45	432.9	8.32
0	36 32	5.9	35 15	429.2	8.39
55 40	36 14	5.8	32 45	425.5	8.46
20	35 56	5.8	30 15	421.9	8.53
0	35 38	5.7	27 45	418.4	8.60
54 40	35 20	5.6	25 0	415.0	8.68
20	35 2	5.5	22 30	411.6	8.75
0	34 43	5.5	19 45	408.3	8.82
53 40	34 24	5.4	17 0	405.1	8.89
20	34 5	5.3	14 15	401.9	8.96
0	33 46	5.3	11 15	398.7	9.03
52 40	33 27	5.2	8 15	395.7	9.10
20	33 8	5.1	5 30	392.8	9.17
0	32 48	5.1	2 30	389.8	9.23
51 40	32 28	5.0	78 59 15	386.9	9.30
20	32 8	5.0	56 15	384.1	9.37
0	31 48	4.9	53 0	381.4	9.44
50 40	31 28	4.8	49 45	378.6	9.51
20	31 8	4.8	46 30	376.0	9.57
0	30 47	4.7	43 15	373.4	9.64
49 40	30 26	4.7	40 0	370.8	9.71
20	30 5	4.6	36 30	368.3	9.77
0	29 43	4.6	33 0	365.8	9.84
48 40	29 22	4.5	29 30	363.4	9.91
20	29 0	4.5	25 45	361.0	9.97
0	28 38	4.4	22 15	358.7	10.04
47 40	28 16	4.4	18 30	356.4	10.10
20	27 53	4.3	14 30	354.1	10.17
0	27 30	4.2	10 45	351.9	10.23
46 40	27 7	4.2	6 45	349.7	10.29
20	26 44	4.1	2 45	347.6	10.36
0	26 21	4.1	77 58 45	345.5	10.42

(a) Increased Declination add,
Hour Angle from Zenith Distance.

Decreased Declination subtract,

(c) For use in finding Zenith Distance from Hour Angle.

(b) For use in finding

TABLE II. A.—*Continued.*

ELEMENTS UPON PRIME VERTICAL.

ALTAIR (DECLINATION 8° 37' N.)—*Continued.*

LATITUDE, 60° N. to 10° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° /	h m s	s.	° / "	s.	'
45 40	5 25 57	4.0	77 54 30	343.4	10.48
20	25 33	4.0	50 15	341.4	10.54
0	25 8	4.0	46 0	339.4	10.61
44 40	24 44	3.9	41 45	337.5	10.67
20	24 19	3.9	37 15	335.5	10.73
0	23 53	3.8	32 45	333.6	10.79
43 40	23 28	3.8	28 0	331.8	10.85
20	23 2	3.7	23 15	330.0	10.91
0	22 36	3.7	18 30	328.2	10.97
42 40	22 9	3.6	13 45	326.4	11.03
20	21 42	3.6	8 45	324.7	11.09
0	21 15	3.5	3 45	323.0	11.15
41 40	20 47	3.5	76 58 30	321.3	11.21
20	20 19	3.5	53 15	319.6	11.26
0	19 51	3.4	48 0	318.0	11.32
40 40	19 22	3.4	42 30	316.4	11.38
20	18 53	3.4	37 0	314.8	11.44
0	18 23	3.3	31 15	313.3	11.49
39 40	17 53	3.3	25 30	311.8	11.55
20	17 22	3.2	19 45	310.3	11.60
0	16 52	3.2	13 45	308.8	11.66
38 40	16 20	3.1	7 30	307.4	11.71
20	15 48	3.1	1 15	306.0	11.77
0	15 16	3.1	75 55 0	304.6	11.82
37 40	14 43	3.0	48 30	303.2	11.87
20	14 10	3.0	41 45	301.8	11.93
0	13 36	3.0	35 0	300.5	11.98
36 40	13 1	2.9	28 15	299.2	12.03
20	12 26	2.9	21 15	297.9	12.08
0	11 51	2.8	14 0	296.7	12.14
35 40	11 15	2.8	6 45	295.4	12.19
20	10 38	2.8	74 59 15	294.2	12.24
0	10 0	2.7	51 30	293.0	12.29
34 40	9 22	2.7	43 45	291.8	12.34
20	8 44	2.7	35 45	290.6	12.39
0	8 4	2.6	27 30	289.5	12.44
33 40	7 24	2.6	19 15	288.4	12.48
20	6 43	2.6	10 45	287.3	12.53
0	6 1	2.5	2 0	286.2	12.58
32 40	5 19	2.5	73 53 0	285.1	12.63
20	4 36	2.5	44 0	284.0	12.67
0	3 52	2.4	34 30	283.0	12.72

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
 Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*

ELEMENTS UPON PRIME VERTICAL.

ALTAIR (DECLINATION 8° 37' N.)—*Continued.*

LATITUDE, 60° N. to 10° N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
31 40	5 3 7	2.4	73 25 0	282.0	12.77
20	2 21	2.4	15 15	281.0	12.81
0	1 34	2.3	5 15	280.0	12.86
30 40	0 47	2.3	72 55 0	279.0	12.90
20	4 59 58	2.3	44 30	278.1	12.95
0	59 8	2.2	33 45	277.1	12.99
29 40	58 17	2.2	22 45	276.2	13.03
20	57 25	2.2	11 30	275.3	13.08
0	56 32	2.1	0 0	274.4	13.12
28 40	55 38	2.1	71 48 0	273.5	13.16
20	54 43	2.1	36 0	272.7	13.20
0	53 46	2.0	23 30	271.9	13.24
27 40	52 48	2.0	10 30	271.0	13.28
20	51 48	2.0	70 57 15	270.2	13.33
0	50 48	1.9	43 45	269.4	13.37
26 40	49 45	1.9	30 0	268.6	13.40
20	48 41	1.9	15 30	267.8	13.44
0	47 36	1.9	1 0	267.0	13.48
25 40	46 29	1.8	69 45 45	266.3	13.52
20	45 20	1.8	30 15	265.5	13.56
0	44 9	1.8	14 15	264.8	13.59
24 40	42 56	1.7	68 57 45	264.1	13.63
20	41 41	1.7	40 45	263.4	13.67
0	40 24	1.7	23 15	262.7	13.70
23 40	39 5	1.6	5 0	262.0	13.74
20	37 44	1.6	67 46 30	261.4	13.77
0	36 20	1.6	27 15	260.7	13.81
22 40	34 54	1.6	7 15	260.1	13.84
20	33 25	1.5	66 46 45	259.5	13.88
0	31 53	1.5	25 30	258.8	13.91
21 40	30 19	1.5	3 30	258.2	13.94
20	28 41	1.4	65 40 45	257.7	13.97
0	27 0	1.4	17 15	257.1	14.00
20 40	25 15	1.4	64 52 45	256.5	14.03
20	23 27	1.4	27 30	255.9	14.07
0	21 35	1.3	1 15	255.4	14.10
19 40	19 39	1.3	63 34 0	254.9	14.12
20	17 39	1.3	5 30	254.3	14.15
0	15 34	1.3	62 36 0	253.8	14.18
18 40	13 24	1.2	5 15	253.3	14.21
20	11 9	1.2	61 33 15	252.8	14.24
0	8 48	1.1	0 0	252.4	14.27

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.

ELEMENTS UPON PRIME VERTICAL.

ALTAIR (DECLINATION $8^{\circ} 37' N.$)—Continued.

LATITUDE. $60^{\circ} N.$ to $10^{\circ} N.$	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad '$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$'$
17 40	4 6 22	1.1	60 25 0	251.9	14.30
20	3 49	1.1	59 48 30	251.4	14.32
0	1 9	1.1	10 30	251.0	14.34
16 40	3 58 22	1.0	58 30 30	250.5	14.37
20	55 27	1.0	57 48 30	250.1	14.39
0	52 24	1.0	4 30	249.7	14.42
15 40	49 11	1.0	56 18 0	249.3	14.44
20	45 48	.9	55 29 15	248.9	14.47
0	42 15	.9	54 37 45	248.5	14.49
14 40	38 29	.9	53 43 15	248.1	14.51
20	34 30	.8	52 45 30	247.7	14.53
0	30 17	.8	51 44 0	247.3	14.55
13 40	25 48	.8	50 38 45	247.0	14.58
20	21 1	.7	49 29 0	246.6	14.60
0	15 54	.7	48 14 15	246.3	14.62
12 40	10 25	.7	46 54 0	246.0	14.63
20	4 31	.6	45 27 30	245.7	14.65
0	2 58 7	.6	43 53 45	245.4	14.67
11 40	51 9	.6	42 11 30	245.1	14.69
20	43 32	.5	40 19 30	244.8	14.71
0	35 7	.5	38 15 45	244.5	14.72
10 40	25 44	.5	35 57 30	244.2	14.74
20	15 9	.4	33 21 30	244.0	14.76
0	3 1	.4	30 22 0	243.7	14.77

MARKAB (DECLINATION $14^{\circ} 42' N.$)

LATITUDE. $6^{\circ} N.$ to $17^{\circ} 20' N.$	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad '$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$'$
60 0	5 25 9	6.8	72 57 45	480.0	7.50
59 40	24 41	6.8	54 0	475.2	7.58
20	24 12	6.7	50 30	470.5	7.65
0	23 43	6.6	46 45	466.0	7.73
58 40	23 14	6.5	43 0	461.5	7.80
20	22 45	6.4	39 15	457.2	7.87
0	22 16	6.3	35 15	452.9	7.95

(a) Increased Declination add.
Hour Angle from Zenith Distance.Decreased Declination subtract. (b) For use in finding
(c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

MARKAB (DECLINATION $14^{\circ} 42' N.$)—Continued.

LATITUDE, 60° N. to 17° 20' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance (b)	Change of Zenith Distance per minute of Time. (c)
" "	h m s	s.	° ' "	s.	" "
57 40	5 21 46	6.2	72 31 30	448.7	8.02
20	21 16	6.1	27 15	444.7	8.10
0	20 46	6.1	23 15	440.7	8.17
56 40	20 15	6.0	19 0	436.8	8.24
20	19 45	5.9	15 0	432.9	8.32
0	19 14	5.8	10 30	429.2	8.39
55 40	18 43	5.8	6 15	425.5	8.46
20	18 11	5.7	1 45	421.9	8.53
0	17 40	5.6	71 57 15	418.4	8.60
54 40	17 8	5.5	52 45	415.0	8.68
20	16 35	5.5	48 0	411.6	8.75
0	16 3	5.4	43 15	408.3	8.82
53 40	15 30	5.3	38 15	405.1	8.89
20	14 57	5.3	33 30	401.9	8.96
0	14 24	5.2	28 30	398.7	9.03
52 40	13 50	5.1	23 15	395.7	9.10
20	13 16	5.1	18 15	392.8	9.17
0	12 41	5.0	13 0	389.8	9.23
51 40	12 7	5.0	7 30	386.9	9.30
20	11 32	4.9	2 0	384.1	9.37
0	10 56	4.8	70 56 30	381.4	9.44
50 40	10 21	4.8	50 45	378.6	9.51
20	9 44	4.7	45 15	376.0	9.57
0	9 8	4.7	39 15	373.4	9.64
49 40	8 31	4.6	33 15	370.8	9.71
20	7 54	4.5	27 15	368.3	9.77
0	7 16	4.5	21 15	365.8	9.84
48 40	6 38	4.4	15 0	363.4	9.91
20	6 0	4.4	8 30	361.0	9.97
0	5 21	4.3	2 0	358.7	10.04
47 40	4 41	4.3	69 55 30	356.4	10.10
20	4 2	4.2	48 45	354.1	10.17
0	3 21	4.2	41 45	351.9	10.23
46 40	2 41	4.1	35 0	349.7	10.29
20	2 0	4.1	27 45	347.6	10.36
0	1 18	4.0	20 30	345.5	10.42
45 40	0 36	4.0	13 15	343.4	10.48
20	4 59 53	3.9	5 45	341.4	10.54
0	59 10	3.9	68 58 15	339.4	10.61
44 40	58 26	3.8	50 30	337.5	10.67
20	57 42	3.8	42 30	335.5	10.73
0	56 57	3.7	34 30	333.6	10.79

(a) Increased Declination add.
Hour Angle from Zenith Distance.

Decreased Declination subtract.

(b) For use in finding
(c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

MARKAB (DECLINATION 14° 42' N.)—Continued.

LATITUDE, 60° N. to 17° 20' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
43 40	4 56 11	3·7	68 26 15	331·8	10·85
20	55 25	3·6	18 0	330·0	10·91
0	54 38	3·6	9 15	328·2	10·97
42 40	53 51	3·5	0 45	326·4	11·03
20	53 3	3·5	67 51 45	324·7	11·09
0	52 14	3·4	42 45	323·0	11·15
41 40	51 25	3·4	33 45	321·3	11·21
20	50 35	3·4	24 15	319·6	11·26
0	49 44	3·3	14 45	318·0	11·32
40 40	48 53	3·3	5 0	316·4	11·38
20	48 1	3·2	66 55 0	314·8	11·44
0	47 7	3·2	44 45	313·3	11·49
39 40	46 14	3·1	34 30	311·8	11·55
20	45 19	3·1	24 0	310·3	11·60
0	44 23	3·1	13 15	308·8	11·66
38 40	43 27	3·0	2 15	307·4	11·71
20	42 29	3·0	65 51 0	306·0	11·77
0	41 31	2·9	39 30	304·6	11·82
37 40	40 32	2·9	27 45	303·2	11·87
20	39 32	2·9	15 45	301·8	11·93
0	38 30	2·8	3 45	300·5	11·98
36 40	37 28	2·8	64 51 15	299·2	12·03
20	36 24	2·8	38 30	297·9	12·08
0	35 20	2·7	25 30	296·7	12·14
35 40	34 14	2·7	12 0	295·4	12·19
20	33 7	2·6	63 58 30	294·2	12·24
0	31 59	2·6	44 30	293·0	12·29
34 40	30 50	2·6	30 15	291·8	12·34
20	29 39	2·5	15 45	290·6	12·39
0	28 27	2·5	0 45	289·5	12·44
33 40	27 13	2·5	62 45 30	288·4	12·48
20	25 58	2·4	29 45	287·3	12·53
0	24 42	2·4	13 45	286·2	12·58
32 40	23 23	2·3	61 57 30	285·1	12·63
20	22 4	2·3	40 30	284·0	12·67
0	20 42	2·3	23 15	283·0	12·72
31 40	19 19	2·2	5 45	282·0	12·77
20	17 54	2·2	60 47 30	281·0	12·81
0	16 27	2·2	29 0	280·0	12·86
30 40	14 58	2·1	9 45	279·0	12·90
20	13 27	2·1	59 50 15	278·1	12·95
0	11 54	2·1	30 0	277·1	12·99

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

MARKAB (DECLINATION 14° 42' N.)—Continued.					
LATITUDE, 60° N. to 17° 20' N.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
29 40	4 10 18	2.0	59 9 30	276.2	13.03
20	8 41	2.0	58 48 15	275.3	13.08
0	7 1	2.0	26 15	274.4	13.12
28 40	5 18	1.9	3 45	273.5	13.16
20	3 33	1.9	57 40 45	272.7	13.20
0	1 45	1.9	16 45	271.9	13.24
27 40	3 59 54	1.8	56 52 15	271.0	13.28
20	58 0	1.8	27 0	270.2	13.33
0	56 3	1.7	1 0	269.4	13.37
26 40	54 2	1.7	55 34 15	268.6	13.40
20	51 58	1.7	6 30	267.8	13.44
0	49 50	1.6	54 37 45	267.0	13.48
25 40	47 39	1.6	8 15	266.3	13.52
20	45 23	1.6	53 37 30	265.5	13.56
0	43 3	1.5	6 0	264.8	13.59
24 40	40 39	1.5	52 33 15	264.1	13.63
20	38 10	1.5	51 59 15	263.4	13.67
0	35 35	1.4	24 0	262.7	13.70
23 40	32 56	1.4	50 47 30	262.0	13.74
20	30 10	1.4	9 30	261.4	13.77
0	27 18	1.3	49 30 0	260.7	13.81
22 40	24 20	1.3	48 49 0	260.1	13.84
20	21 15	1.3	6 15	259.5	13.88
0	18 2	1.2	47 21 30	258.8	13.91
21 40	14 41	1.2	46 35 0	258.2	13.94
20	11 12	1.2	45 46 15	257.7	13.97
0	7 33	1.1	44 55 15	257.1	14.00
20 40	3 44	1.1	1 45	256.5	14.03
20	2 59 44	1.1	43 5 30	255.9	14.07
0	55 31	1.0	42 6 15	255.4	14.10
19 40	51 6	1.0	41 3 45	254.9	14.12
20	46 25	.9	39 57 30	254.3	14.15
0	41 28	.9	38 47 30	253.8	14.18
18 40	36 13	.9	37 33 0	253.3	14.21
20	30 37	.8	36 13 15	252.8	14.24
0	24 37	.8	34 47 45	252.4	14.27
17 40	18 11	.7	33 15 45	251.9	14.30
20	11 12	.7	31 36 0	251.4	14.32

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distances from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

RIGEL (DECLINATION 8° 19' S.)					
LATITUDE, 60° S. to 9° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
60 0	5 40 38	6.9	80 23 0	480.0	7.50
59 40	40 22	6.8	21 15	475.2	7.58
20	40 7	6.7	19 15	470.5	7.65
0	39 51	6.6	17 0	466.0	7.73
58 40	39 35	6.5	15 0	461.5	7.80
20	39 18	6.5	13 0	457.2	7.87
0	39 2	6.4	10 45	452.9	7.95
57 40	38 46	6.3	8 30	448.7	8.02
20	38 29	6.2	6 15	444.7	8.10
0	38 13	6.1	4 0	440.7	8.17
56 40	37 56	6.1	1 45	436.8	8.24
20	37 39	6.0	79 59 30	432.9	8.32
0	37 22	5.9	57 0	429.2	8.39
55 40	37 5	5.8	54 45	425.5	8.46
20	36 47	5.8	52 15	421.9	8.53
0	36 30	5.7	49 45	418.4	8.60
54 40	36 12	5.6	47 15	415.0	8.68
20	35 55	5.5	44 45	411.6	8.75
0	35 37	5.4	42 0	408.3	8.82
53 40	35 19	5.4	39 30	405.1	8.89
20	35 1	5.3	36 45	401.9	8.96
0	34 42	5.3	34 0	398.7	9.03
52 40	34 24	5.2	31 0	395.7	9.10
20	34 5	5.1	28 15	392.8	9.17
0	33 46	5.1	25 30	389.8	9.23
51 40	33 27	5.0	22 30	386.9	9.30
20	33 8	5.0	19 30	384.1	9.37
0	32 48	4.9	16 30	381.4	9.44
50 40	32 29	4.8	13 15	378.6	9.51
20	32 9	4.8	10 15	376.0	9.57
0	31 49	4.7	7 0	373.4	9.64
49 40	31 29	4.7	3 45	370.8	9.71
20	31 8	4.6	0 30	368.3	9.77
0	30 48	4.6	78 57 0	365.8	9.84
48 40	30 27	4.5	53 30	363.4	9.91
20	30 6	4.5	50 15	361.0	9.97
0	29 45	4.4	46 30	358.7	10.04
47 40	29 23	4.4	43 0	356.4	10.10
20	29 2	4.3	39 15	354.1	10.17
0	28 40	4.2	35 30	351.9	10.23
46 40	28 17	4.2	31 45	349.7	10.29
20	27 55	4.1	28 0	347.6	10.36
0	27 32	4.1	24 0	345.5	10.42

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

RIGEL (DECLINATION 8° 19' S.)— <i>Continued.</i>					
LATITUDE, 60° S. to 9° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	' "
45 40	5 27 9	4.1	78 20 0	343.4	10.48
20	26 46	4.0	16 0	341.4	10.54
0	26 23	4.0	11 45	339.4	10.61
44 40	25 59	3.9	7 30	337.5	10.67
20	25 35	3.9	3 15	335.5	10.73
0	25 10	3.8	77 59 0	333.6	10.79
43 40	24 46	3.8	54 30	331.8	10.85
20	24 21	3.7	50 0	330.0	10.91
0	23 55	3.7	45 15	328.2	10.97
42 40	23 30	3.6	40 30	326.4	11.03
20	23 4	3.6	35 45	324.7	11.09
0	22 38	3.6	31 0	323.0	11.15
41 40	22 11	3.5	26 0	321.3	11.21
20	21 44	3.5	21 0	319.6	11.26
0	21 17	3.4	15 45	318.0	11.32
40 40	20 49	3.4	10 30	316.4	11.38
20	20 21	3.3	5 15	314.8	11.44
0	19 52	3.3	76 59 45	313.3	11.49
39 40	19 23	3.3	54 15	311.8	11.55
20	18 54	3.2	48 30	310.3	11.60
0	18 24	3.2	42 45	308.8	11.66
38 40	17 54	3.1	36 45	307.4	11.71
20	17 23	3.1	30 45	306.0	11.77
0	16 52	3.1	24 45	304.6	11.82
37 40	16 20	3.0	18 30	303.2	11.87
20	15 48	3.0	12 0	301.8	11.93
0	15 15	3.0	5 30	300.5	11.98
36 40	14 42	2.9	75 59 0	299.2	12.03
20	14 9	2.9	52 15	297.9	12.08
0	13 34	2.8	45 15	296.7	12.14
35 40	12 59	2.8	38 15	295.4	12.19
20	12 24	2.8	31 0	294.2	12.24
0	11 48	2.7	23 30	293.0	12.29
34 40	11 11	2.7	16 0	291.8	12.34
20	10 34	2.7	8 30	290.6	12.39
0	9 56	2.6	0 30	289.5	12.44
33 40	9 17	2.6	74 52 30	288.4	12.48
20	8 38	2.6	44 15	287.3	12.53
0	7 58	2.5	36 0	286.2	12.58
32 40	7 17	2.5	27 15	285.1	12.63
20	6 35	2.5	18 30	284.0	12.67
0	5 53	2.4	9 30	283.0	12.72

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.

ELEMENTS UPON PRIME VERTICAL.

RIGEL (DECLINATION 8° 19' S.)—Continued.

LATITUDE, 60° S. to 9° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° /	h m s	s.	° / "	s.	'
31 40	5 5 10	2.4	74 0 30	282.0	12.77
20	4 26	2.4	73 51 0	281.0	12.81
0	3 41	2.3	41 30	280.0	12.86
30 40	2 55	2.3	31 30	279.0	12.90
20	2 8	2.3	21 30	278.1	12.95
0	1 20	2.2	11 0	277.1	12.99
29 40	0 31	2.2	0 30	276.2	13.03
20	4 59 41	2.2	72 49 30	275.3	13.08
0	58 50	2.1	38 30	274.4	13.12
28 40	57 58	2.1	27 0	273.5	13.16
20	57 5	2.1	15 15	272.7	13.20
0	56 10	2.0	3 15	271.9	13.24
27 40	55 14	2.0	71 51 0	271.0	13.28
20	54 17	2.0	38 15	270.2	13.33
0	53 19	2.0	25 15	269.4	13.37
26 40	52 19	1.9	12 0	268.6	13.40
20	51 17	1.9	70 58 15	267.8	13.44
0	50 14	1.9	44 0	267.0	13.48
25 40	49 10	1.8	29 30	266.3	13.52
20	48 3	1.8	14 30	265.5	13.56
0	46 55	1.8	69 59 15	264.8	13.59
24 40	45 45	1.7	43 15	264.1	13.63
20	44 34	1.7	27 0	263.4	13.67
0	43 20	1.7	10 0	262.7	13.70
23 40	42 4	1.7	68 52 45	262.0	13.74
20	40 46	1.6	34 45	261.4	13.77
0	39 25	1.6	16 15	260.7	13.81
22 40	38 3	1.6	67 57 15	260.1	13.84
20	36 37	1.5	37 30	259.5	13.88
0	35 9	1.5	17 15	258.8	13.91
21 40	33 38	1.5	66 56 0	258.2	13.94
20	32 5	1.5	34 15	257.7	13.97
0	30 28	1.4	11 45	257.1	14.00
20 40	28 48	1.4	65 48 15	256.5	14.03
20	27 4	1.4	24 0	255.9	14.07
0	25 17	1.3	64 59 0	255.4	14.10
19 40	23 26	1.3	32 45	254.9	14.12
20	21 30	1.3	5 30	254.3	14.15
0	19 31	1.3	63 37 15	253.8	14.18
18 40	17 27	1.2	8 0	253.3	14.21
20	15 17	1.2	62 37 15	252.8	14.24
0	13 3	1.2	5 30	252.4	14.27

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

RIGEL (DECLINATION 8° 19' S.)—*Continued.*

LATITUDE. 60° S. to 9° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	' "
17 40	4 10 43	1.1	61 32 0	251.9	14.30
20	8 17	1.1	60 57 15	251.4	14.32
0	5 45	1.1	21 0	251.0	14.34
16 40	3 5	1.0	59 42 45	250.5	14.37
20	0 19	1.0	2 45	250.1	14.39
0	3 57 24	1.0	58 20 45	249.7	14.42
15 40	54 21	1.0	57 36 45	249.3	14.44
20	51 8	.9	56 50 15	248.9	14.47
0	47 45	.9	1 15	248.5	14.49
14 40	44 11	.9	55 9 45	248.1	14.51
20	40 25	.9	54 15 0	247.7	14.53
0	36 25	.8	53 16 45	247.3	14.55
13 40	32 11	.8	52 15 0	247.0	14.58
20	27 40	.7	51 9 15	246.6	14.60
0	22 52	.7	49 59 0	246.3	14.62
12 40	17 42	.7	48 43 45	246.0	14.63
20	12 10	.7	47 22 30	245.7	14.65
0	6 12	.6	45 55 0	245.4	14.67
11 40	2 59 43	.6	44 20 0	245.1	14.69
20	52 40	.5	42 36 15	244.8	14.71
0	44 56	.5	40 42 30	244.5	14.72
10 40	36 22	.5	38 36 15	244.2	14.74
20	26 49	.4	36 15 30	244.0	14.76
0	16 0	.4	33 35 45	243.7	14.77
9 40	3 32	.3	30 31 30	243.5	14.79

SIRIUS (DECLINATION 16° 35' S.)

LATITUDE. 60° S. to 19° 20' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	' "
60 0	5 20 24	6.8	70 45 30	480.0	7.50
59 40	19 52	6.7	41 30	475.2	7.58
20	19 19	6.6	37 15	470.5	7.65
0	18 46	6.5	33 0	466.0	7.73

(a) Increased Declination *add*, Decreased Declination *subtract*. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

SIRIUS (DECLINATION 16° 35' S.)—*Continued.*

LATITUDE. 60° S. to 19° 20' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
58 40	5 18 13	6.5	70 28 45	461.5	7.80
20	17 40	6.4	24 30	457.2	7.87
0	17 6	6.3	20 0	452.9	7.95
57 40	16 32	6.2	15 30	448.7	8.02
20	15 58	6.1	11 0	444.7	8.10
0	15 24	6.1	6 15	440.7	8.17
56 40	14 49	6.0	1 30	436.8	8.24
20	14 14	5.9	69 56 45	432.9	8.32
0	13 39	5.8	51 45	429.2	8.39
55 40	13 3	5.7	46 45	425.5	8.46
20	12 28	5.7	41 45	421.9	8.53
0	11 51	5.6	36 30	418.4	8.60
54 40	11 15	5.5	31 15	415.0	8.68
20	10 38	5.4	26 0	411.6	8.75
0	10 1	5.4	20 30	408.3	8.82
53 40	9 24	5.3	15 0	405.1	8.89
20	8 46	5.2	9 30	401.9	8.96
0	8 8	5.2	3 45	398.7	9.03
52 40	7 29	5.1	68 57 45	395.7	9.10
20	6 50	5.0	52 0	392.8	9.17
0	6 11	5.0	46 0	389.8	9.23
51 40	5 31	4.9	39 45	386.9	9.30
20	4 51	4.9	33 30	384.1	9.37
0	4 11	4.8	27 15	381.4	9.44
50 40	3 30	4.7	20 45	378.6	9.51
20	2 49	4.7	14 15	376.0	9.57
0	2 7	4.6	7 30	373.4	9.64
49 40	1 25	4.6	0 45	370.8	9.71
20	0 42	4.5	67 53 45	368.3	9.77
0	4 59 59	4.4	46 45	365.8	9.84
48 40	59 16	4.4	39 30	363.4	9.91
20	58 32	4.3	32 15	361.0	9.97
0	57 47	4.3	25 0	358.7	10.04
47 40	57 2	4.2	17 15	356.4	10.10
20	56 17	4.2	9 45	354.1	10.17
0	55 30	4.1	1 45	351.9	10.23
46 40	54 44	4.1	66 53 45	349.7	10.29
20	53 57	4.0	45 45	347.6	10.36
0	53 9	4.0	37 30	345.5	10.42
45 40	52 20	3.9	29 0	343.4	10.48
20	51 32	3.9	20 30	341.4	10.54
0	50 42	3.8	11 45	339.4	10.61
44 40	49 52	3.8	2 45	337.5	10.67
20	49 1	3.7	65 53 45	335.5	10.73
0	48 9	3.7	44 30	333.6	10.79

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL,

SIRIUS (DECLINATION $16^{\circ} 35' \text{ S.}$)—Continued.

LATITUDE, 60° S. to $19^{\circ} 20' \text{ S.}$	Hour Angle.	Correction for change of $1'$ in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad ' \quad ''$	$^{\text{h}} \quad ^{\text{m}} \quad ^{\text{s}}$	$^{\text{s}}$	$^{\circ} \quad ' \quad ''$	$^{\text{s}}$	$''$
43 40	4 47 17	3.6	65 35 0	331.8	10 85
20	46 24	3.6	25 30	330.0	10 91
0	45 30	3.5	15 45	328.2	10 97
42 40	44 36	3.5	5 45	326.4	11 03
20	43 41	3.4	64 55 30	324.7	11 09
0	42 45	3.4	45 0	323.0	11 15
41 40	41 48	3.3	34 30	321.3	11 21
20	40 50	3.3	23 45	319.6	11 26
0	39 52	3.3	12 45	318.0	11 32
40 40	38 53	3.2	1 30	316.4	11 38
20	37 52	3.2	63 50 0	314.8	11 44
0	36 51	3.1	38 15	313.3	11 49
39 40	35 49	3.1	26 30	311.8	11 55
20	34 46	3.1	14 15	310.3	11 60
0	33 42	3.0	1 45	308.8	11 66
38 40	32 36	3.0	62 49 0	307.4	11 71
20	31 30	2.9	36 15	306.0	11 77
0	30 23	2.9	23 0	304.6	11 82
37 40	29 14	2.9	9 15	303.2	11 87
20	28 4	2.8	61 55 30	301.8	11 93
0	26 53	2.8	41 15	300.5	11 98
36 40	25 41	2.7	27 0	299.2	12 03
20	24 28	2.7	12 15	297.9	12 08
0	23 13	2.6	60 57 0	296.7	12 14
35 40	21 56	2.6	41 30	295.4	12 19
20	20 39	2.6	25 45	294.2	12 24
0	19 19	2.5	9 30	293.0	12 29
34 40	17 59	2.5	59 53 0	291.8	12 34
20	16 36	2.5	36 0	290.6	12 39
0	15 12	2.4	18 30	289.5	12 44
33 40	13 46	2.4	0 45	288.4	12 48
20	12 19	2.3	58 42 30	287.3	12 53
0	10 49	2.3	23 45	286.2	12 58
32 40	9 18	2.3	4 30	285.1	12 63
20	7 45	2.2	57 45 0	284.0	12 67
0	6 9	2.2	24 45	283.0	12 72
31 40	4 32	2.2	4 0	282.0	12 77
20	2 52	2.1	56 42 45	281.0	12 81
0	1 10	2.1	20 45	280.0	12 86
30 40	3 59 25	2.1	55 58 30	279.0	12 90
20	57 38	2.0	35 15	278.1	12 95
0	55 48	2.0	11 30	277.1	12 99
29 40	53 55	1.9	54 47 0	276.2	13 03
20	52 0	1.9	22 0	275.3	13 08
0	50 1	1.9	53 56 0	274.4	13 12

(a) Increased Declination add, Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

SIRIUS (DECLINATION $16^{\circ} 35' \text{ S.}$)—*Continued.*

LATITUDE. 60° S. to $19^{\circ} 20' \text{ S.}$	Hour Angle.	Correction for change of $1'$ in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad '$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$'$
28 40	3 47 59	1.8	53 29 30	273.5	13.16
20	45 54	1.8	2 0	272.7	13.20
0	43 45	1.8	52 33 30	271.9	13.24
27 40	41 33	1.7	4 15	271.0	13.28
20	39 17	1.7	51 34 0	270.2	13.33
0	36 56	1.7	3 0	269.4	13.37
26 40	34 32	1.6	50 30 30	268.6	13.40
20	32 3	1.6	49 57 15	267.8	13.44
0	29 29	1.6	22 45	267.0	13.48
25 40	26 49	1.5	48 46 45	266.3	13.52
20	24 5	1.5	9 45	265.5	13.56
0	21 15	1.4	47 31 15	264.8	13.59
24 40	18 18	1.4	46 51 15	264.1	13.63
20	15 15	1.4	9 30	263.4	13.67
0	12 5	1.3	45 26 15	262.7	13.70
23 40	8 47	1.3	44 41 0	262.0	13.74
20	5 22	1.3	43 53 45	261.4	13.77
0	1 47	1.2	4 30	260.7	13.81
22 40	2 58 4	1.2	42 13 0	260.1	13.84
20	54 9	1.1	41 19 0	259.5	13.88
0	50 4	1.1	40 22 0	258.8	13.91
21 40	45 47	1.1	39 22 15	258.2	13.94
20	41 16	1.0	38 19 15	257.7	13.97
0	36 30	1.0	37 12 45	257.1	14.00
20 40	31 27	.9	36 2 0	256.5	14.03
20	26 6	.9	34 46 45	259.9	14.07
0	20 23	.8	33 26 15	255.4	14.10
19 40	14 16	.8	32 0 0	254.9	14.12
20	7 41	.8	30 26 45	254.3	14.15

 α HYDRÆ (DECLINATION $8^{\circ} 15' \text{ S.}$)

LATITUDE. 60° S. to $9^{\circ} 40' \text{ S.}$	Hour Angle.	Correction for change of $1'$ in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad '$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$'$
60 0	5 40 48	6.9	80 27 45	480.0	7.50
59 40	40 32	6.8	25 45	475.2	7.58
20	40 16	6.7	23 45	470.5	7.65
0	40 0	6.6	21 45	466.0	7.73

(a) Increased Declination add.
Hour Angle from Zenith Distance.

Decreased Declination subtract.

(b) For use in finding
(c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

α HYDRÆ (DECLINATION $8^{\circ} 15' S.$).— <i>Continued.</i>					
LATITUDE, $60^{\circ} S.$ t_0 $9^{\circ} 40' S.$	Hour Angle.	Correction for change of $1'$ in declination, (a).	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance, (b)	Change of Zenith Distance per minute of Time, (c)
$^{\circ} \quad ' \quad ''$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$'$
58 40	5 39 45	6.5	80 19 45	461.5	7.80
20	39 29	6.5	17 45	457.2	7.87
0	39 12	6.4	15 30	452.9	7.95
57 40	38 56	6.3	13 15	448.7	8.02
20	38 40	6.2	11 15	444.7	8.10
0	38 23	6.1	9 0	440.7	8.17
56 40	38 7	6.1	6 45	436.8	8.24
20	37 50	6.0	4 15	432.9	8.32
0	37 33	5.9	2 0	429.2	8.39
55 40	37 16	5.8	79 59 30	425.5	8.46
20	36 59	5.8	57 15	421.9	8.53
0	36 42	5.7	54 45	418.4	8.60
54 40	36 24	5.6	52 15	415.0	8.68
20	36 6	5.5	49 30	411.6	8.75
0	35 49	5.5	47 0	408.3	8.82
53 40	35 31	5.4	44 15	405.1	8.89
20	35 13	5.3	41 45	401.9	8.96
0	34 55	5.3	39 0	398.7	9.03
52 40	34 37	5.2	36 15	395.7	9.10
20	34 18	5.1	33 15	392.8	9.17
0	33 59	5.1	30 30	389.8	9.23
51 40	33 40	5.0	27 30	386.9	9.30
20	33 21	5.0	24 30	384.1	9.37
0	33 2	4.9	21 30	381.4	9.44
50 40	32 42	4.8	18 30	378.6	9.51
20	32 23	4.8	15 30	376.0	9.57
0	32 3	4.7	12 15	373.4	9.64
49 40	31 43	4.7	9 0	370.8	9.71
20	31 23	4.6	5 45	368.3	9.77
0	31 2	4.6	2 30	365.8	9.84
48 40	30 42	4.5	78 59 0	363.4	9.91
20	30 21	4.5	55 30	361.0	9.97
0	30 0	4.4	52 0	358.7	10.04
47 40	29 38	4.4	48 30	356.4	10.10
20	29 17	4.3	44 45	354.1	10.17
0	28 55	4.3	41 0	351.9	10.23
46 40	28 33	4.2	37 15	349.7	10.29
20	28 11	4.1	33 30	347.6	10.36
0	27 48	4.1	29 30	345.5	10.42
45 40	27 25	4.0	25 45	343.4	10.48
20	27 2	4.0	21 30	341.4	10.54
0	26 39	4.0	17 30	339.4	10.61
44 40	26 16	3.9	13 15	337.5	10.67
20	25 52	3.9	9 0	335.5	10.73
0	25 28	3.8	4 45	333.6	10.79

(a) Increased Declination add,
Hour Angle from Zenith Distance.

Decreased Declination subtract.

(b) For use in finding
(c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

α HYDRÆ (DECLINATION $8^{\circ} 15' S.$)—*Continued.*

LATITUDE, $60^{\circ} S.$ to $9^{\circ} 40' S.$	Hour Angle.	Correction for change of $1'$ in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad ' \quad ''$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$'$
43 40	5 25 3	3.8	78 0 15	331.8	10.85
20	24 38	3.7	77 55 45	330.0	10.91
0	24 13	3.7	51 15	328.2	10.97
42 40	23 48	3.6	46 30	326.4	11.03
20	23 22	3.6	41 45	324.7	11.09
0	22 56	3.6	37 0	323.0	11.15
41 40	22 30	3.5	32 0	321.3	11.21
20	22 3	3.5	27 0	319.6	11.26
0	21 36	3.4	22 0	318.0	11.32
40 40	21 8	3.4	16 45	316.4	11.38
20	20 40	3.3	11 30	314.8	11.44
0	20 12	3.3	6 0	313.3	11.49
39 40	19 43	3.3	0 30	311.8	11.55
20	19 14	3.2	76 55 0	310.3	11.60
0	18 45	3.2	49 15	308.8	11.66
38 40	18 15	3.1	43 15	307.4	11.71
20	17 44	3.1	37 30	306.0	11.77
0	17 13	3.1	31 15	304.6	11.82
37 40	16 42	3.0	25 15	303.2	11.87
20	16 10	3.0	18 45	301.8	11.93
0	15 38	3.0	12 15	300.5	11.98
36 40	15 5	2.9	5 45	299.2	12.03
20	14 31	2.9	75 59 0	297.9	12.08
0	13 57	2.8	52 15	296.7	12.14
35 40	13 23	2.8	45 15	295.4	12.19
20	12 48	2.8	38 0	294.2	12.24
0	12 12	2.7	30 45	293.0	12.29
34 40	11 35	2.7	23 15	291.8	12.34
20	10 58	2.7	15 45	290.6	12.39
0	10 21	2.6	7 45	289.5	12.44
33 40	9 42	2.6	0 0	288.4	12.48
20	9 3	2.6	74 51 45	287.3	12.53
0	8 24	2.5	43 30	286.2	12.58
32 40	7 43	2.5	35 0	285.1	12.63
20	7 2	2.5	26 15	284.0	12.67
0	6 20	2.4	17 15	283.0	12.72
31 40	5 37	2.4	8 15	282.0	12.77
20	4 53	2.4	73 59 0	281.0	12.81
0	4 9	2.3	49 30	280.0	12.86
30 40	3 23	2.3	39 30	279.0	12.90
20	2 37	2.3	29 30	278.1	12.95
0	1 49	2.2	19 15	277.1	12.99
29 40	1 1	2.2	8 45	276.2	13.03
20	0 11	2.2	72 58 0	275.3	13.08
0	4 59 21	2.1	47 0	274.4	13.12

(a) Increased Declination *add.* Decreased Declination *subtract.* (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle

TABLE II. (A.)—Continued.

ELEMENTS UPON PRIME VERTICAL.

a HYDRÆ (DECLINATION 8° 15' S.)—Continued.					
LATITUDE, 60° S. to 9° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° /	h m s	s.	° / "	s.	/
28 40	4 58 29	2.1	72 35 45	273.5	13.16
20	57 36	2.1	24 0	272.7	13.20
0	56 42	2.1	12 15	271.9	13.24
27 40	55 47	2.0	0 0	271.0	13.28
20	54 50	2.0	71 47 30	270.2	13.33
0	53 52	2.0	34 30	269.4	13.37
26 40	52 53	1.9	21 15	268.6	13.40
20	51 52	1.9	7 30	267.8	13.44
0	50 49	1.9	70 53 30	267.0	13.48
25 40	49 45	1.8	39 15	266.3	13.52
20	48 40	1.8	24 15	265.5	13.56
0	47 32	1.8	9 0	264.8	13.59
24 40	46 23	1.8	69 53 30	264.1	13.63
20	45 12	1.7	37 15	263.4	13.67
0	43 59	1.7	20 30	262.7	13.70
23 40	42 43	1.7	3 15	262.0	13.74
20	41 26	1.6	68 45 30	261.4	13.77
0	40 6	1.6	27 15	260.7	13.81
22 40	38 44	1.6	8 15	260.1	13.84
20	37 20	1.5	67 48 45	259.5	13.88
0	35 53	1.5	28 45	258.8	13.91
21 40	34 23	1.5	7 45	258.2	13.94
20	32 50	1.5	66 46 15	257.7	13.97
0	31 14	1.4	23 45	257.1	14.00
20 40	29 35	1.4	0 30	256.5	14.03
20	27 52	1.4	65 36 30	255.9	14.07
0	26 6	1.3	11 45	255.4	14.10
19 40	24 16	1.3	64 45 45	254.9	14.12
20	22 22	1.3	18 45	254.3	14.15
0	20 23	1.3	63 51 0	253.8	14.18
18 40	18 20	1.3	21 45	253.3	14.21
20	16 12	1.2	62 51 30	252.8	14.24
0	13 59	1.2	20 0	252.4	14.27
17 40	11 41	1.1	61 47 0	251.9	14.30
20	9 16	1.1	12 30	251.4	14.32
0	6 45	1.1	60 36 30	251.0	14.34
16 40	4 8	1.1	59 58 45	250.5	14.37
20	1 23	1.0	19 15	250.1	14.39
0	3 58 30	1.0	58 37 45	249.7	14.42
15 40	55 29	1.0	57 54 0	249.3	14.44
20	52 18	.9	8 15	248.9	14.47
0	48 58	.9	56 19 45	248.5	14.49
14 40	45 26	.9	55 28 45	248.1	14.51
20	41 43	.9	54 34 30	247.7	14.53
0	37 46	.8	53 37 15	247.3	14.55

(a) Increased Declination add,
Hour Angle from Zenith Distance.

Decreased Declination subtract.

(b) For use in finding
(c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

α HYDRÆ (DECLINATION $8^{\circ} 15' S.$)—*Continued.*

LATITUDE, $60^{\circ} S.$ to $9^{\circ} 40' S.$	Hour Angle.	Correction for change of $1'$ in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad ' \quad ''$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$'$
13 40	3 33 35	·8	52 36 15	247·0	14·58
20	29 8	·8	51 31 15	246·6	14·60
0	24 23	·7	50 22 0	246·3	14·62
12 40	19 18	·7	49 7 30	246·0	14·63
20	13 50	·7	47 47 45	245·7	14·65
0	7 57	·6	46 21 30	245·4	14·67
11 40	1 35	·6	44 47 45	245·1	14·69
20	2 54 39	·6	43 6 0	244·8	14·71
0	47 3	·5	41 14 0	244·5	14·72
10 40	38 39	·5	39 10 30	244·2	14·74
20	29 18	·4	36 52 30	244·0	14·76
0	18 44	·4	34 16 30	243·7	14·77
9 40	6 37	·4	31 17 30	243·5	14·79

SPICA (DECLINATION $10^{\circ} 40' S.$)

LATITUDE, $60^{\circ} S.$ to $12^{\circ} 40' S.$	Hour Angle.	Correction for change of $1'$ in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance (b)	Change of Zenith Distance per minute of Time. (c)
$^{\circ} \quad ' \quad ''$	$h \quad m \quad s$	$s.$	$^{\circ} \quad ' \quad ''$	$s.$	$'$
60 0	5 35 2	6·9	77 39 30	480·0	7·50
59 40	34 41	6·8	37 0	475·2	7·58
20	34 21	6·7	34 30	470·5	7·65
0	34 0	6·6	31 45	466·0	7·73
58 40	33 40	6·5	29 0	461·5	7·80
20	33 19	6·4	26 15	457·2	7·87
0	32 58	6·3	23 30	452·9	7·95
57 40	32 37	6·3	20 45	448·7	8·02
20	32 15	6·2	18 0	444·7	8·10
0	31 54	6·1	15 0	440·7	8·17
56 40	31 32	6·0	12 0	436·8	8·24
20	31 10	6·0	9 0	432·9	8·32
0	30 48	5·9	6 0	429·2	8·39
55 40	30 26	5·8	2 45	425·5	8·46
20	30 4	5·7	76 59 45	421·9	8·53
0	29 41	5·7	56 30	418·4	8·60

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

SPICA (DECLINATION 10° 40' S.)—Continued.

LATITUDE, 60° S. to 12° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
54 40	5 29 18	5.6	76 53 15	415.0	8.68
20	28 55	5.5	49 45	411.6	8.75
0	28 32	5.5	46 30	408.3	8.82
53 40	28 9	5.4	43 0	405.1	8.89
20	27 45	5.3	39 30	401.9	8.96
0	27 22	5.3	36 0	398.7	9.03
52 40	26 58	5.2	32 15	395.7	9.10
20	26 34	5.1	28 45	392.8	9.17
0	26 9	5.1	25 0	389.8	9.23
51 40	25 44	5.0	21 0	386.9	9.30
20	25 20	4.9	17 15	384.1	9.37
0	24 54	4.9	13 15	381.4	9.44
50 40	24 29	4.8	9 15	378.6	9.51
20	24 3	4.8	5 15	376.0	9.57
0	23 38	4.7	1 0	373.4	9.64
49 40	23 11	4.6	75 56 45	370.8	9.71
20	22 45	4.6	52 30	368.3	9.77
0	22 18	4.5	48 15	365.8	9.84
48 40	21 51	4.5	43 45	363.4	9.91
20	21 24	4.4	39 15	361.0	9.97
0	20 57	4.4	34 45	358.7	10.04
47 40	20 29	4.3	30 0	356.4	10.10
20	20 1	4.3	25 15	354.1	10.17
0	19 32	4.2	20 30	351.9	10.23
46 40	19 3	4.2	15 30	349.7	10.29
20	18 34	4.1	10 30	347.6	10.36
0	18 5	4.1	5 15	345.5	10.42
45 40	17 35	4.0	0 15	343.4	10.48
20	17 5	4.0	74 55 0	341.4	10.54
0	16 34	3.9	49 30	339.4	10.61
44 40	16 4	3.9	44 0	337.5	10.67
20	15 32	3.8	38 30	335.5	10.73
0	15 1	3.8	32 45	333.6	10.79
43 40	14 29	3.7	27 0	331.8	10.85
20	13 56	3.7	21 15	330.0	10.91
0	13 23	3.7	15 15	328.2	10.97
42 40	12 50	3.6	9 0	326.4	11.03
20	12 16	3.6	2 45	324.7	11.09
0	11 42	3.5	73 56 30	323.0	11.15
41 40	11 7	3.5	50 0	321.3	11.21
20	10 32	3.4	43 30	319.6	11.26
0	9 57	3.4	36 45	318.0	11.32

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.

ELEMENTS UPON PRIME VERTICAL.

SPICA (DECLINATION 10° 40' S.)—Continued.

LATITUDE. 60° S. to 12° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° /	h m s	s.	° / "	s.	/
40 40	5 9 21	3.4	73 30 0	316.4	11.38
20	8 44	3.3	23 0	314.8	11.44
0	8 7	3.3	15 45	313.3	11.49
39 40	7 29	3.2	8 30	311.8	11.55
20	6 51	3.2	1 15	310.3	11.60
0	6 12	3.1	72 53 45	308.8	11.66
38 40	5 33	3.1	46 0	307.4	11.71
20	4 53	3.1	38 15	306.0	11.77
0	4 12	3.0	30 15	304.6	11.82
37 40	3 31	3.0	22 0	303.2	11.87
20	2 49	3.0	13 45	301.8	11.93
0	2 6	2.9	5 15	300.5	11.98
36 40	1 23	2.9	71 56 30	299.2	12.03
20	0 39	2.8	47 45	297.9	12.08
0	4 59 54	2.8	38 45	296.7	12.14
35 40	59 8	2.8	29 30	295.4	12.19
20	58 22	2.7	20 0	294.2	12.24
0	57 35	2.7	10 30	293.0	12.29
34 40	56 47	2.7	0 30	291.8	12.34
20	55 58	2.6	70 50 30	290.6	12.39
0	55 8	2.6	40 15	289.5	12.44
33 40	54 18	2.6	29 45	288.4	12.48
20	53 26	2.5	19 0	287.3	12.53
0	52 34	2.5	8 0	286.2	12.58
32 40	51 40	2.4	69 56 45	285.1	12.63
20	50 45	2.4	45 15	284.0	12.67
0	49 50	2.4	33 15	283.0	12.72
31 40	48 53	2.3	21 15	282.0	12.77
20	47 55	2.3	9 0	281.0	12.81
0	46 56	2.3	68 56 15	280.0	12.86
30 40	45 55	2.3	43 15	279.0	12.90
20	44 53	2.2	30 0	278.1	12.95
0	43 50	2.2	16 15	277.1	12.99
29 40	42 46	2.2	2 30	276.2	13.03
20	41 40	2.1	67 48 0	275.3	13.08
0	40 33	2.1	33 15	274.4	13.12
28 40	39 24	2.1	18 15	273.5	13.16
20	38 13	2.0	2 45	272.7	13.20
0	37 1	2.0	66 46 45	271.9	13.24
27 40	35 47	2.0	30 30	271.0	13.28
20	34 31	1.9	13 45	270.2	13.33
0	33 13	1.9	65 56 15	269.4	13.37

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

SPICA (DECLINATION 10° 40' S.)—Continued.						
LATITUDE. 60° S. to 12° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	(Change of Zenith Distance per minute of Time. (c)	
° ' "	h m s	s.	° ' "	s.	' "	
26 40	4 31 54	1.9	65 38 30	268.6	13.40	
20	30 32	1.8	20 15	267.8	13.44	
0	29 8	1.8	1 30	267.0	13.48	
25 40	27 42	1.8	64 42 0	266.3	13.52	
20	26 13	1.7	22 0	265.5	13.56	
0	24 42	1.7	1 30	264.8	13.59	
24 40	23 9	1.7	63 40 15	264.1	13.63	
20	21 33	1.6	18 30	263.4	13.67	
0	19 54	1.6	62 55 45	262.7	13.70	
23 40	18 12	1.6	32 30	262.0	13.74	
20	16 26	1.6	8 30	261.4	13.77	
0	14 38	1.5	61 43 30	260.7	13.81	
22 40	12 46	1.5	17 45	260.1	13.84	
20	10 51	1.5	60 51 0	259.5	13.88	
0	8 51	1.4	23 15	258.8	13.91	
21 40	6 48	1.4	59 54 45	258.2	13.94	
20	4 40	1.4	25 0	257.7	13.97	
0	2 28	1.3	58 54 15	257.1	14.00	
20 40	0 11	1.3	22 0	256.5	14.03	
20	3 57 48	1.3	57 48 45	255.9	14.07	
0	55 21	1.2	14 15	255.4	14.10	
19 40	52 47	1.2	56 38 0	254.9	14.12	
20	50 8	1.2	0 30	254.3	14.15	
0	47 21	1.2	55 21.15	253.8	14.18	
18 40	44 28	1.1	54 40 0	253.3	14.21	
20	41 27	1.1	53 57 15	252.8	14.24	
0	38 17	1.1	12 15	252.4	14.27	
17 40	34 59	1.0	52 25 0	251.9	14.30	
20	31 31	1.0	51 35 30	251.4	14.32	
0	27 53	1.0	50 43 15	251.0	14.34	
16 40	24 3	.9	49 48 30	250.5	14.37	
20	20 1	.9	48 50 15	250.1	14.39	
0	15 46	.9	47 49 0	249.7	14.42	
15 40	11 15	.8	46 43 45	249.3	14.44	
20	6 27	.8	45 34 30	248.9	14.47	
0	1 21	.8	44 20 45	248.5	14.49	
14 40	2 55 54	.7	43 1 30	248.1	14.51	
20	50 3	.7	41 36 45	247.7	14.53	
0	43 45	.7	40 5 0	247.3	14.55	
13 40	36 56	.6	38 25 45	247.0	14.58	
20	29 29	.6	36 37 15	246.6	14.60	
0	21 19	.5	34 38 0	246.3	14.62	
12 40	12 16	.5	32 25 30	246.0	14.63	

(a) Increased Declination add.
Hour Angle from Zenith Distance.

Decreased Declination subtract.

(b) For use in finding

(c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A).—*Continued.*
ELEMENTS UPON PRIME VERTICAL.

ANTARES (DECLINATION 26° 13 S.)					
LATITUDE, 60° S. to 31° S.	Hour Angle.	Correction for change of 1' in declination (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith distance per minute of Time. (c).
° ' "	h m s	s.	° ' "	s.	'
60 0	4 53 56	6.6	59 19 45	480.0	7.50
59 40	53 1	6.5	12 45	475.2	7.58
20	52 5	6.5	5 45	470.5	7.65
0	51 10	6.4	58 58 45	466.0	7.73
58 40	50 13	6.3	51 15	461.5	7.80
20	49 16	6.2	44 0	457.2	7.87
0	48 19	6.1	36 15	452.9	7.95
57 40	47 21	6.0	28 45	448.7	8.02
20	46 23	5.9	20 45	444.7	8.10
0	45 24	5.8	12 45	440.7	8.17
56 40	44 25	5.8	4 45	436.8	8.24
20	43 25	5.7	57 56 30	432.9	8.32
0	42 24	5.6	48 0	429.2	8.39
55 40	41 23	5.5	39 30	425.5	8.46
20	40 22	5.4	30 45	421.9	8.53
0	39 19	5.4	22 0	418.4	8.60
54 40	38 16	5.3	12 45	415.0	8.68
20	37 13	5.2	3 30	411.6	8.75
0	36 9	5.1	56 54 15	408.3	8.82
53 40	35 4	5.1	44 45	405.1	8.89
20	33 59	5.0	35 0	401.9	8.96
0	32 52	4.9	25 0	398.7	9.03
52 40	31 46	4.9	15 0	395.7	9.10
20	30 38	4.8	4 30	392.8	9.17
0	29 30	4.7	55 54 0	389.8	9.23
51 40	28 21	4.7	43 30	386.9	9.30
20	27 11	4.6	32 30	384.1	9.37
0	26 0	4.5	21 30	381.4	9.44
50 40	24 48	4.5	10 0	378.6	9.51
20	23 36	4.4	54 58 45	376.0	9.57
0	22 23	4.3	47 0	373.4	9.64
49 40	21 9	4.3	35 0	370.8	9.71
20	19 53	4.2	22 45	368.3	9.77
0	18 37	4.2	10 15	365.8	9.84
48 40	17 20	4.1	53 57 45	363.4	9.91
20	16 2	4.0	44 45	361.0	9.97
0	14 43	4.0	31 30	358.7	10.04
47 40	13 23	3.9	18 0	356.4	10.10
20	12 2	3.9	4 30	354.1	10.17
0	10 40	3.8	52 50 30	351.9	10.23
46 40	9 16	3.8	36 15	349.7	10.29
20	7 51	3.7	21 30	347.6	10.36
0	6 26	3.6	6 45	345.5	10.42

(a) Increased Declination add, Decreased Declination subtract, (b) For use in finding
Hour Angle from Zenith Distance, (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A).—Continued.

ELEMENTS UPON PRIME VERTICAL.

ANTARES (DECLINATION 26° 13' S.)—Continued.

LATITUDE, 60° S. to 31° S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
45 40	4 4 58	3.6	51 51 30	343.4	10.48
20	3 30	3.5	36 0	341.4	10.54
0	2 0	3.5	20 15	339.4	10.61
44 40	0 29	3.4	4 0	337.5	10.67
20	3 58 56	3.4	50 47 30	335.5	10.73
0	57 22	3.3	30 30	333.6	10.79
43 40	55 46	3.3	13 15	331.8	10.85
20	54 9	3.2	49 55 45	330.0	10.91
0	52 30	3.2	37 45	328.2	10.97
42 40	50 50	3.1	19 15	326.4	11.03
20	49 7	3.1	0 15	324.7	11.09
0	47 23	3.0	48 41 0	323.0	11.15
41 40	45 37	3.0	21 15	321.3	11.21
20	43 49	2.9	1 0	319.6	11.26
0	41 59	2.9	47 40 15	318.0	11.32
40 40	40 7	2.8	19 15	316.4	11.38
20	38 13	2.8	46 57 30	314.8	11.44
0	36 16	2.7	35 15	313.3	11.49
39 40	34 17	2.7	12 15	311.8	11.55
20	32 16	2.6	45 49 0	310.3	11.60
0	30 12	2.6	24 45	308.8	11.66
38 40	28 5	2.5	0 15	307.4	11.71
20	25 55	2.5	44 34 45	306.0	11.77
0	23 43	2.4	8 45	304.6	11.82
37 40	21 28	2.4	43 42 0	303.2	11.87
20	19 9	2.3	14 45	301.8	11.93
0	16 47	2.3	42 46 15	300.5	11.98
36 40	14 22	2.2	17 15	299.2	12.03
20	11 52	2.2	41 47 15	297.9	12.08
0	9 19	2.1	16 15	296.7	12.14
35 40	6 42	2.1	40 44 30	295.4	12.19
20	4 1	2.0	11 45	294.2	12.24
0	1 15	2.0	39 37 45	293.0	12.29
34 40	2 58 24	2.0	2 45	291.8	12.34
20	55 28	1.9	38 26 15	290.6	12.39
0	52 26	1.8	37 48 45	289.5	12.44
33 40	49 19	1.8	10 0	288.4	12.48
20	46 5	1.7	36 29 30	287.3	12.53
0	42 45	1.7	35 47 45	286.2	12.58
32 40	39 18	1.6	4 0	285.1	12.63
20	35 43	1.6	34 18 45	284.0	12.67
0	31 59	1.5	33 31 30	283.0	12.72
31 40	28 7	1.5	32 42 0	282.0	12.77
20	24 4	1.4	31 50 30	281.0	12.81
0	19 51	1.4	30 56 15	280.0	12.86

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—Continued.
ELEMENTS UPON PRIME VERTICAL.

FOMALHAUT (DECLINATION 30° 8' S.)					
LATITUDE, 60° S. to 35° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	"
60 0	4 41 41	6.5	54 34 15	480.0	7.50
59 40	40 35	6.4	26 0	475.2	7.58
20	39 28	6.3	17 30	470.5	7.65
0	38 21	6.2	9 0	466.0	7.73
58 40	37 13	6.2	0 15	461.5	7.80
20	36 5	6.1	53 51 15	457.2	7.87
0	34 56	6.0	42 15	452.9	7.95
57 40	33 46	5.9	33 0	448.7	8.02
20	32 36	5.8	23 30	444.7	8.10
0	31 25	5.7	14 0	440.7	8.17
56 40	30 14	5.6	4 0	436.8	8.24
20	29 1	5.5	52 54 0	432.9	8.32
0	27 48	5.5	44 0	429.2	8.39
55 40	26 34	5.4	33 30	425.5	8.46
20	25 20	5.3	23 0	421.9	8.53
0	24 4	5.2	12 15	418.4	8.60
54 40	22 48	5.1	1 15	415.0	8.68
20	21 31	5.1	51 50 0	411.6	8.75
0	20 14	5.0	38 45	408.3	8.82
53 40	18 55	4.9	27 15	405.1	8.89
20	17 35	4.8	15 30	401.9	8.96
0	16 15	4.8	3 15	398.7	9.03
52 40	14 53	4.7	50 51 0	395.7	9.10
20	13 31	4.6	38 30	392.8	9.17
0	12 8	4.5	25 30	389.8	9.23
51 40	10 43	4.5	12 30	386.9	9.30
20	9 18	4.4	49 59 15	384.1	9.37
0	7 51	4.4	45 45	381.4	9.44
50 40	6 23	4.3	31 45	378.6	9.51
20	4 55	4.2	17 45	376.0	9.57
0	3 25	4.2	3 15	373.4	9.64
49 40	1 53	4.1	48 48 30	370.8	9.71
20	0 21	4.0	33 30	368.3	9.77
0	3 58 47	4.0	18 15	365.8	9.84
48 40	57 12	3.9	2 30	363.4	9.91
20	55 36	3.8	47 46 30	361.0	9.97
0	53 58	3.8	30 15	358.7	10.04
47 40	52 18	3.7	13 30	356.4	10.10
20	50 37	3.7	46 56 30	354.1	10.17
0	48 55	3.6	39 15	351.9	10.23
46 40	47 11	3.6	21 15	349.7	10.29
20	45 25	3.5	3 15	347.6	10.36
0	43 38	3.4	45 44 30	345.5	10.42

(a) Increased Declination add. Decreased Declination subtract. (b) For use in finding
Hour Angle from Zenith Distance. (c) For use in finding Zenith Distance from Hour Angle.

TABLE II. (A.)—*Continued.*

ELEMENTS UPON PRIME VERTICAL.

FOMALHAUT (DECLINATION $30^{\circ} 8' S.$)—*Continued.*

LATITUDE, 60° S. to 35° 40' S.	Hour Angle.	Correction for change of 1' in declination. (a)	Zenith Distance.	Seconds of Time for change of one degree of Zenith Distance. (b)	Change of Zenith Distance per minute of Time. (c)
° ' "	h m s	s.	° ' "	s.	'
45 40	3 41 48	3.4	45 25 30	343.4	10.48
20	39 57	3.3	6 0	341.4	10.54
0	38 4	3.3	44 46 0	339.4	10.61
44 40	36 9	3.2	25 45	337.5	10.67
20	34 12	3.1	4 45	335.5	10.73
0	32 13	3.1	43 43 30	333.6	10.79
43 40	30 11	3.0	21 30	331.8	10.85
20	28 7	3.0	42 59 0	330.0	10.91
0	26 1	2.9	36 0	328.2	10.97
42 40	23 52	2.9	12 30	326.4	11.03
20	21 41	2.8	41 48 15	324.7	11.09
0	19 26	2.8	23 15	323.0	11.15
41 40	17 9	2.7	40 57 45	321.3	11.21
20	14 49	2.7	31 30	319.6	11.26
0	12 26	2.6	4 30	318.0	11.32
40 40	9 59	2.5	39 36 45	316.4	11.38
20	7 29	2.5	8 15	314.8	11.44
0	4 55	2.4	38 39 0	313.3	11.49
39 40	2 18	2.4	8 45	311.8	11.55
20	2 59 36	2.3	37 37 30	310.3	11.60
0	56 50	2.3	5 15	308.8	11.66
38 40	54 0	2.2	36 32 0	307.4	11.71
20	51 4	2.1	35 57 45	306.0	11.77
0	48 4	2.1	22 15	304.6	11.82
37 40	44 58	2.0	34 45 45	303.2	11.87
20	41 47	2.0	7 45	301.8	11.93
0	38 29	1.9	33 28 15	300.5	11.98
36 40	35 4	1.9	32 47 15	299.2	12.03
20	31 33	1.8	4 45	297.9	12.08
0	27 53	1.7	31 20 30	296.7	12.14
35 40	24 5	1.7	30 34 15	295.4	12.19

(a) Increased Declination *add.*
Hour Angle from Zenith Distance.Decreased Declination *subtract.*
(c) For use in finding Zenith Distance from Hour Angle.

(b) For use in finding

TABLES II. (B) AND II. (C).

VALUES OF SECOND CORRECTION

**LIMIT OF LATITUDE 60° LIMIT OF DISTANCE IN HOUR
ANGLE FROM PRIME VERTICAL 90^m .**

TABLE II (B.)

FOR USE IN FINDING HOUR ANGLE FROM OBSERVED ZENITH DISTANCE.

SECOND CORRECTION
(ADDITIVE TO FIRST CORRECTION).

LATITUDE* OR DECLINATION.	APPROXIMATE DISTANCE IN HOUR ANGLE FROM PRIME VERTICAL.														
	^m 20	^m 25	^m 30	^m 35	^m 40	^m 45	^m 50	^m 55	^m 60	^m 65	^m 70	^m 75	^m 80	^m 85	^m 90
°	sec.	sec.	sec.	sec.	sec.	sec.	sec.	sec.	sec.	sec.	sec.	sec.	sec.	sec.	sec.
60	1.2	2.4	4.0	6.2	9.2	13.0	17.8	24.0	31.0	39.2	48.9	60.2	73.0	87.8	104.0
55	1.0	2.1	3.5	5.4	8.1	11.7	15.9	21.3	27.6	35.1	43.8	53.2	65.4	78.5	93.1
50	.9	1.7	3.0	4.8	7.2	10.3	14.0	18.6	24.1	30.7	38.3	47.2	57.3	68.6	81.4
45	.7	1.5	2.5	4.1	6.1	8.7	11.9	15.8	20.6	26.1	32.6	40.1	48.8	58.4	69.4
40	.6	1.2	2.1	3.4	5.1	7.2	9.8	13.1	17.0	21.7	27.0	33.2	40.3	48.3	57.3
35	.5	1.0	1.7	2.7	4.0	5.7	7.8	10.4	13.5	17.2	21.5	26.5	32.1	38.5	45.7
30	.4	.8	1.3	2.1	3.1	4.3	5.9	7.9	10.3	13.1	16.4	20.1	24.4	29.3	34.7
25	.3	.5	.9	1.5	2.2	3.1	4.3	5.7	7.4	9.4	11.7	14.3	17.4	20.9	24.8
20	.2	.3	.5	1.0	1.4	2.0	2.8	3.7	4.8	6.1	7.7	9.4	11.4	13.7	16.3
15	.1	.2	.3	.5	.8	1.1	1.6	2.1	2.8	3.5	4.3	5.4	6.5	7.8	9.3
10	—	.1	.1	.3	.4	.5	.7	.9	1.2	1.6	2.0	2.4	2.9	3.5	4.2
5	—	—	—	.1	.1	.2	.2	.3	.3	.4	.5	.6	.8	.9	1.1

* For observations near Prime Vertical Latitude of Place is the Argument. For observations near Maximum Azimuth Declination of Star is the Argument.

TABLE II. (C.)

FOR USE IN CALCULATING ZENITH DISTANCE CORRESPONDING TO A GIVEN *
HOUR ANGLE.

SECOND CORRECTION

(SUBTRACTIVE FROM FIRST CORRECTION).

LATITUDE* or DECLINATION.	APPROXIMATE DISTANCE IN HOUR ANGLE FROM PRIME VERTICAL OR MAX. AZIMUTH.														
	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90
0	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
60	9	17	29	46	1 9	1 38	2 14	2 59	3 51	4 54	6 7	7 32	9 8	10 58	13 0
55	9	17	30	47	1 10	1 40	2 17	3 3	3 57	5 2	6 17	7 44	9 23	11 15	13 21
50	9	17	29	46	1 9	1 39	2 15	2 59	3 53	4 56	6 9	7 34	9 12	11 2	13 5
45	8	16	27	43	1 5	1 32	2 6	2 48	3 39	4 37	5 46	7 6	8 37	10 20	12 16
40	7	14	24	39	58	1 22	1 53	2 30	3 15	4 8	5 10	6 21	7 43	9 15	10 58
35	6	12	21	33	49	1 10	1 36	2 8	2 46	3 31	4 24	5 25	6 34	7 53	9 21
30	5	10	17	27	40	56	1 17	1 43	2 14	2 50	3 32	4 21	5 17	6 20	7 3
25	4	7	13	20	30	42	58	1 17	1 40	2 7	2 39	3 15	3 57	4 44	5 5
20	3	5	9	14	20	29	39	52	1 8	1 26	1 48	2 12	2 41	3 13	3 4
15	2	3	5	8	12	17	23	31	40	51	1 3	1 18	1 35	1 53	2 1
10	1	2	4	5	8	11	13	18	23	29	36	43	52	1	1
5	1	2	3	4	5	8	11	13	18	23	29	36	43	52	1

* For observations near Prime Vertical Latitude of Place is the argument. For observations near
Maximum Azimuth Declination of Star is the Argument.

TABLE III,

HOURL ANGLES AND ZENITH DISTANCES

AT

MAXIMUM AZIMUTH

(For Finding First, or Principal, Correction).

APPROXIMATE LIMITS OF ZENITH DISTANCE 30° TO 80°.

TABLE III.
ELEMENTS OF STARS AT MAXIMUM AZIMUTH
(ANGLE OF POSITION = 90°).

α ANDROMEDÆ (DECLINATION 28° 34' N.)					
LATITUDE From 24° 20' N. to 4° 40' N.	Seconds of Time for change of one degree of Zenith Distance 273.3s (a)	Change of Zenith Distance per minute of Time 13.17" (b)	LATITUDE From 24° 20' N. to 4° 20' N.	Seconds of Time for change of one degree of Zenith Distance 273.3s (a)	Change of Zenith Distance per minute of Time 13.17" (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° /	h m s	° / "	° /	h m s	° / "
24 20	2 15 22	30 29 30	14 20	4 8 3	58 49 15
0	20 34	31 43 30	0	10 59	59 36 30
23 40	25 34	32 55 0	13 40	13 54	60 23 15
20	30 25	34 4 30	20	16 47	61 10 0
0	35 6	35 12 15	0	19 39	56 15
22 40	39 39	36 18 0	12 40	22 29	62 42 15
20	44 4	37 22 30	20	25 18	63 28 0
0	48 22	38 25 45	0	28 5	64 13 45
21 40	52 34	39 27 30	11 40	30 51	59 0
20	56 40	40 28 0	20	33 36	65 44 0
0	3 0 40	41 27 30	0	36 20	66 29 0
20 40	4 35	42 26 0	10 40	39 3	67 13 30
20	8 26	43 23 30	20	41 44	58 0
0	12 12	44 20 15	0	44 25	68 42 30
19 40	15 53	45 16 0	9 40	47 5	69 26 30
20	19 31	46 11 0	20	49 43	70 10 30
0	23 5	47 5 30	0	52 21	54 15
18 40	26 36	59 0	8 40	54 58	71 38 0
20	30 3	48 52 0	20	57 34	72 21 30
0	33 27	49 44 30	0	5 0 10	73 4 45
17 40	36 48	50 36 15	7 40	2 45	48 0
20	40 6	51 27 45	20	5 19	74 31 0
0	43 21	52 18 30	0	7 52	75 14 0
16 40	46 34	53 9 0	6 40	10 25	75 57 0
20	49 45	58 30	20	12 57	76 39 45
0	52 53	54 48 0	0	15 29	77 22 30
15 40	55 59	55 37 0	5 40	18 0	78 5 0
20	59 3	56 25 30	20	20 31	47 30
0	4 2 5	57 13 45	0	23 1	79 30 0
14 40	5 5	58 1 45	4 40	25 31	80 12 15

(a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—Continued.

ELEMENTS OF STARS AT MAXIMUM AZIMUTH.

(ANGLE OF POSITION = 90°).

 α ARIETIS (DECLINATION 23° 1' N.)

LATITUDE from 19° 40' N. to 3° 40' N.	Seconds of Time for change of one degree of Zenith Distance 260 ^{ths} (a)	Change of Zenith Distance per minute of Time 13 ⁸¹ (b)	LATITUDE from 19° 40' N. to 3° 40' N.	Seconds of Time for change of one degree of Zenith Distance 260 ^{ths} (a)	Change of Zenith Distance per minute of Time 13 ⁸¹ (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
^o /	^h ^m ^s	^o / "	^o /	^h ^m ^s	^o / "
19 40	2 10 54	30 36 0	11 20	4 7 24	59 49 45
20	17 18	32 8 45	0	11 5	60 47 30
0	23 25	33 37 45	10 40	14 44	61 44 45
18 40	29 17	35 3 30	20	18 20	62 41 30
20	34 57	36 26 30	0	21 54	63 38 0
0	40 26	37 47 0	9 40	25 27	64 34 0
17 40	45 44	39 5 15	20	28 57	65 29 45
20	50 53	40 21 45	0	32 26	66 25 0
0	55 53	41 36 15	8 40	35 54	67 20 0
16 40	3 0 46	42 49 0	20	39 19	68 14 30
20	5 32	44 0 30	0	42 43	69 9 0
0	10 11	45 10 30	7 40	46 6	70 3 0
15 40	14 45	46 19 15	20	49 28	70 56 45
20	19 12	47 26 45	0	52 48	71 50 15
0	23 35	48 33 0	6 40	56 7	72 43 45
14 40	27 53	49 38 30	20	59 25	73 36 45
20	32 6	50 43 0	0	5 2 42	74 29 45
0	36 15	51 46 30	5 40	5 58	75 22 15
13 40	40 20	52 49 15	20	9 13	76 14 45
20	44 22	53 51 30	0	12 28	77 7 15
0	48 19	54 52 45	4 40	15 41	77 59 30
12 40	52 14	55 53 15	20	18 54	78 51 30
20	56 6	56 53 15	0	22 6	79 43 30
0	59 54	57 52 30	3 40	25 18	80 35 15
11 40	4 3 40	58 51 30			

(a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—*Continued.*
ELEMENTS OF STARS AT MAXIMUM AZIMUTH.
(ANGLE OF POSITION = 90°).

ALDEBARAN (DECLINATION 16° 19' N.).

LATITUDE From 14° N. to 2° 40' N.	Seconds of Time for change of one degree of Zenith Distance 250 ¹ s (a)	Change of Zenith Distance per minute of Time 14.4' (b)	LATITUDE From 14° N. to 2° 40' N.	Seconds of Time for change of one degree of Zenith Distance 250 ¹ s (a)	Change of Zenith Distance per minute of Time 14.4' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° /	h m s	° / "	° /	h m s	° / "
14 0	2 6 24	30 33 30	8 0	4 5 14	60 18 15
13 40	15 21	32 45 15	7 40	10 30	61 39 0
20	23 46	34 49 45	20	15 41	62 58 45
0	31 46	36 48 15	0	20 48	64 17 30
12 40	39 23	38 41 30	6 40	25 52	65 35 30
20	46 43	40 30 45	20	30 53	66 52 45
0	53 45	42 16 0	0	35 50	68 9 30
11 40	3 0 34	43 57 45	5 40	40 45	69 25 30
20	7 10	45 37 0	20	45 37	70 40 45
0	13 34	47 13 15	0	50 27	71 55 45
10 40	19 49	48 47 15	4 40	55 14	73 10 0
20	25 54	50 19 15	20	5 0 0	74 24 0
0	31 51	51 49 30	0	4 43	75 37 30
9 40	37 40	53 17 45	3 40	9 25	76 50 30
20	43 23	54 44 30	20	14 6	78 3 15
0	48 59	56 9 45	0	18 45	79 15 45
8 40	54 29	57 33 45	2 40	23 23	80 28 0
20	59 54	58 56 45			

BETELGEUSE (DECLINATION 7° 23' N.).

LATITUDE From 6° 20' N. to 1° 20' N.	Seconds of Time for change of one degree of Zenith Distance 242.0s (a)	Change of Zenith Distance per minute of Time 14.88' (b)	LATITUDE From 6° 20' N. to 1° 20' N.	Seconds of Time for change of one degree of Zenith Distance 242.0s (a)	Change of Zenith Distance per minute of Time 14.88' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° /	h m s	° / "	° /	h m s	° / "
6 20	2 4 17	30 51 45	3 40	4 1 27	60 9 15
0	23 11	35 34 15	20	13 10	63 6 0
5 40	40 6	39 47 30	0	24 35	65 58 0
20	55 38	43 40 15	2 40	35 44	68 46 30
0	3 10 8	47 17 45	20	46 41	71 31 45
4 40	23 49	50 43 15	0	57 28	74 14 30
20	36 51	53 59 15	1 40	5 8 6	76 55 15
0	49 22	57 7 30	20	18 37	79 34 0

(a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—*Continued.*
 ELEMENTS OF STARS AT MAXIMUM AZIMUTH.
 (ANGLE OF POSITION = 90°).

POLLUX (DECLINATION 28° 15' N.).

LATITUDE from 24° N. to 4° 40' N.	Seconds of Time for change of one degree of Zenith Distance 272.5s (a)	Change of Zenith Distance per minute of Time 13.21' (b)	LATITUDE from 24° N. to 4° 20' N.	Seconds of Time for change of one degree of Zenith Distance 272.5s (q)	Change of Zenith Distance per minute of Time 13.21' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° ' "	h m s	° ' "	° ' "	h m s	° ' "
24 0	2 16 10	30 45 30	14 0	4 9 25	59 15 45
23 40	2 21 23	31 59 45	13 40	12 22	60 3 15
20	26 24	33 11 45	20	15 18	60 50 30
0	31 16	34 21 30	0	18 13	61 37 30
22 40	35 58	35 29 30	12 40	21 6	62 24 0
20	40 32	36 36 0	20	23 57	63 10 30
0	44 58	37 40 45	0	26 47	63 56 30
21 40	49 17	38 44 15	11 40	29 36	64 42 30
20	53 30	39 46 15	20	32 24	65 28 15
0	57 37	40 47 15	0	35 10	66 13 30
20 40	3 1 39	41 47 0	10 40	37 55	66 58 45
20	5 35	42 46 0	20	40 39	67 43 45
0	9 27	43 43 45	0	43 22	68 28 45
19 40	13 14	44 40 45	9 40	46 4	69 13 15
20	16 56	45 37 0	20	48 45	69 57 45
0	20 35	46 32 30	0	51 26	70 42 0
18 40	24 10	47 27 15	8 40	54 5	71 26 15
20	27 42	48 21 15	20	56 43	72 10 15
0	31 10	49 14 30	0	59 21	72 54 0
17 40	34 35	50 7 15	7 40	5 1 58	73 37 45
20	37 57	50 59 30	20	4 34	74 21 15
0	41 17	51 51 0	0	7 10	75 4 45
16 40	44 33	52 42 15	6 40	9 45	75 48 0
20	47 48	53 32 45	20	12 19	76 31 15
0	50 59	54 23 0	0	14 53	77 14 30
15 40	54 9	55 12 45	5 40	17 26	77 57 30
20	57 16	56 2 15	20	19 59	78 40 30
0	4 0 21	56 51 0	0	22 31	79 23 15
14 40	3 24	57 39 45	4 40	25 3	80 6 15
20	6 25	58 27 45			

(a) For use in finding Hour Angle from Zenith Distances.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—*Continued.*
ELEMENTS OF STARS AT MAXIMUM AZIMUTH.
(ANGLE OF POSITION = 90°).

REGULUS (DECLINATION 12° 26' N.)

LATITUDE from 10° 40' N. to 2° 20' N.	Seconds of Time for change of one degree of Zenith Distance 245.7* (a)	Change of Zenith Distance per minute of Time 14.65' (b)	LATITUDE from 10° 40' N. to 2° 20' N.	Seconds of Time for change of one degree of Zenith Distance 245.7* (a)	Change of Zenith Distance per minute of Time 14.65' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° /	h m s	° / "	° /	h m s	° / "
10 40	2 5 16	30 43 0	6 20	3 59 6	59 10 45
20	16 50	33 34 45	0	4 6 7	60 57 15
0	27 34	36 14 30	5 40	13 1	62 42 15
9 40	37 39	38 45 0	20	19 48	64 25 30
20	47 12	41 7 30	0	26 29	66 7 15
0	56 19	43 24 0	4 40	33 5	67 47 45
8 40	3 5 3	45 35 0	20	39 36	69 27 15
20	13 28	47 41 15	0	46 2	71 5 45
0	21 36	49 43 45	3 40	52 25	72 43 15
7 40	29 29	51 42 45	20	58 44	74 20 0
20	37 9	53 38 30	0	5 5 0	75 56 0
0	44 38	55 31 30	2 40	11 13	77 31 15
6 40	51 56	57 22 15	20	17 24	79 6 0

β LEONIS (DECLINATION 15° 7' N.)

LATITUDE from 13° N. to 2° 20' N.	Seconds of Time for change of one degree of Zenith Distance 248.6* (a)	Change of Zenith Distance per minute of Time 14.48' (b)	LATITUDE from 13° N. to 2° 20' N.	Seconds of Time for change of one degree of Zenith Distance 248.6* (a)	Change of Zenith Distance per minute of Time 14.48' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° /	h m s	° / "	° /	h m s	° / "
13 0	2 5 7	30 23 30	7 20	4 6 12	60 41 45
12 40	14 47	32 46 15	0	11 52	62 8 30
20	23 51	35 0 30	6 40	17 27	63 34 0
0	32 26	37 8 0	20	22 58	64 58 30
11 40	40 36	39 9 30	0	28 25	66 22 15
20	48 25	41 6 0	5 40	33 48	67 45 0
0	55 55	42 58 30	20	39 8	69 7 15
10 40	3 3 10	44 47 0	0	44 25	70 28 30
20	10 12	46 32 30	4 40	49 39	71 49 15
0	17 0	48 15 0	20	54 50	73 9 30
9 40	23 38	49 55 0	0	59 59	74 29 0
20	30 6	51 32 45	3 40	5 5 6	75 48 15
0	36 25	53 8 30	20	10 12	77 7 0
8 40	42 36	54 42 0	0	15 15	78 25 30
20	48 39	56 14 0	2 40	20 17	79 43 30
0	54 36	57 44 45	20	25 18	81 1 0
7 40	4 0 27	59 14 0			

* (a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—(Continued.)
ELEMENTS OF STARS AT MAXIMUM AZIMUTH.
(ANGLE OF POSITION = 90°).

ARCTURUS (DECLINATION 19° 41' N.)

LATITUDE, from 16° 40' N. to 3° 20' N.	Seconds of Time for change of one degree in Zenith Distance, 254.9 (a)	Change of Zenith Distance per minute of Time, 14.12' (b)	LATITUDE from 16° 40' N. to 3° 20' N.	Seconds of Time for change of one degree in Zenith Distance, 254.9 (a)	Change of Zenith Distance, per minute of Time, 14.12' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
16 40	2 12 45	31 37 30	9 40	4 6 16	60 5 45
20	19 59	33 23 30	20	10 36	61 13 0
0	26 53	35 4 45	0	14 53	62 19 30
15 40	33 29	36 42 15	8 40	19 7	63 25 30
20	39 50	38 16 15	20	23 19	64 31 15
0	45 58	39 47 15	0	27 28	65 35 45
14 40	51 54	41 15 45	7 40	31 35	66 40 0
20	57 40	42 41 30	20	35 40	67 43 45
0	3 3 15	44 5 30	0	39 42	68 47 15
13 40	8 42	45 27 15	6 40	43 43	69 50 15
20	14 2	46 47 15	20	47 42	70 53 0
0	19 13	48 5 45	0	51 39	71 55 15
12 40	24 19	49 23 0	5 40	55 35	72 57 15
20	29 17	50 38 30	20	59 29	73 58 45
0	34 11	51 53 0	0	5 3 22	75 0 15
11 40	38 59	53 6 15	4 40	7 14	76 1 15
20	43 42	54 18 30	20	11 5	77 2 15
0	48 21	55 29 30	0	14 55	78 2 45
10 40	52 55	56 40 0	3 40	18 43	79 3 15
20	57 25	57 49 15	20	22 31	80 3 30
0	4 1 52	58 58 0			

(a) For use in finding *Hour Angle* from *Zenith Distance*.
(b) For use in finding *Zenith Distance* from *Hour Angle*.

TABLE III.—*Continued.*
 ELEMENTS OF STARS AT MAXIMUM AZIMUTH.
 (ANGLE OF POSITION = 90°).

α CORONÆ (DECLINATION $27^\circ 2' \text{ N.}$).

LATITUDE from 23° N. to $4^\circ 20' \text{ N.}$	Seconds of Time for change of one degree in Zenith Distance $269.4''$ (a)	Change of Zenith Distance per minute of Time, $13.36'$ (b)	LATITUDE from 23° N. to $4^\circ 20' \text{ N.}$	Seconds of Time for change of one degree of Zenith Distance $269.4''$ (a)	Change of Zenith Distance per minute of Time $13.36'$ (b)
	Hour Angle,	Zenith Distance,		Hour Angle,	Zenith Distance,
$23^\circ 0'$	h m s	$^\circ ' ''$	$13^\circ 20'$	h m s	$^\circ ' ''$
	2 14 50	30 43 15		4 9 18	59 30 30
$22^\circ 40'$	20 17	32 1 0	0	12 24	60 20 0
20	25 31	33 16 30	$12^\circ 40'$	15 28	61 9 15
0	30 35	34 29 30	20	18 31	58 0
$21^\circ 40'$	35 29	35 40 30	0	21 32	62 46 45
20	40 14	36 49 45	$11^\circ 40'$	24 31	63 35 0
0	44 51	37 57 30	20	27 29	64 23 0
$20^\circ 40'$	49 20	39 3 30	0	30 26	65 10 45
20	53 43	40 8 15	$10^\circ 40'$	33 21	58 0
0	57 59	41 11 30	20	36 15	66 45 15
$19^\circ 40'$	3 2 9	42 13 45	0	39 8	67 32 15
20	6 14	43 14 45	$9^\circ 40'$	42 0	68 19 0
0	10 15	44 15 0	20	44 50	69 5 45
$18^\circ 40'$	14 10	45 14 15	0	47 40	52 0
20	18 1	46 12 30	$8^\circ 40'$	50 29	70 38 15
0	21 47	47 10 0	20	53 16	71 24 15
$17^\circ 40'$	25 30	48 6 30	0	56 3	72 10 15
20	29 10	49 2 30	$7^\circ 40'$	58 49	55 45
0	32 46	50 45	20	5 1 34	73 41 30
$16^\circ 40'$	36 18	50 52 30	0	4 18	74 26 45
20	39 47	51 46 30	$6^\circ 40'$	7 2	75 12 0
0	43 14	52 40 0	20	9 45	57 15
$15^\circ 40'$	46 38	53 33 0	0	12 27	76 42 15
20	49 59	54 25 15	$5^\circ 40'$	15 9	77 27 15
0	53 18	55 17 15	20	17 50	78 12 0
$14^\circ 40'$	56 34	56 8 45	0	20 31	56 45
20	59 48	57 45	$4^\circ 40'$	23 11	79 41 15
0	4 3 0	57 50 30	20	25 50	80 25 45
$13^\circ 40'$	6 10	58 40 45			

(a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—*Continued.*
ELEMENTS OF STARS AT MAXIMUM AZIMUTH.
(ANGLE OF POSITION = 90°).

ALTAIR (DECLINATION 8° 37' N.).

LATITUDE from 7° 20' N. to 1° 20' N.	Seconds of Time for change of one degree of Zenith Distance 242.7s (a)	Change of Zenith Distance per minute of Time 14.83' (b)	LATITUDE from 7° 20' N. to 1° 20' N.	Seconds of Time for change of one degree of Zenith Distance 242.7s (a)	Change of Zenith Distance per minute of Time 14.83' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° ' "	h m s	° ' "	° ' "	h m s	° ' "
7 20	2 7 28	31 34 30	4 0	4 10 4	62 15 0
0	23 30	35 34 0	3 40	19 56	64 44 0
6 40	38 6	39 12 30	20	29 35	67 9 45
20	51 38	42 35 0	0	39 4	69 33 15
0	3 4 20	45 45 30	2 40	48 24	71 54 30
5 40	16 23	48 46 15	20	57 36	74 14 0
20	27 53	51 39 15	0	5 6 42	76 31 45
0	38 56	54 25 45	1 40	15 43	78 48 15
4 40	49 37	57 6 30	20	24 39	81 4 0
20	59 59	59 42 45			

MARKAB (DECLINATION 14° 42' N.)

LATITUDE from 12° 40' N. to 2° 40' N.	Seconds of Time for change of one degree of Zenith Distance 248.1s (a)	Change of Zenith Distance per minute of Time 14.51' (b)	LATITUDE from 12° 40' N. to 2° 40' N.	Seconds of Time for change of one degree of Zenith Distance 248.1s (a)	Change of Zenith Distance per minute of Time 14.51' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° ' "	h m s	° ' "	° ' "	h m s	° ' "
12 40	2 4 13	30 13 0	7 20	4 2 30	59 48 0
20	14 11	32 40 30	0	8 22	61 17 45
0	23 32	34 59 0	6 40	14 10	62 46 30
11 40	32 21	37 10 0	20	19 53	64 14 0
20	40 44	39 14 45	0	25 32	65 40 30
0	48 45	41 14 30	5 40	31 6	67 6 0
10 40	56 28	43 9 45	20	36 37	68 30 45
20	3 3 53	45 1 15	0	42 5	69 54 45
0	11 5	46 49 15	4 40	47 29	71 18 0
9 40	18 3	48 34 15	20	52 51	72 40 30
20	24 50	50 16 30	0	58 10	74 2 45
0	31 27	51 56 30	3 40	5 3 27	75 24 15
8 40	37 55	53 34 15	20	8 41	76 45 15
20	44 14	55 10 15	0	13 54	78 5 45
0	50 26	56 44 15	2 40	19 6	79 26 0
7 40	56 31	58 17 0			

(a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—*Continued.*
ELEMENTS OF STARS AT MAXIMUM AZIMUTH.
(ANGLE OF POSITION = 90°).

RIGEL (DECLINATION 8° 19' S.)

LATITUDE, from 7° S. to 1° 20' S.	Seconds of Time for change of one degree in Zenith Distance 242.6 ^s (a)	Change of Zenith Distance per minute of Time 14.84' (b)	LATITUDE, from 7° S. to 1° 20' S.	Seconds of Time for change of one degree in Zenith Distance 242.6 ^s (a)	Change of Zenith Distance per minute of Time. 14.84' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
0 0	h m s	° ' "	0 0	h m s	° ' "
7 0	2 11 28	32 35 30	4 0	4 5 41	61 10 0
6 40	27 38	36 37 0	3 40	16 0	63 45 30
20	42 24	40 18 0	20	26 5	66 17 30
0	56 7	43 43 30	0	35 58	68 47 15
5 40	3 9 0	46 57 0	2 40	45 41	71 14 15
20	21 15	50 0 45	20	55 16	73 39 0
0	32 57	52 56 45	0	5 4 43	76 2 15
4 40	44 13	55 46 15	1 40	14 4	78 24 0
20	55 7	58 30 30	20	23 21	80 44 30

SIRIUS (DECLINATION 16° 35' S.)

LATITUDE from 14° 20' S. to 2° 40' S.	Seconds of Time for change of one degree in Zenith Distance 250.4 ^s (a)	Change of Zenith Distance per minute of Time 14.38' (b)	LATITUDE from 14° 20' S. to 2° 40' S.	Seconds of Time for change of one degree in Zenith Distance 250.4 ^s (a)	Change of Zenith Distance per minute of Time. 14.38' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
0 0	h m s	° ' "	0 0	h m s	° ' "
14 20	2 3 37	29 50 30	8 20	4 2 9	59 29 0
0	12 36	32 2 45	0	7 22	60 49 0
13 40	21 3	34 7 15	7 40	12 30	62 8 0
20	29 3	36 5 45	20	17 35	63 26 0
0	36 41	37 59 0	0	22 36	64 43 15
12 40	44 0	39 48 0	6 40	27 34	66 0 0
20	51 2	41 33 0	20	32 28	67 15 45
0	57 50	43 14 30	0	37 20	68 31 0
11 40	3 4 25	44 53 15	5 40	42 9	69 45 30
20	10 48	46 29 0	20	46 55	70 59 30
0	17 1	48 2 45	0	51 40	72 13 15
10 40	23 4	49 34 15	4 40	56 22	73 26 15
20	28 59	51 3 45	20	5 1 2	74 39 0
0	34 46	52 31 30	0	5 41	75 51 15
9 40	40 27	53 57 45	3 40	10 18	77 3 0
20	46 1	55 22 30	20	14 53	78 14 45
0	51 29	56 45 45	0	19 27	79 26 0
8 40	56 51	58 8 0	2 40	24 0	80 37 0

(a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—*Continued.*

ELEMENTS OF STARS AT MAXIMUM AZIMUTH.

(ANGLE OF POSITION=90°).

 α HYDRÆ (DECLINATION 8° 15' S.).

LATITUDE from 7° S. to 1° 20' S.	Seconds of Time for change of one degree in Zenith Distance 242.5" (a)	Change of Zenith Distance per minute of Time 14.85' (b)	LATITUDE from 7° S. to 1° 20' S.	Seconds of Time for change of one degree in Zenith Distance 242.5" (a)	Change of Zenith Distance per minute of Time 14.85' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° ' "	h m s	° ' "	° ' "	h m s	° ' "
7 0	2 8 32	31 51 45	4 0	4 4 40	60 54 45
6 40	25 7	35 59 45	3 40	15 5	63 32 0
20	40 12	39 45 30	20	25 16	66 5 45
0	54 10	43 14 30	0	35 15	68 36 30
5 40	3 7 16	46 31 0	2 40	45 3	71 4 45
20	19 41	49 37 30	20	54 43	73 31 0
0	31 33	52 36 0	0	5 4 15	75 55 30
4 40	42 57	55 27 30	1 40	13 42	78 18 15
20	53 58	58 13 30	20	23 3	80 40 0

SPICA (DECLINATION 10° 40' S.).

LATITUDE from 9° S. to 1° 40' S.	Seconds of Time for change of one degree in Zenith Distance 244.2" (a)	Change of Zenith Distance per minute of Time 14.74' (b)	LATITUDE from 9° S. to 1° 40' S.	Seconds of Time for change of one degree in Zenith Distance 244.2" (a)	Change of Zenith Distance per minute of Time 14.74' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° ' "	h m s	° ' "	° ' "	h m s	° ' "
9 0	2 11 4	32 18 45	5 0	4 9 17	61 54 30
8 40	23 54	35 30 0	4 40	17 16	63 55 30
20	35 48	38 27 45	20	25 7	65 54 30
0	46 58	41 14 45	0	32 50	67 51 30
7 40	57 32	43 53 0	3 40	40 26	69 47 15
20	3 7 36	46 24 0	20	47 57	71 41 30
0	17 16	48 49 15	0	55 23	73 34 30
6 40	26 34	51 9 15	2 40	5 2 44	75 26 30
20	35 35	53 25 0	20	10 1	77 17 30
0	44 19	55 37 0	0	17 16	79 8 0
5 40	52 50	57 45 30	1 40	24 27	80 57 30
20	4 1 9	59 51 15			

(a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—(Continued.)

ELEMENTS OF STARS AT MAXIMUM AZIMUTH.

(ANGLE OF POSITION = 90°).

ANTARES (DECLINATION 26° 13' S.).

LATITUDE from 22° 20' S. to 4° 20' S.	Seconds of Time for change of one degree in Zenith Distance. 267.5 ^a (a)	Change of Zenith Distance per minute of Time. 13.46' (b)	LATITUDE from 22° 20' S. to 4° 20' S.	Seconds of Time for change of one degree in Zenith Distance. 267.5 ^a (a)	Change of Zenith Distance per minute of Time. 13.46' (b)
	Hour Angle.	Zenith Distance.		Hour Angle.	Zenith Distance.
° /	h m s	° / "	° /	h m s	° / "
22 20	2 13 51	30 39 45	12 40	4 11 23	60 14 30
0	19 28	32 0 30	20	14 33	61 5 0
			0	17 43	55 30
21 40	24 52	33 18 15			
20	30 5	34 33 45	11 40	20 50	62 45 30
0	35 8	35 47 0	20	23 56	63 35 15
20 40	40 1	36 58 30	0	27 0	64 24 30
20	44 45	38 8 0	10 40	30 3	65 13 45
0	49 22	39 16 0	20	33 4	66 2 30
19 40	53 52	40 22 30	0	36 4	51 15
20	58 15	41,27 45			
0	3 2 32	42 31 30	9 40	39 3	67 39 30
18 40	6 43	43 34 15	20	42 1	68 27 45
20	10 50	44 36 0	0	44 57	69 15 45
0	14 51	45 36 45	8 40	47 52	70 3 15
17 40	18 48	46 36 30	20	50 47	51 0
20	22 40	47 35 30	0	53 40	71 38 15
0	26 29	48 33 45	7 40	56 32	72 25 15
16 40	30 14	49 31 0	20	59 24	73 12 15
20	33 55	50 27 45	0	5 2 15	59 15
0	37 33	51 23 45	6 40	5 5	74 45 45
15 40	41 7	52 19 0	20	7 54	75 32 30
20	44 39	53 14 0	0	10 42	76 18 45
0	48 8	54 8 0	5 40	13 30	77 5 0
14 40	51 34	55 1 45	20	16 17	51 15
20	54 58	55 0	0	19 4	78 37 15
0	58 19	56 47 45	4 40	21 50	79 23 15
13 40	4 1 38	57 40 0	20	24 36	80 9 0
20	4 55	58 32 0			
0	8 10	59 23 15			

(a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE III.—*Continued.*

ELEMENTS OF STARS AT MAXIMUM AZIMUTH

(ANGLE OF POSITION = 90°)

FOMALHAUT (DECLINATION 36° 8' S.)

LATITUDE from 25° 40' S. to 5° S.	Seconds of Time for change of one degree of Zenith Distance 277.5 ^s (a)		Change of Zenith Distance per minute of Time 12.97' (b)		LATITUDE from 25° 40' S. to 5° S.	Seconds of Time for change of one degree of Zenith Distance 277.5 ^s (a)		Change of Zenith Distance per minute of Time 12.97' (b)	
	Hour	Angle	Zenith Distance.			Hour	Angle	Zenith Distance.	
°	'	h	m	s	°	'	h	m	s
25	40	2	16	28	30	22	0		
	20		21	25	31	32	0		
	0		26	12	32	40	0		
24	40		30	49	33	46	0		
	20		35	18	34	50	15		
	0		39	39	35	53	0		
23	40		43	53	36	54	30		
	20		48	0	37	54	30		
	0		52	2	38	53	30		
22	40		55	57	39	51	30		
	20		59	48	40	48	15		
	0	3	3	33	41	44	15		
21	40		7	14	42	39	15		
	20		10	51	43	33	30		
	0		14	24	44	27	0		
20	40		17	53	45	19	45		
	20		21	18	46	11	45		
	0		24	40	47	3	15		
19	40		27	59		54	15		
	20		31	15	48	44	30		
	0		34	28	49	34	15		
18	40		37	38	50	23	30		
	20		40	45	51	12	15		
	0		43	50	52	0	30		
17	40		46	53		48	15		
	20		49	54	53	35	45		
	0		52	52	54	22	45		
16	40		55	48	55	9	30		
	20		58	43		55	45		
	0	4	1	35	56	41	45		
15	40		4	26	57	27	30		
	20		7	15	58	12	45		

(a) For use in finding Hour Angle from Zenith Distance.

(b) For use in finding Zenith Distance from Hour Angle.

TABLE IV.

**RATE OF CHANGE OF ALTITUDE
(IN MINUTES) PER MINUTE OF TIME**

(For Finding Reduction to Meridian).

LIMITS—AZIMUTH $0^{\circ} 30'$ TO 10° , LATITUDE 0° TO 60° .

TABLE IV.
RATE OF CHANGE OF ALTITUDE PER MINUTE OF TIME.

Azimuth	LATITUDE.												Azimuth
	0° 0'	0° 30'	1° 0'	1° 30'	2° 0'	2° 30'	3° 0'	3° 30'	4° 0'	4° 30'	5° 0'	5° 30'	
0° 30'	.131	.131	.131	.131	.131	.131	.131	.131	.131	.131	.130	.130	0° 30'
1° 0'	.262	.262	.262	.262	.262	.262	.261	.261	.261	.261	.261	.261	1° 0'
30	.393	.393	.393	.393	.392	.392	.392	.392	.391	.391	.391	.391	30
2° 0'	.523	.523	.523	.523	.523	.523	.523	.523	.522	.522	.522	.521	2° 0'
30	.654	.654	.654	.654	.654	.654	.653	.653	.653	.652	.652	.651	30
3° 0'	.785	.785	.785	.785	.785	.784	.784	.784	.783	.783	.782	.781	3° 0'
30	.916	.916	.916	.915	.915	.915	.915	.914	.914	.913	.912	.912	30
4° 0'	1.047	1.047	1.046	1.046	1.046	1.045	1.045	1.044	1.044	1.043	1.042	1.042	4° 0'
30	1.177	1.177	1.177	1.176	1.176	1.176	1.175	1.175	1.174	1.173	1.172	1.171	30
5° 0'	1.307	1.307	1.307	1.307	1.306	1.306	1.306	1.305	1.304	1.303	1.302	1.301	5° 0'
30	1.438	1.438	1.437	1.437	1.437	1.436	1.436	1.435	1.434	1.433	1.432	1.431	30
6° 0'	1.568	1.568	1.568	1.567	1.567	1.566	1.566	1.565	1.564	1.563	1.562	1.561	6° 0'
30	1.698	1.698	1.698	1.697	1.697	1.696	1.696	1.695	1.694	1.693	1.692	1.690	30
7° 0'	1.828	1.828	1.828	1.827	1.827	1.826	1.826	1.825	1.824	1.822	1.821	1.820	7° 0'
30	1.958	1.958	1.958	1.957	1.957	1.956	1.955	1.954	1.953	1.952	1.950	1.949	30
8° 0'	2.088	2.088	2.087	2.086	2.086	2.086	2.085	2.084	2.083	2.081	2.080	2.078	8° 0'
30	2.217	2.217	2.217	2.216	2.216	2.215	2.214	2.213	2.212	2.210	2.209	2.207	30
9° 0'	2.346	2.346	2.346	2.345	2.345	2.344	2.343	2.342	2.341	2.339	2.338	2.336	9° 0'
30	2.476	2.476	2.475	2.475	2.474	2.473	2.472	2.471	2.470	2.468	2.466	2.464	30
10° 0'	2.605	2.605	2.604	2.603	2.603	2.602	2.601	2.600	2.598	2.597	2.595	2.593	10° 0'

Azimuth	LATITUDE.												Azimuth
	6° 0'	6° 30'	7° 0'	7° 30'	8° 0'	8° 30'	9° 0'	9° 30'	10° 0'	10° 30'	11° 0'	11° 30'	
0° 30'	.130	.130	.130	.130	.130	.130	.129	.129	.129	.129	.129	.128	0° 30'
1° 0'	.260	.260	.260	.260	.259	.259	.259	.258	.258	.257	.257	.257	1° 0'
30	.391	.390	.390	.389	.389	.388	.388	.387	.387	.386	.385	.385	30
2° 0'	.521	.520	.520	.519	.518	.518	.517	.516	.516	.515	.514	.513	2° 0'
30	.651	.650	.649	.649	.648	.647	.646	.645	.644	.643	.642	.641	30
3° 0'	.781	.780	.779	.778	.777	.776	.775	.774	.773	.772	.771	.769	3° 0'
30	.911	.910	.909	.908	.907	.906	.905	.903	.902	.900	.899	.897	30
4° 0'	1.041	1.040	1.039	1.037	1.036	1.035	1.033	1.032	1.030	1.029	1.027	1.025	4° 0'
30	1.170	1.169	1.168	1.167	1.165	1.164	1.162	1.161	1.159	1.157	1.155	1.153	30
5° 0'	1.300	1.299	1.298	1.296	1.295	1.293	1.291	1.289	1.287	1.285	1.283	1.281	5° 0'
30	1.430	1.428	1.427	1.425	1.424	1.422	1.420	1.418	1.416	1.414	1.411	1.409	30
6° 0'	1.559	1.558	1.556	1.555	1.553	1.551	1.549	1.546	1.544	1.542	1.539	1.536	6° 0'
30	1.689	1.687	1.685	1.684	1.682	1.679	1.677	1.675	1.672	1.670	1.667	1.664	30
7° 0'	1.818	1.816	1.814	1.812	1.810	1.808	1.806	1.803	1.800	1.797	1.794	1.791	7° 0'
30	1.947	1.945	1.943	1.941	1.939	1.936	1.934	1.931	1.928	1.925	1.922	1.919	30
8° 0'	2.076	2.074	2.072	2.070	2.067	2.065	2.062	2.059	2.056	2.053	2.049	2.046	8° 0'
30	2.205	2.203	2.201	2.198	2.196	2.193	2.190	2.187	2.183	2.180	2.176	2.173	30
9° 0'	2.334	2.331	2.329	2.326	2.324	2.321	2.318	2.314	2.311	2.307	2.303	2.299	9° 0'
30	2.462	2.460	2.457	2.454	2.452	2.449	2.445	2.442	2.438	2.434	2.430	2.426	30
10° 0'	2.590	2.588	2.585	2.582	2.578	2.576	2.573	2.569	2.565	2.561	2.557	2.552	10° 0'

TABLE IV.—Continued.

RATE OF CHANGE OF ALTITUDE PER MINUTE OF TIME.

Azimuth	LATITUDE.												Azimuth
	12 0	12 30	13 0	13 30	14 0	14 30	15 0	15 30	16 0	16 30	17 0	17 30	
0 30	·128	·128	·128	·127	·127	·127	·126	·126	·126	·126	·125	·125	0 30
1 0	·256	·255	·254	·254	·253	·253	·252	·252	·251	·251	·250	·250	1 0
30	·384	·383	·383	·382	·381	·380	·379	·378	·377	·377	·376	·375	30
2 0	·512	·511	·510	·509	·508	·507	·506	·505	·503	·502	·501	·499	2 0
30	·640	·639	·638	·636	·635	·634	·633	·631	·629	·627	·626	·624	30
3 0	·768	·766	·765	·763	·762	·760	·758	·757	·755	·753	·751	·749	3 0
30	·896	·894	·892	·890	·889	·887	·885	·882	·880	·878	·876	·873	30
4 0	1·023	1·022	1·020	1·017	1·015	1·013	1·011	1·008	1·006	1·003	1·001	·998	4 0
30	1·151	1·149	1·147	1·144	1·142	1·139	1·137	1·134	1·131	1·128	1·125	1·122	30
5 0	1·279	1·276	1·274	1·272	1·269	1·266	1·263	1·260	1·257	1·254	1·250	1·247	5 0
30	1·406	1·404	1·401	1·398	1·395	1·392	1·389	1·385	1·382	1·378	1·375	1·371	30
6 0	1·534	1·531	1·528	1·525	1·521	1·518	1·515	1·511	1·507	1·503	1·499	1·495	6 0
30	1·661	1·658	1·655	1·651	1·648	1·644	1·640	1·636	1·632	1·628	1·624	1·619	30
7 0	1·788	1·785	1·781	1·778	1·774	1·770	1·766	1·762	1·757	1·753	1·748	1·743	7 0
30	1·915	1·911	1·908	1·904	1·900	1·896	1·891	1·887	1·882	1·877	1·872	1·867	30
8 0	2·042	2·038	2·034	2·030	2·026	2·021	2·016	2·012	2·007	2·002	1·996	1·991	8 0
30	2·169	2·165	2·160	2·156	2·151	2·147	2·142	2·137	2·131	2·126	2·120	2·115	30
9 0	2·295	2·291	2·286	2·282	2·277	2·272	2·267	2·261	2·256	2·250	2·244	2·238	9 0
30	2·422	2·417	2·412	2·407	2·402	2·397	2·391	2·386	2·380	2·374	2·368	2·361	30
10 0	2·548	2·543	2·538	2·533	2·527	2·522	2·516	2·510	2·504	2·497	2·491	2·484	10 0

Azimuth	LATITUDE.												Azimuth
	18 0	18 30	19 0	19 30	20 0	20 30	21 0	21 30	22 0	22 30	23 0	23 30	
0 30	·125	·124	·124	·123	·123	·123	·122	·122	·121	·121	·121	·120	0 30
1 0	·249	·248	·248	·247	·246	·245	·244	·244	·243	·242	·241	·240	1 0
30	·373	·372	·371	·370	·369	·368	·367	·365	·364	·363	·361	·360	30
2 0	·498	·496	·495	·494	·492	·490	·489	·487	·485	·484	·482	·480	2 0
30	·622	·621	·619	·617	·615	·613	·611	·609	·607	·605	·602	·600	30
3 0	·747	·745	·742	·740	·738	·735	·733	·730	·728	·725	·723	·720	3 0
30	·871	·868	·866	·863	·861	·858	·855	·852	·849	·846	·843	·840	30
4 0	·995	·992	·989	·986	·983	·980	·977	·974	·970	·967	·963	·960	4 0
30	1·119	1·116	1·113	1·109	1·106	1·102	1·099	1·095	1·091	1·087	1·083	1·079	30
5 0	1·243	1·240	1·236	1·232	1·228	1·224	1·221	1·216	1·212	1·208	1·203	1·199	5 0
30	1·367	1·363	1·359	1·355	1·351	1·347	1·342	1·338	1·333	1·328	1·323	1·318	30
6 0	1·491	1·487	1·483	1·478	1·473	1·469	1·464	1·459	1·454	1·449	1·443	1·438	6 0
30	1·615	1·610	1·606	1·601	1·596	1·591	1·585	1·580	1·574	1·569	1·563	1·557	30
7 0	1·739	1·734	1·728	1·723	1·718	1·712	1·707	1·701	1·695	1·689	1·683	1·676	7 0
30	1·862	1·857	1·851	1·846	1·840	1·834	1·828	1·822	1·815	1·809	1·802	1·796	30
8 0	1·985	1·980	1·974	1·968	1·962	1·955	1·949	1·942	1·936	1·929	1·922	1·914	8 0
30	2·109	2·103	2·096	2·090	2·083	2·077	2·070	2·063	2·056	2·048	2·041	2·033	30
9 0	2·232	2·225	2·219	2·212	2·205	2·198	2·191	2·183	2·176	2·168	2·160	2·152	9 0
30	2·355	2·348	2·341	2·334	2·326	2·319	2·311	2·303	2·295	2·287	2·279	2·270	30
10 0	2·477	2·470	2·463	2·455	2·448	2·440	2·432	2·423	2·415	2·406	2·398	2·389	10 0

TABLE IV.—*Continued.*

RATE OF CHANGE OF ALTITUDE PER MINUTE OF TIME.

Azimuth		LATITUDE.												Azimuth	
		24 0	24 30	25 0	25 30	26 0	26 30	27 0	27 30	28 0	28 30	29 0	29 30		
0 30		120	119	119	118	118	117	117	116	116	115	115	114	0 30	
1 0		239	238	237	236	235	234	233	232	231	230	229	228	1 0	
30		359	357	356	354	353	351	350	348	347	345	343	342	30	
2 0		478	476	474	473	471	469	466	464	462	460	458	456	2 0	
30		598	595	593	591	588	586	583	580	578	575	572	570	30	
3 0		717	714	712	709	706	703	700	696	693	690	687	683	3 0	
30		837	833	830	827	823	820	816	812	809	805	801	797	30	
4 0		956	952	948	944	940	936	932	928	924	920	915	911	4 0	
30		1075	1071	1067	1062	1058	1053	1049	1044	1039	1034	1029	1024	30	
5 0		1194	1190	1185	1180	1175	1170	1165	1160	1154	1149	1143	1138	5 0	
30		1313	1308	1303	1298	1292	1287	1281	1275	1269	1263	1257	1251	30	
6 0		1432	1427	1421	1415	1409	1403	1397	1391	1384	1378	1371	1365	6 0	
30		1551	1545	1539	1533	1526	1520	1513	1506	1499	1492	1485	1478	30	
7 0		1670	1663	1657	1650	1643	1636	1629	1621	1614	1607	1599	1591	7 0	
30		1789	1782	1774	1767	1760	1752	1744	1737	1729	1721	1712	1704	30	
8 0		1907	1900	1892	1884	1876	1868	1860	1852	1843	1835	1826	1817	8 0	
30		2025	2018	2009	2001	1993	1984	1975	1967	1958	1948	1939	1930	30	
9 0		2144	2135	2127	2118	2109	2100	2091	2081	2072	2062	2052	2042	9 0	
30		2262	2253	2244	2235	2225	2216	2206	2196	2186	2176	2165	2155	30	
10 0		2380	2370	2361	2351	2341	2331	2321	2310	2300	2289	2278	2267	10 0	

Azimuth		LATITUDE.												Azimuth	
		30 0	30 30	31 0	31 30	32 0	32 30	33 0	33 30	34 0	34 30	35 0	35 30		
0 30		113	113	112	112	111	110	110	109	109	108	107	107	0 30	
1 0		227	226	224	223	222	221	220	218	217	216	214	213	1 0	
30		340	338	337	335	333	331	329	327	326	324	322	320	30	
2 0		453	451	449	446	444	442	439	437	434	431	429	426	2 0	
30		567	564	561	558	555	552	549	546	542	539	536	533	30	
3 0		680	677	673	669	666	662	658	655	651	647	643	639	3 0	
30		793	789	785	781	777	772	768	764	759	755	750	746	30	
4 0		906	902	897	892	887	883	878	873	868	862	857	852	4 0	
30		1019	1014	1009	1003	998	993	987	981	976	970	964	958	30	
5 0		1132	1126	1121	1115	1109	1103	1096	1090	1084	1077	1071	1064	5 0	
30		1245	1239	1232	1226	1219	1213	1206	1199	1192	1185	1178	1170	30	
6 0		1358	1351	1344	1337	1330	1322	1315	1307	1300	1292	1284	1276	6 0	
30		1471	1463	1456	1448	1440	1432	1424	1416	1408	1399	1391	1382	30	
7 0		1583	1575	1567	1559	1550	1542	1533	1524	1516	1507	1497	1488	7 0	
30		1696	1687	1678	1669	1660	1651	1642	1633	1623	1614	1604	1594	30	
8 0		1808	1799	1789	1780	1770	1761	1751	1741	1731	1720	1710	1700	8 0	
30		1920	1910	1900	1890	1880	1870	1859	1849	1838	1827	1816	1805	30	
9 0		2032	2022	2011	2001	1990	1979	1968	1957	1946	1934	1922	1910	9 0	
30		2144	2133	2122	2111	2100	2088	2076	2064	2052	2040	2028	2016	30	
10 0		2256	2244	2233	2221	2209	2197	2185	2172	2159	2147	2134	2121	10 0	

TABLE IV.—Continued.

RATE OF CHANGE OF ALTITUDE PER MINUTE OF TIME. •

Azimuth	LATITUDE.												Azimut
	36 0	36 30	37 0	37 30	38 0	38 30	39 0	39 30	40 0	40 30	41 0	41 30	
0 30	•106	•105	•105	•104	•103	•102	•102	•101	•100	•100	•099	•098	0 30
1 0	•212	•210	•209	•208	•206	•205	•203	•202	•201	•199	•198	•196	1 0
30	•318	•316	•314	•312	•309	•307	•305	•303	•301	•299	•296	•294	30
2 0	•424	•421	•418	•415	•413	•410	•407	•404	•401	•398	•395	•392	2 0
30	•529	•526	•523	•519	•516	•512	•509	•505	•501	•498	•494	•490	30
3 0	•635	•631	•627	•623	•619	•614	•610	•606	•601	•597	•592	•588	3 0
30	•741	•736	•731	•727	•722	•717	•712	•707	•702	•696	•691	•686	30
4 0	•847	•841	•836	•830	•825	•819	•813	•807	•802	•796	•790	•784	4 0
30	•952	•946	•940	•934	•927	•921	•915	•908	•902	•895	•888	•881	30
5 0	1•058	1•051	1•044	1•037	1•030	1•023	1•016	1•009	1•001	•994	•987	•979	5 0
30	1•163	1•156	1•148	1•140	1•133	1•125	1•117	1•109	1•101	1•093	1•085	1•077	30
6 0	1•268	1•260	1•252	1•244	1•236	1•227	1•219	1•210	1•201	1•192	1•183	1•174	6 0
30	1•374	1•365	1•356	1•347	1•338	1•329	1•320	1•310	1•301	1•291	1•282	1•272	30
7 0	1•479	1•469	1•460	1•450	1•441	1•431	1•421	1•411	1•400	1•390	1•380	1•369	7 0
30	1•584	1•574	1•564	1•553	1•543	1•532	1•522	1•511	1•500	1•489	1•478	1•466	30
8 0	1•689	1•678	1•667	1•656	1•645	1•634	1•622	1•611	1•599	1•587	1•576	1•564	8 0
30	1•794	1•782	1•771	1•759	1•747	1•735	1•723	1•711	1•698	1•686	1•673	1•661	30
9 0	1•898	1•886	1•874	1•862	1•849	1•837	1•824	1•811	1•798	1•784	1•771	1•757	9 0
30	2•003	1•990	1•977	1•964	1•951	1•938	1•924	1•910	1•897	1•883	1•868	1•854	30
10 0	2•107	2•094	2•080	2•066	2•053	2•038	2•024	2•010	1•995	1•981	1•966	1•951	10 0

Azimuth	LATITUDE.												Azimut
	42 0	42 30	43 0	43 30	44 0	44 30	45 0	45 30	46 0	46 30	47 0	47 30	
0 30	•097	•097	•096	•095	•094	•094	•092	•092	•091	•090	•089	•088	0 30
1 0	•194	•193	•192	•190	•188	•187	•185	•184	•182	•180	•179	•177	1 0
30	•292	•290	•287	•285	•283	•280	•278	•275	•273	•270	•268	•265	30
2 0	•389	•386	•383	•380	•377	•373	•370	•367	•364	•360	•357	•354	2 0
30	•486	•482	•479	•475	•471	•467	•463	•459	•455	•450	•446	•442	30
3 0	•583	•579	•574	•569	•565	•560	•555	•550	•545	•540	•535	•530	3 0
30	•681	•675	•670	•664	•659	•653	•648	•642	•636	•630	•625	•619	30
4 0	•778	•771	•765	•759	•753	•746	•740	•733	•727	•720	•714	•707	4 0
30	•875	•868	•861	•854	•847	•839	•832	•825	•818	•810	•803	•795	30
5 0	•972	•964	•956	•948	•940	•933	•924	•916	•908	•900	•892	•883	5 0
30	1•068	1•060	1•051	1•043	1•034	1•025	1•017	1•008	•999	•990	•981	•971	30
6 0	1•165	1•156	1•147	1•137	1•128	1•118	1•109	1•099	1•089	1•079	1•069	1•059	6 0
30	1•262	1•252	1•242	1•232	1•221	1•211	1•201	1•190	1•180	1•169	1•158	1•147	30
7 0	1•358	1•348	1•337	1•326	1•315	1•304	1•293	1•281	1•270	1•258	1•247	1•235	7 0
30	1•455	1•444	1•432	1•420	1•408	1•396	1•384	1•372	1•360	1•348	1•335	1•323	30
8 0	1•551	1•539	1•527	1•514	1•502	1•489	1•476	1•463	1•450	1•437	1•424	1•410	8 0
30	1•648	1•635	1•622	1•608	1•595	1•581	1•568	1•554	1•540	1•526	1•512	1•498	30
9 0	1•744	1•730	1•716	1•702	1•688	1•674	1•659	1•645	1•630	1•615	1•600	1•585	9 0
30	1•840	1•825	1•811	1•796	1•781	1•766	1•751	1•735	1•720	1•704	1•688	1•673	30
10 0	1•936	1•920	1•905	1•889	1•874	1•858	1•842	1•826	1•809	1•792	1•776	1•760	10 0

TABLE IV.—Continued.

RATE OF CHANGE OF ALTITUDE PER MINUTE OF TIME.

LATITUDE.													
Azimuth	48° 0'	48° 30'	49° 0'	49° 30'	50° 0'	50° 30'	51° 0'	51° 30'	52° 0'	52° 30'	53° 0'	53° 30'	Azimuth
0° 30'	·088	·087	·086	·085	·084	·083	·082	·081	·081	·080	·079	·078	0° 30'
1 0	·175	·174	·172	·170	·168	·167	·165	·163	·161	·159	·158	·156	1 0
30	·263	·260	·258	·255	·252	·250	·247	·244	·242	·239	·236	·234	30
2 0	·350	·347	·343	·340	·337	·333	·329	·326	·322	·319	·315	·311	2 0
30	·438	·434	·429	·425	·421	·416	·412	·407	·403	·398	·394	·389	30
3 0	·525	·520	·515	·510	·505	·499	·494	·489	·483	·478	·472	·467	3 0
30	·613	·607	·601	·595	·589	·583	·576	·570	·564	·558	·551	·545	30
4 0	·700	·693	·687	·680	·673	·666	·659	·651	·644	·637	·630	·622	4 0
30	·788	·780	·772	·764	·757	·749	·741	·733	·725	·717	·708	·700	30
5 0	·875	·866	·858	·849	·840	·832	·823	·814	·805	·796	·787	·778	5 0
30	·962	·953	·943	·934	·924	·915	·905	·895	·885	·875	·865	·855	30
6 0	1·049	1·039	1·028	1·018	1·008	·997	·987	·976	·965	·955	·944	·933	6 0
30	1·136	1·125	1·114	1·103	1·091	1·080	1·069	1·057	1·045	1·034	1·022	1·010	30
7 0	1·223	1·211	1·199	1·187	1·175	1·163	1·150	1·138	1·125	1·113	1·100	1·087	7 0
30	1·310	1·297	1·284	1·272	1·259	1·245	1·232	1·219	1·205	1·192	1·178	1·165	30
8 0	1·397	1·383	1·370	1·356	1·342	1·328	1·314	1·300	1·285	1·271	1·256	1·242	8 0
30	1·484	1·469	1·455	1·440	1·425	1·410	1·395	1·380	1·365	1·350	1·334	1·319	30
9 0	1·570	1·555	1·539	1·524	1·508	1·493	1·477	1·461	1·445	1·428	1·412	1·396	9 0
30	1·657	1·640	1·624	1·608	1·591	1·575	1·558	1·541	1·524	1·507	1·490	1·473	30
10 0	1·743	1·726	1·709	1·692	1·674	1·657	1·639	1·621	1·603	1·586	1·568	1·549	10 0

Azimuth	LATITUDE.												Azimuth
	54° 0'	54° 30'	55° 0'	55° 30'	56° 0'	56° 30'	57° 0'	57° 30'	58° 0'	58° 30'	59° 0'	59° 30'	
0° 30'	·077	·076	·075	·074	·073	·072	·071	·070	·069	·068	·067	·066	0° 30'
1° 0'	·154	·152	·150	·148	·146	·145	·143	·141	·139	·137	·135	·133	1° 0'
1° 30'	·231	·228	·225	·222	·220	·217	·214	·211	·208	·205	·202	·199	1° 30'
2° 0'	·308	·304	·300	·297	·293	·289	·285	·281	·277	·274	·270	·266	2° 0'
2° 30'	·385	·380	·375	·371	·366	·361	·356	·352	·347	·342	·337	·332	2° 30'
3° 0'	·461	·456	·450	·445	·439	·433	·428	·422	·416	·410	·404	·398	3° 0'
3° 30'	·538	·532	·525	·519	·512	·505	·499	·492	·485	·479	·472	·465	3° 30'
4° 0'	·615	·608	·600	·593	·585	·578	·570	·562	·555	·547	·539	·531	4° 0'
4° 30'	·692	·683	·675	·667	·658	·650	·641	·632	·624	·615	·606	·597	4° 30'
5° 0'	·768	·759	·750	·741	·731	·722	·712	·702	·693	·683	·673	·664	5° 0'
5° 30'	·845	·835	·825	·814	·804	·794	·783	·773	·762	·751	·741	·730	5° 30'
6° 0'	·922	·911	·899	·888	·877	·865	·854	·843	·831	·819	·808	·796	6° 0'
6° 30'	·998	·986	·974	·962	·950	·937	·925	·912	·900	·887	·875	·862	6° 30'
7° 0'	1·074	1·062	1·049	1·035	1·022	1·009	·996	·982	·969	·955	·942	·928	7° 0'
7° 30'	1·151	1·137	1·123	1·109	1·095	1·081	1·066	1·052	1·038	1·023	1·008	·994	7° 30'
8° 0'	1·227	1·212	1·197	1·182	1·167	1·152	1·137	1·122	1·106	1·091	1·075	1·059	8° 0'
8° 30'	1·303	1·288	1·272	1·256	1·240	1·224	1·208	1·191	1·175	1·158	1·142	1·125	8° 30'
9° 0'	1·379	1·363	1·346	1·329	1·312	1·295	1·278	1·261	1·243	1·226	1·209	1·191	9° 0'
9° 30'	1·455	1·438	1·420	1·402	1·384	1·366	1·348	1·330	1·312	1·294	1·275	1·257	9° 30'
10° 0'	1·531	1·513	1·494	1·475	1·457	1·438	1·419	1·400	1·380	1·361	1·342	1·322	10° 0'

TABLE V. (A.)

FOR CONVERTING MINUTES AND SECONDS OF ARC TO THE
DECIMAL OF A DEGREE.

Arc.	Decimal of Degree.	Arc.	Decimal of Degree.	Arc.	Decimal of Degree.	Arc.	Decimal of Degree.	Arc.	Decimal of Degree.	Arc.	Decimal of Degree.
' "		' "		' "		' "		' "		' "	
0 30	·008	10 30	·175	20 30	·342	30 30	·508	40 30	·675	50 30	·842
1 0	·017	11 0	·183	21 0	·350	31 0	·517	41 0	·683	51 0	·850
30	·025	30	·192	30	·358	30	·525	30	·692	30	·858
2 0	·033	12 0	·200	22 0	·367	32 0	·533	42 0	·700	52 0	·867
30	·042	30	·208	30	·375	30	·542	30	·708	30	·875
3 0	·050	13 0	·217	23 0	·383	33 0	·550	43 0	·717	53 0	·883
30	·058	30	·225	30	·392	30	·558	30	·725	30	·892
4 0	·067	14 0	·233	24 0	·400	34 0	·567	44 0	·733	54 0	·900
30	·075	30	·242	30	·408	30	·575	30	·742	30	·908
5 0	·083	15 0	·250	25 0	·417	35 0	·583	45 0	·750	55 0	·917
30	·092	30	·258	30	·425	30	·592	30	·758	30	·925
6 0	·100	16 0	·267	26 0	·433	36 0	·600	46 0	·767	56 0	·933
30	·108	30	·275	30	·442	30	·608	30	·775	30	·942
7 0	·117	17 0	·283	27 0	·450	37 0	·617	47 0	·783	57 0	·950
30	·125	30	·292	30	·458	30	·625	30	·792	30	·958
8 0	·133	18 0	·300	28 0	·467	38 0	·633	48 0	·800	58 0	·967
30	·142	30	·308	30	·475	30	·642	30	·808	30	·975
9 0	·150	19 0	·317	29 0	·483	39 0	·650	49 0	·817	59 0	·983
30	·158	30	·325	30	·492	30	·658	30	·825	30	·992
10 0	·167	20 0	·333	30 0	·500	40 0	·667	50 0	·833		

TABLE V. (B.)

FOR CONVERTING SECONDS OF TIME TO THE DECIMAL OF A
MINUTE OF TIME.

Sec.	Min.	Sec.	Min.	Sec.	Min.	Sec.	Min.	Sec.	Min.	Sec.	Min.
1	·017	11	·183	21	·350	31	·517	41	·683	51	·850
2	·033	12	·200	22	·367	32	·533	42	·700	52	·867
3	·050	13	·217	23	·383	33	·550	43	·717	53	·883
4	·067	14	·233	24	·400	34	·567	44	·733	54	·900
5	·083	15	·250	25	·417	35	·583	45	·750	55	·917
6	·100	16	·267	26	·433	36	·600	46	·767	56	·933
7	·117	17	·283	27	·450	37	·617	47	·783	57	·950
8	·133	18	·300	28	·467	38	·633	48	·800	58	·967
9	·150	19	·317	29	·483	39	·650	49	·817	59	·983
10	·167	20	·333	30	·500	40	·667	50	·833		

APPENDIX.

Proofs of Formulae Employed.

It has been thought advisable to keep the purely theoretical portion of this work separate from the general body of the book. The demonstrations which follow will, it is hoped, suffice to make clear the principles upon which the construction of the Tables depends.


In the triangle PXZ , when z, z' are the Zenith Distances of a given heavenly body, we have by Taylor's Theorem the formula—

$$z = z' + \frac{dz}{dh} (\Delta h) + \frac{1}{2} \frac{d^2z}{dh^2} (\Delta h)^2 + \frac{1}{6} \frac{d^3z}{dh^3} (\Delta h)^3 + \dots$$

It is required to deduce from this that when the angle PZX is nearly right, *i.e.*, when the body is near the Prime Vertical

$$z - z' = \cos l (15t) - \frac{1}{6} \sin^2 l' \cos l \sin^2 l (15t)^3 + \dots$$

It will be convenient to first find geometrical values for the co-efficients $\frac{dz}{dh}, \frac{d^2z}{dh^2}$, when p, c , two sides of the triangle of reference PXZ , are regarded as constant.



Let X be the position of a body observed, X' its position in the diurnal path a little earlier.

With centre Z , and the arc ZX' as radius, describe the arc of a small circle $X'm$, so that $Xm = ZX - ZX'$, and the angle XmX' is a right angle.

In the small triangle XmX' so formed, which being small may be regarded as plane—

$$\begin{aligned} Xm &= XX' \cos mXX'. \\ \text{or } dz &= dh \cos d \cos mXX' \\ &= dh \cos d \sin PZX. \\ &= dh \cos l \sin PZX. \end{aligned}$$

Thus $\frac{dz}{dh} = \cos l$, when $PZX = 90^\circ$ (approximately).

Similarly in the same triangle—

$$X'm = dZ \sin z = XX' \sin mXX' = dh \cos d \cos PZX$$

Whence $\frac{dZ}{dh} = - \frac{\cos d \cos PZX}{\sin z} = - \sin l$, if $PZX = 90^\circ$.

The negative sign being necessary since PZX decreases as Z increases.

To obtain $\frac{d^2z}{dh^2}$.

From the general formula obtained above

$$\frac{dz}{dh} = \cos l \sin PZX$$

Differentiating $\frac{d^2z}{dh^2} = \cos l \cos PZX \frac{dPZX}{dh}$

$$= - \frac{\cos l \cos d \cos PZX \cos PZX}{\sin z} = 0, \text{ if } PZX = 90^\circ.$$

To obtain $\frac{d^3 z}{dh^3}$.

From the general formula

$$\frac{d^2 z}{dh^2} = - \frac{\cos l \cos d \cos PZX \cos PXZ}{\sin z}$$

Differentiating, and retaining only terms which do not vanish when $PZX = 90^\circ$

$$\begin{aligned} \frac{d^3 z}{dh^3} &= \frac{\cos l \cos d \cos PXZ \sin PZX}{\sin z} \frac{dZ}{dh} \\ &= - \frac{\cos l \cos d \cos PXZ \sin l}{\sin z} \end{aligned}$$

But if PZX is 90° $\cos PXZ = \tan d \tan z$.

Substituting this value, and reducing, we have $\frac{d^3 z}{dh^3} = -\cos l \sin^2 l$.

Thus in the original expression

$$\begin{aligned} z - z' &= \frac{dz}{dh} (\Delta h) + \frac{1}{2} \frac{d^2 z}{dh^2} (\Delta h)^2 \\ &\quad + \frac{1}{6} \frac{d^3 z}{dh^3} (\Delta h)^3 + \dots \end{aligned}$$

we have, when PZX is 90°

$$\begin{aligned} \frac{dz}{dh} &= \cos l \\ \frac{d^2 z}{dh^2} &= 0 \\ \frac{d^3 z}{dh^3} &= -\cos l \sin^2 l \end{aligned}$$

And if the interval of time between the Zenith Distances z and z' be t minutes of time, or $15t$ minutes of arc, we get eventually

$$z - z' = \cos l (15t) - \frac{1}{6} \cos l \sin^2 l \sin^2 1' (15t)^3 + \dots$$

Adaptation of Formula to Case of Maximum Azimuth.



The expression for difference of Zenith Distance when the angle PXZ is 90° , may easily be deduced from the formula established above.

For in this instance also p, c are constant, but the right angle is at X , instead of at Z .

It follows therefore by analogy that

$$z - z' = \cos d (15t) - \frac{1}{6} \cos d \sin^2 d \sin^2 1' (15t)^3 + \dots$$

The same form of Tables will therefore be available, d being made use of as argument instead of l .



LIST OF NAUTICAL WORKS

PUBLISHED BY

J. D. POTTER.



CONTENTS.

	PAGE.
NAVIGATION AND SEAMANSHIP	3
INMAN'S NAUTICAL TABLES	3
POSITION-LINE STAR TABLES	3
WORKS BY PERCY L. H. DAVIS, F.R.A.S.	4
TIME, TIDE AND DISTANCES	4
WORK ON SALVAGE	4
AZIMUTH DIAGRAMS, EX-MERIDIAN, STAR AND OTHER TABLES	5
SAILING DIRECTIONS AND CHARTS FOR THAMES, CHANNEL, &c.	5
WORKS BY CAPTAIN A. B. BECHER, R.N.	6
NAUTICAL SURVEYING	6
WORKS BY REAR-ADMIRAL CHARLES SHADWELL, C.B., F.R.C.S.	6
SHIPPING LAW BOOKS	6
WORKS BY A. C. JOHNSON, R.N.	7
DEVIATIONS OF THE COMPASS	7
WINDS AND CURRENTS	8
INTERNATIONAL CODE OF SIGNALS	8
INDIAN PORTS	8
TIDE CHARTS AND BOOKS	8
MISCELLANEOUS	9
FIELD'S PARALLEL RULERS	10
DIVIDERS	10
NOTICES	11
COMPARATIVE STATEMENT OF BRITISH ADMIRALTY CHARTS PUBLISHED... ..	12

LIST OF NAUTICAL WORKS

PUBLISHED BY J. D. POTTER.

WORKS ON NAVIGATION AND SEAMANSHIP. s. d.

Navigation Simplified , by a System of Teaching based on First Principles, for Officers (from 2nd Mate to Extra Master) in the Mercantile Marine and Yachtsmen. Illustrated by numerous diagrams, by <i>Captain P. Thompson, F.R.A.S., Younger Brother of the Trinity House, Senior Examiner of Masters and Mates, and Secretary to the Local Marine Board of London</i> 12 0
Examination Diagrams Simplified , for Navigation Students; illustrated by sixteen diagrams (including 6½ inch Boxwood Scale), by <i>Captain P. Thompson, F.R.A.S.</i> 2 6
The Practice of Navigation and Nautical Astronomy , by <i>Lieut. Raper, R.N.</i> 10 0
Nautical Tables , by <i>Lieut. Raper, R.N.</i> 10 6
Lectures on Elementary Navigation , by <i>Rev. J. B. Harbord, M.A. (Retired Naval Instructor, R.N.; late Inspector of Naval Schools, Admiralty; Examiner in Navigation and Nautical Astronomy for the Department of Science and Art; Author of "Glossary of Navigation")</i> 7 6
An Introduction to the Practice of Navigation and Nautical Astronomy , by <i>R. E. Hooppell, M.A., F.R.A.S.</i> 3 6
Navigation , intended for Self-Instruction up to the Second Mate's Examination, by <i>William Roy</i> 0 6
Under Square Sail , by <i>Capt. Withers</i> 2 0
Under the Red Ensign; or, "Going to Sea," by <i>Thomas Gray</i> 1 6

INMAN'S NAUTICAL TABLES.

Inman's Nautical Tables. A New Edition of this standard work, revised and brought thoroughly up to the present date, by the <i>Revd. William Hall, R.N.</i> , and containing all the aids to rapid fixing of position which are essential in modern Navigation 16 0

POSITION-LINE STAR TABLES.

Position-Line Star Tables. A new and simple method of fixing ship's position by observations of stars near Meridian and Prime Vertical without logarithmic calculation, by <i>H. B. Goodwin, R.N.</i> 5 0

List of Nautical Works published by J. D. POTTER.

WORKS BY PERCY L. H., DAVIS, F.R.S.

- Davis's Sun's True Bearing, or Azimuth Tables, (30° N. to 30° S.)** by *J. E. and Percy L. H. Davis*. The only means of ensuring a correct course at sea is by the use of calculated or tabular azimuths, and the latter render the operation speedy and accurate. These tables, an addendum to those of Capt. Burdwood, R.N., which preceded them, have been in very general use since their publication. The instructions in several European languages for their use have proved of great service to all foreign seamen 10
- Davis's "Chronometer" Tables;** or, hour angles for selected altitudes between latitudes 0° and 50°, with variations for 1' in all elements. Means of working a Sun "Chronometer" arithmetically have been for many years a desideratum, and have been published, in 1793, by Lalande; in 1827, by Lynn; and by Hommey, in 1803; but Mr. Davis, by the omission of useless or undesirable altitudes, and the inclusion of Variations in 1' of Altitude, Latitude, and Declination, has made a table of great practical utility. The book, as a substitute for, or a check on logarithmic calculation, is almost a necessity, and is especially useful in latitudes lower than 45°. A comparison has been made in actual work of the tabular results with those obtained in the ordinary way, showing practically identical results ... 10
- Davis's Star Azimuth Tables,** computed for all latitudes between 60° North and 60° South. This book has followed on the very general adoption of stellar observations as a means of navigation, and supplies the seaman with the same details regarding stars, as he can get from Burdwood and Davis when the sun is concerned. Some ingenious altitude marks are used for the first time in these tables which materially aid in the identification of any hastily observed star, as to which doubt may exist 10
- Davis's Ex-Meridian Tables and Supplementary Azimuths.** This important work is now complete. It contains Calculated Reductions to the Meridian for hour angles less than 75" and altitude lower than 84°, Declinations and Latitudes 34° and 64° N. and S. The use of the book is quite easy to anyone familiar with the Azimuth Tables. The Supplementary Azimuths, which accompany it, give bearings too near the meridian for inclusion in Burdwood and Davis, which are now in great request for position lines and ex-meridian work 10
- Davis's Requisite Tables, (Logarithmic).** Tables of Logarithms, to five places of decimals only, for practical sea work. The typography and arrangement of the book will render it suitable for habitual use, and it contains a table of Logarithmic and Natural Haversines specially designed for modern navigation ... 7
- Davis's Five-Figure Logs and Anti-Logs.**—Specially prepared for use in Actuarial and General Calculations. These tables are very legibly printed and do not fatigue the eye in use 5
with Index Tabs 6

TIME, TIDE, AND DISTANCES.

- Time, Tide, and Distances.** A handy book of reference for the Shipowner, Underwriter, or Traveller. Contains the World's Time compared with Greenwich. The Tides round the British Coasts and those from Bergen via the Eastern Route to Japan with that at London Bridge; approximate Distances from Home Ports to Home and Foreign Ports (over 13,000 references); and a Speed and Distance Table for Rates of Speed from 8 to 21 knots for distances up to 14,000 nautical miles, by *J. McKirdy, R.N.R.* 15

WORK ON SALVAGE.

- Salvage Operations.** The floating of H.M. Battleship "Howe." Illustrated by 23 plans and photographs, by *Rear-Admiral G. T. H. Boyes, late Flag Captain H.M.S. "Anson"* 5

List of Nautical Works published by J. D. POTTER.

AZIMUTH DIAGRAMS, EX-MERIDIAN, STAR, AND OTHER TABLES.

Tables for the Reduction of Ex-Meridian Altitudes , by <i>J. T. Townson, F.R.G.S.</i>	s. d.
Ex-Meridian Diagram , by <i>F. A. L. Kitchin, B.A., Naval Instructor, R.N.</i>	1 0
Tables for facilitating the method of equal Altitudes , by <i>F. A. L. Kitchin, B.A., Naval Instructor, R.N.</i>	1 0
Stars and Sextants. Star Distance Tables for facilitating the use of Lord Ellenborough's method of Correcting the Centring and Total Errors of Sextants at Sea, by <i>John Abner Sprigge, Wm. Fraser Doak, M.A., F.R.A.S., T. Charlton Hudson, B.A., F.R.A.S., of H.M. Nautical Almanac Office, Admiralty, and Arthur S. Cox, B.Sc., A.R.C.Sc.</i>	2 6
A Table of the Principal Stars, with Directions for Recognizing Them , by <i>C. J. Benton</i>	3 0
Pole-Star Latitude: a method of Finding the Latitude from an Altitude of the Pole Star, by <i>Darnton Hutton (Master Mariner), B.A., M. Inst. C.E.</i>	1 0
Time Azimuth Diagram , by <i>Hugh Godfray, M.A.</i>	3 0
Captain Weir's Azimuth Diagram	1 6
Captains' and Officers' Bridge or Poop Companion. Tables for finding the distance of an object at sea by inspection (without the use of pencil or paper), at the same time giving the distance the ship will go wide of the object before getting to it, and the course to steer to obtain a required distance, by <i>A. Hüttersoth</i>	2 6
Speed Tables , for finding the Distance run in a given time at a given speed, between the limits of 10 to 18 knots, by <i>J. D. Macpherson (Pacific Steam Navigation Co.)</i>	1 0
Foreign Measures and their English Values , compiled from Official Sources, by <i>R. C. Carrington, F.R.G.S.</i>	7 6
Tables showing the Length in Feet of a Degree, Minute, and Second of Latitude and Longitude , with the corresponding number of Statute Miles in each Degree of Latitude; and the number of Minutes of Latitude or Nautical Miles contained in a Degree of Longitude, under each Parallel of Latitude, by <i>R. C. Carrington, F.R.G.S.</i>	1 0

SAILING DIRECTIONS AND CHARTS FOR THAMES, CHANNEL, &c.

Thames Wharves , showing all the Wharves from London Bridge to Gravesend, with a list of the principal Steamship Wharves, the approximate length for vessels, average depth of water at Springs and Neaps, &c.	5 0
Concise Navigating Directions for the River Thames , including all the Pools, Reaches and Channels, from London Bridge to the South Foreland and Orfordness, and for the English Channel to Beachy Head; also for the Port of Dunkerque and the approaches to the Scheldt, by <i>Stephen Penney, Trinity Pilot, Gravesend</i> (Illustrated by nineteen Charts)	7 6
East Coast Rivers. Charts and Sailing Directions for the Rivers Roach, Crouch, Blackwater, Colne, Stour, Orwell, Deben, Ore and Alde; together with General Charts from the Thames to Southwold, by <i>S. V. S. C. Messum, Lieut., R.N.</i>	5 0
Pilot's Handbook for the English Channel , containing concise Directions for Entering and Navigating the Channel, and for all the Harbours and Anchorages on the English Coast, from the Scilly Islands to the North Foreland; also Questions on the Pilotage of the Channel, by <i>Capt. King, R.N.</i> (with Twenty-two Charts)	7 6
Chart of the Dutch Waterways , by <i>J. & A. B. Powell</i>	4 0

List of Nautical Works published by J. D. POTTER.

WORKS BY CAPT. A. B. BECHER, R.N.		s. d.
The Landfall of Columbus on his First Voyage to America, with a Translation of The Baron Bonnefoux's History of his previous life, also a Chart showing his Track from the Landfall to Cuba, and an outline of his subsequent voyages ...	12 0	0
Navigation of the Indian Ocean, China, and Australian Seas: with an account of the Winds, Weather, and Currents found therein throughout the year (with Charts) ...	5 0	0
Navigation of the Atlantic Ocean, with an account of the Winds, Weather and Currents found therein throughout the year (with Charts) ...	5 0	0
Winds and Currents of the Mediterranean, with remarks on its Navigation at different Seasons of the Year, compiled from various authorities, chiefly Spanish ...	3 0	0
The Binnacle Compass, Corrected by itself, or the Deviation found with one Compass by both methods, and the Corrections applied ...	1 0	0
Tables of Mast Head Angles, for five feet intervals, from 30 to 280 feet, and varying distances from a cable's length to four miles, with their application to Nautical Surveying; also the determination of distance by sound, with an example... ..	2 0	0
The Storm Compass, or Seaman's Hurricane Companion, containing a familiar explanation of the Hurricane Theory, illustrated with Diagrams and Accounts of Hurricanes ...	1 6	0
Description of an Artificial Horizon, invented by A. B. Becher, Capt. R.N., with examples of its application, afloat and ashore (1857) ...	1 0	0

NAUTICAL SURVEYING.

Practical Nautical Surveying and the Handicraft of Navigation, by Com. T. A. Hull, R.N. ...	3 0	0
Practical Observations on Surveying (on determining the Position of a Vessel when Sounding), by Commander P. F. Shortland, R.N....	1 0	0

WORKS BY REAR-ADMIRAL CHARLES SHADWELL, C.B., F.R.S.

Notes on the Management of Chronometers and the Measurement of Meridian Distances ...	4 6	0
Notes on the Reduction of Lunar Observations, Mathematical and Practical ...	4 6	0
Tables for Facilitating the Determination of the Latitude and Time at Sea by Observations of the Stars... ..	2 6	0
Notes on Interpolation, Mathematical and Practical ...	2 0	0

SHIPPING LAW BOOKS.

The Rules of the Road at Sea, comprising the Regulations for preventing collisions at Sea, 1897, and Rules in force in Harbours, Rivers, and Inland Waters; with explanatory notes and observations, by H. Stuart Moore, of the Inner Temple and the Admiralty Court, Barrister-at-Law. (Third Edition) ...	7 6	0
Diagrams, with Explanations, illustrating the Rule of the Road for Sailing Ships, by Capt. H. S. Blackburne ...	2 0	0
The Statute Law of Merchant Shipping, comprised in an alphabetical analysis, and a Summary of the unrepealed Merchant Shipping Acts, from 1821 to 1888, by R. G. M. Browne, the Admiralty Marshal (1889) ...	6 0	0
Admiralty Procedure against Merchant Ships and Cargoes, &c., in the High Court of Justice and in County Courts, showing the various matters as to which proceedings in Admiralty can be taken, and the mode of commencing action, &c., by R. G. M. Browne, the Admiralty Marshal (1889) ...	10 0	0
Handbook on the Law and Practice relating to Apprentices to the Mercantile Marine Service; by F. W. Gardner (of the Middle Temple) ...	1 6	0

List of Nautical Works published by J. D. POTTER.

WORKS BY A. C. JOHNSON, R.N.

	s. d.
Nautical Astronomy Made Easy. All the Rules being worked by a Small Table on One Page, designed to economise Time and Labour	3 0
On Finding the Latitude and Longitude in Cloudy Weather and at other times. Greatly enlarged to 56 pages, with Appendix, and Part II.	5 0
Short Tables and Rules for Finding Latitude and Longitude, by single and Double Altitudes, Pole Star, Lunnars, &c.	3 0
How to Find the Time at Sea in less than a minute, being a New and Accurate Method, with specially adapted Tables	2 6
The Bearings of the principal bright Stars of greater declination than 23° north or 23° south; also those of the Moon and Planets when similarly situated. (Published by request)	3 0
A Handbook for Star Double Altitudes, with Directions for selecting the Stars	2 6
Hour Angles of the Sun, Moon, and Stars, for Latitude and Declination 0°-80°, and Altitude 5°-64°, together with Short Methods of finding the Longitude by Chronometer; and the Latitude and Longitude by Two "Chronometers"	3 6
Time-Altitudes for Expediting the Calculation of Apparent-Time, &c.	4 0
Combined Time and Altitude Azimuth Tables, for all Latitudes and Declinations	2 6
Short, Accurate, and Comprehensive Altitude-Azimuth Tables to show the true bearing of the Sun, Moon, Planets, &c., for latitude 0° to 75° north or south; altitudes 0° to 75°; and declination 30° north to 30° south; also the Approximate Ship Time (Published by request)	3 6

DEVIATIONS OF THE COMPASS.

Elementary Manual for the Deviations of the Compass in Iron Ships, intended for the use of Seamen of the Royal Navy and Mercantile Marine, and Navigation Schools, by <i>E. W. Creuk, C.B., F.R.S., retired Captain, R.N.</i>	6 6
Handbook to Beall's Compass Deviascope, by <i>Captain George Beall</i>	1 6
Practical Information on the Deviation of the Compass, for the use of Masters and Mates of Iron Ships, by <i>J. T. Towson, F.R.G.S.</i>	4 0
AND	
Supplement to the above; being the Questions on the Deviation of the Compass issued by the Board of Trade for the Examination for Masters' and Extra Masters' Certificates after 1st January, 1895, and Answers to the Questions, by <i>Capt. William Mayes, R.N.</i>	
Lights in Lyrics, or a Glance at the Channel Lights as Piloting Marks, on a run from Scilly to the Nore, accompanied by a parting precept on Compass Deviation, addressed to all younger Mariners. (With a view of the Caskets, Notes and Charts) (1859)	1 0
The Pocket Compass Corrector	2 0
Plain Deviation Curve Diagram, by <i>Captain J. C. Robinson</i>	0 6

List of Nautical Works published by J. D. POTTER.

WINDS AND CURRENTS.

	s. d.
The True Principle of the Law of Storms , practically arranged for both Hemispheres, by <i>James Sedgwick</i>	3 0
The True Direction and Velocity of Wind , observed from Ships while Sailing, by <i>James N. Miller</i> (Member of the Liverpool Polytechnic Society), with Table for Indicating the True Direction of the Winds at Sea (1870)	0 6
The Wind in its Circuits : with the explanation of the Origin and Cause of Circular Storms and Equinoctial Gales; illustrated with numerous Diagrams and a Chart of the Prevailing Winds of the World for Spring and Summer, by <i>Lieut. R. H. Armit, R.N.</i> (1870)	7 6

INTERNATIONAL CODE OF SIGNALS.

Signal Cards—British System , with Plates, containing Instructions for Semaphoring by Day , and with the Morse Code by Day or Night , together with the principal "Urgent" Light or Sound Signals, in accordance with the New Code. Also, Sheet of New Code Flags (34 Flags, coloured). Compiled by <i>J. Whitley Dixon</i> (Retired Captain, Royal Navy). (Size, 24½ x 19½)	1 6
Ditto	ditto
	mounted on thick card 2 0

INDIAN PORTS.

From Calcutta to Bombay Coasting , being the second Edition of the Handbook to the Ports on the Coast of India between Calcutta and Bombay, including Ceylon and the Maldiva and Laccadive Islands, with 11 Charts and 12 Photographs, by <i>Lieut. H. S. Brown, R.N.R.</i> , Port Officer, Marine Department, Madras Presidency	10 0
---	------

TIDE CHARTS AND BOOKS.

Tide Charts of the English and Bristol Channels and entrance of the Thames , compiled from the Admiralty Tide Tables, by <i>Algernon Heber Percy</i> , late Lieut. Royal Navy	5 0
English Channel Tidal Streams , compiled by <i>S. H. Brown</i> (Trinity Pilot), from Official Publications; 12 Diagrams showing every hour "before" and "after," and at High Water, Dover, on one card, size 11 by 9 inches	1 0
The General Direction of the Tidal Streams in the North Sea for every Hour "before" and "after," and at High Water, Dover, compiled by <i>Com. G. K. Gandy, R.N.R.</i> , from Official Publications (on one sheet, size 23 by 17 inches)	1 0
The Direction and Rate of the Tidal Streams at every Hour, for 48 Localities between the Nore and Scilly Isles , compiled from Admiralty Sources only, by <i>F. Howard Collins</i>	2 0
Twelve Charts of the Tidal Streams of the Channel Islands and Neighbouring French Coasts , by <i>F. Howard Collins</i>	4 0
The Universal Tidal Ready Reckoner , calculated by <i>Capt. W. E. Hutchinson</i>	1 6

List of Nautical Works published by J. D. POTTER.

MISCELLANEOUS.

	s.	d.
Cruise Round the World of the Flying Squadron, 1869-1870, under the command of Rear-Admiral G. T. Phipps Hornby (illustrated), and Chart showing the Track of the Flying Squadron	21	0
A Chart of South Latitudes, beyond 20 degrees, to Facilitate the Practice of Great Circle Sailing; with an accompanying Diagram for the Determination of the Courses and Distances, by Hugh Godfray, M.A.	3	0
Scales of Latitude from 5° to 60° proportional to a scale of Longitude, where $\frac{1}{4}$ in. = one mile, arranged to facilitate the finding of position from two Sumner lines, by R. E. Peake, A.M.I.C.E.	5	0
Charts to accompany above	2	6
Course and Position by Sextant Observations of two known Objects, by Lt.-Col. English, late R.E.	0	6
A Method for finding the Latitude by the Simultaneous Altitudes of Two Stars, by Capt. Burdwood, R.N.	1	0
An Essay on Hydrographical Engineering, as applicable to Floating Sea Barriers, Harbours, Batteries, Coast Defences, and Naval Fortifications, by Capt. Adderly Sleight, K.T.S., F.R.S.L. (with Illustrations), 1859	10	0
The Causes of Weather and Earthquakes (with four Diagrams), by Alfred J. Cooper	2	0
A New Theory of the Stability of Ships, second edition, revised and enlarged, (with 28 diagrams), by Alf. J. Cooper	2	0
How Ships are Lost, and How to Save Life and Property at Sea (Illustrated), by W. P. B. Mansgr	1	0
A Voice from the Quarter-Deck on the State of our Mercantile Marine, by Joseph Mayne (Master Mariner)	1	0
Remarks on Rigging Ships with Flat Surface Sails, by Lieut. William Congalton, R.N.R.	2	0.
A Review of the New Methods of Lowering and Disconnecting Boats at Sea, with a proposed Amendment (1857), by Capt. Kynaston, R.N., C.B., &c.	1	6
Chart of the Sulina Branch of the Danube (European Commission of the Danube), surveyed by Robert Hansford, Surveyor of the Commission, under the Direction of C. A. Hartley, Engineer in Chief (showing 45 Nautical Miles of the River from Sulina), size 10 ft. x 2 ft. 3in. (1860)	20	0
Chart of the Navy of Great Britain, from the Earliest Period of History, compiled from Historical publications, old records, Parliamentary returns, and other authorities, by Frederick Perigal (of the Admiralty), 1860	3	6
Historical Notes on Shipping, by P. L. Isaac (Member of the Institution of Naval Architects)	1	0
Notes on Cherbourg, (Geographical and Historic description of, &c.), and Chart (1858), by Bedford Pinn, Commander R.N., F.R.G.S.	1	0
The Blue Coat Boys' Clock. A dial showing the simultaneous time of day at all parts of the earth's surface, size 20 x 17 inches	5	0
Ship's Cook and Steward's Guide, containing hints for Management, and Two Hundred and Fifty Recipes, by James B. Wilson	1	0
Light as a Motive Power, a Series of Meteorological Essays (1875), by Lieut. R. H. Armit, R.N.	15	0
An Address delivered to the Boys of the Training Ships "Chichester" and the "Arethusa," by G. M. Conhead (1885)	0	4

List of Nautical Works published by J. D. POTTER.

The Currents on the South-Eastern Coasts of Newfoundland and the Amount of Indraught into the Largest Bays on the South Coast from Investigations of the Tidal and Current Survey in the Season of 1903, by *W. Bell Dawson, M.A., D.Sc., F.R.S.C., M.Can. Soc. C.E., Engineer in Charge.* Published by order of the Minister of Marine and Fisheries, Ottawa No charge

The Currents in the Gulf of St. Lawrence including the Anticosti Region Belle Isle and Cabot Straits condensed from the Reports of the Survey of Tides and Currents for the Seasons of 1894, 1895, and 1896. Published by order of the Minister of Marine and Fisheries, Ottawa No charge

On the Correction of Charts, Light Lists, and Sailing Directions; and a Short History of the Hydrographic Department of the British Admiralty No charge


FIELD'S PARALLEL RULERS.

Boxwood	24-inch, 18/; 21-inch, 15/; 18-inch, 11/; 15-inch	8	0
Ebony	24-inch, 21/; 21-inch, 18/; 18-inch, 14/; 15-inch	11	0

BRASS DIVIDERS... 6-inch, 2/6; 8-inch 3 6

F. HOWARD COLLINS'S SINGLE-HANDED DIVIDERS.

Specially Designed for Navigators.



THE advantages of these Single-handed Dividers are that they can be picked up from the table by one hand alone, and the legs opened or closed by the finger and thumb of the same hand, without any assistance whatever.

Navigators are thus enabled to work, and retain in position, the parallel ruler with one hand while distances are being measured with the other. It is needless to say that this enables much time to be saved in laying off courses and distances, a matter for consideration in these days of steamers travelling a mile in less than two-and-a-half minutes.

The joint itself is of an entirely new form, being made a round ball. This is found to be a great advantage, and the best form for rolling between the thumb and fore-finger when "stepping" distances; as for instance, in measuring fifty miles by the legs being set to 10 miles of the chart scale.

These Dividers are of the best make in German-silver, price 7s. 6d. per pair in cardboard box, and with special cleat and screws for fixing to the chart-room bulk-head to hold them when not in use.

"None seem to be quite on a level of excellence with these."—*Merchant Service Review.*

"The price is certainly a reasonable one."—*The Shipping World.*

ADMIRALTY CHARTS.

THE LATEST EDITIONS OF CHARTS, PLANS, AND SAILING DIRECTIONS,
PUBLISHED BY THE ADMIRALTY.

CAN BE OBTAINED FROM

J. D. POTTER, ADMIRALTY AGENT (BY APPOINTMENT),
145, MINORIES, LONDON, E.

OFFICIAL CATALOGUE OF CHARTS (380 pages), 1s.

An abridged Catalogue of Nautical Publications, Free on application.

NOTICE.

The following is from Lloyd's Calendar, published with the approval of the Committee of Lloyd's:—

“Admiralty Charts.—When issued from the London Chart Agent (J. D. Potter, 145, Minories, E.), the Charts have received all necessary corrections to date. Once out of his hands, there is no guarantee that further corrections are made before sale by local firms at different ports, and purchasers should obtain some assurance that the Charts are correct to date.”

SPECIAL BOARD OF TRADE OFFICIAL NOTICE (No. 9) TO SHIPOWNERS.

NOTICE TO SHIPOWNERS AND AGENTS.

The attention of the BOARD OF TRADE has frequently been called to cases in which British vessels have been endangered or wrecked through MASTERS attempting to NAVIGATE them by means of ANTIQUATED or otherwise DEFECTIVE CHARTS.

The BOARD OF TRADE desires, therefore, to direct the especial attention of Shipowners and their Servants and Agents to the necessity of seeing that the charts taken or sent on Board their Ships are corrected down to the time of sailing. NEGLECT TO SUPPLY a SHIP with PROPER CHARTS will be brought prominently before the Court of Inquiry in the event of a wreck occurring from that cause.

*Comparative Statement, showing the number of New British Admiralty Charts Published,
Corrections made to the Chart Plates, and Quantities Printed, for the years
1885, 1890, 1895, 1900, and 1905.*

Years.	New Chart Plates Engraved and Published.	Chart Plates Improved by Additional Plans.	Chart Plates Improved by Corrections and Additions.	Corrections Made to the Chart Plates.	Minor Corrections at the hands of the Draughtsmen.	Number of Charts Printed for the Royal Navy, Government Departments, and the General Public.
1885	54	32	186	2,750	29,800	272,115
1890	76	10	130	4,750	37,270	297,120
1895	114	34	163	5,300	30,096	312,638
1900	102	30	224	4,520	35,500	580,307
1905	110	36	196	5,320	60,499	689,930



527-600



8408

